

Years	Displ	Qualifier	Part Description	Part No.
ACURA				
CL				
L4				
1999-98	2254 cc. (2.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S
1997	2220 cc. (2.2L)	(V-TEC); Strainer required to validate the warranty (V-TEC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S
V6				
2003	3206 cc. (3.2L)	(J32A1); Strainer required to validate the warranty (J32A1)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F307S
2003-01	3206 cc. (3.2L)	(Type S, J32A2 Eng.); Strainer required to validate the warranty (Type S, J32A2 Eng.)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F307S
2002-01	3206 cc. (3.2L)	(J32A1); Strainer required to validate the warranty (J32A1)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F307S
1999-97	2997 cc. (3.0L)	(V-TEC); Strainer required to validate the warranty (V-TEC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S
Integra				
L4				
2001-98	1797 cc. (1.8L)	(DOHC, V-TEC); Strainer required to validate the warranty (DOHC, V-TEC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F259S
2001-96	1834 cc. (1.8L)	(DOHC); Strainer required to validate the warranty (DOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F259S
1997-96	1797 cc. (1.8L)	(DOHC, V-TEC); Strainer required to validate the warranty (DOHC, V-TEC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F259S
1995-94	1797 cc. (1.8L) 1834 cc. (1.8L)	(DOHC, V-TEC) (DOHC); Strainer required to validate the warranty (DOHC)	(Fuel Strainer) (In Tank Electric Fuel Pump) (Fuel Strainer)	F271S F4346 F259S
1993-92	1678 cc. (1.7L)	(DOHC)	(Fuel Strainer)	F220S
1993-90	1834 cc. (1.8L)	(DOHC)	(Fuel Strainer)	F220S
Legend				
V6				
1995-94	3206 cc. (3.2L)	(L, LS & SE Sedan); Strainer required to validate the warranty (L & LS Coupe) (L, LS & SE Sedan)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4034 F247S F236S
1993-91	3206 cc. (3.2L)	(Sedan); Strainer required to validate the warranty (Coupe) (Sedan)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4034 F247S F236S
1990-89	2675 cc. (2.7L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F228S
1988-87	2675 cc. (2.7L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F228S
1987-86	2494 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F228S
NSX				
V6				
2005-97	3206 cc. (3.2L)	(DOHC, V-TEC)	(Fuel Strainer)	F293S
2005-91	2977 cc. (3.0L)	(DOHC, V-TEC)	(Fuel Strainer)	F293S
RL				
V6				
2004-00	3474 cc. (3.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F331S
1999-96	3474 cc. (3.5L)		(Fuel Strainer)	F259S
SLX				
V6				
1999-98	3494 cc. (3.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F253S
1997-96	3165 cc. (3.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
TL				
L5				
1998-95	2451 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
ACURA (Cont'd)				
TL (Cont'd)				
V6				
2003-02	3206 cc. (3.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F307S
2001-99	3206 cc. (3.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F307S
1998-96	3206 cc. (3.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S
Vigor				
L5				
1994-92	2451 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F231S
ALFA ROMEO				
All Models				
		Most Applications Except Those Equipped with Fuel Injection	(Electric Fuel Pump)	F4027A
AUDI				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
AUSTIN, AUSTIN HEALEY				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
BMW				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
318 Series				
L4				
1991	1796 cc. (1.8L)	318iS; Strainer required to validate the warranty 318iS	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F111S
320 Series				
L4				
1979	1990 cc. (2.0L)	(In-Tank)	(Fuel Strainer)	F111S
1978	1990 cc. (2.0L)	(In-Tank)	(Fuel Strainer)	F111S
740i, 740iL				
V8				
2001-96	4398 cc. (4.4L)		(Fuel Strainer)	F121S
1995	3982 cc. (4.0L)		(Fuel Strainer)	F121S
750iL				
V12				
2001-95	5379 cc. (5.4L)		(Fuel Strainer)	F121S
BUICK				
Century				
L4				
1996-93	134 (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2201 F139S
1992-89	151 (2.5L)	Wiring Harness replacement recommended.; Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1988	151 (2.5L)	(R) (w/APH on Wiring Harness, Wiring Harness replacement recommended); Strainer required to validate the warranty (R) (w/ARA on Wiring Harness, Wiring Harness replacement recommended); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F2223 F104S
1987	151 (2.5L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1986	151 (2.5L)	(R) (w/T.B.I.); Strainer required to validate the warranty (R) (w/T.B.I.)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1985	151 (2.5L)	(w/Digital - w/T.B.I.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S

Years	Displ	Qualifier	Part Description	Part No.
BUICK (Cont'd)				
Century (Cont'd)				
L4 (Cont'd)				
1984	151 (2.5L)		(Fuel Strainer)	F102S
1983-82	151 (2.5L)	(5) (Carbureted)	(Fuel Strainer)	F104S
		(R) (w/T.B.I.)	(Fuel Strainer)	F102S
V6				
2005-00	189 (3.1L)	(J) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2553A
1996-94	189 (3.1L)	(M); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(M)	(Fuel Strainer)	F139S
1993	204 (3.3L)	(N); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(N)	(Fuel Strainer)	F139S
1992-89	204 (3.3L)	(N) (Exc. Wagon, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(N) (Wagon); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(N) (Exc. Wagon)	(Fuel Strainer)	F104S
		(N) (Wagon)	(Fuel Strainer)	F141S
1989	173 (2.8L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(W)	(Fuel Strainer)	F104S
1988	173 (2.8L)	(W) (Exc. Wagon, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(W) (Wagon); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(W) (Exc. Wagon)	(Fuel Strainer)	F104S
		(W) (Wagon)	(Fuel Strainer)	F141S
	231 (3.8L)	(3) (Exc. Wagon, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(3) (Wagon); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(3) (Exc. Wagon)	(Fuel Strainer)	F104S
		(3) (Wagon)	(Fuel Strainer)	F141S
1987	173 (2.8L)	(W) (Exc. Wagon); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(W) (Wagon); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(W) (Exc. Wagon)	(Fuel Strainer)	F104S
		(W) (Wagon)	(Fuel Strainer)	F141S
	231 (3.8L)	(3) (Exc. Wagon); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(3) (Wagon); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(3) (Exc. Wagon)	(Fuel Strainer)	F104S
		(3) (Wagon)	(Fuel Strainer)	F141S
1986-85	231 (3.8L)	(Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
			(Fuel Strainer)	F104S
1985-84	181 (3.0L)		(Fuel Strainer)	F104S
1984	231 (3.8L)	(w/M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(w/M.F.I.)	(Fuel Strainer)	F104S
1983-82	181 (3.0L)		(Fuel Strainer)	F102S
Electra, Electra Estate Wagon, Electra Park Avenue, Park Avenue, Park Avenue Ultra				
V6				
1996	231 (3.8L)	(K) Park Avenue; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(1) Supercharged Park Avenue	(Fuel Strainer)	F104S
		(K) Park Avenue	(Fuel Strainer)	F139S
1995	231 (3.8L)	(K) Park Avenue; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(1) Supercharged Park Avenue	(Fuel Strainer)	F141S
		(K) Park Avenue	(Fuel Strainer)	F139S
1994	231 (3.8L)	(L) Park Avenue (w/CRC on Sender); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(1) Supercharged Park Avenue	(Fuel Strainer)	F141S
		(L) (Park Avenue)	(Fuel Strainer)	F139S
1993	231 (3.8L)	(1) Supercharged Park Avenue	(Fuel Strainer)	F141S
		(L) Park Avenue	(Fuel Strainer)	F139S
1992	231 (3.8L)	(L) Park Avenue; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
			(Fuel Strainer)	F141S
1991	231 (3.8L)	(L) (w/1.45" Diameter Pump); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(L) (w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(1) Supercharged Park Avenue Ultra	(Fuel Strainer)	F141S
		(L) (w/1.45" Diameter Pump)	(Fuel Strainer)	F102S
		(L) (w/2" Diameter Pump, w/Threaded Terminals)	(Fuel Strainer)	F141S

Years	Displ	Qualifier	Part Description	Part No.
BUICK (Cont'd)				
Electra, Electra Estate Wagon, Electra Park Avenue, Park Avenue, Park Avenue Ultra (Cont'd)				
V6 (Cont'd)				
1990	231 (3.8L)	(C) (w/1.45" Diameter Pump, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(C) (w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(C) (w/1.45" Diameter Pump)	(Fuel Strainer)	F102S
		(C) (w/2" Diameter Pump, w/Threaded Terminals)	(Fuel Strainer)	F141S
1989-85	231 (3.8L)	(w/1.45" Diameter Pump, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(w/1.45" Diameter Pump)	(Fuel Strainer)	F104S
		(w/2" Diameter Pump, w/Threaded Terminals)	(Fuel Strainer)	F141S
1985	181 (3.0L)		(Fuel Strainer)	F104S
LeSabre, LeSabre Estate Wagon				
V6				
1999-96	231 (3.8L)	(K); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(K)	(Fuel Strainer)	F139S
1995	231 (3.8L)	(L); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(L)	(Fuel Strainer)	F139S
1994	231 (3.8L)	(L) (w/CRC on sender); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(L)	(Fuel Strainer)	F139S
1993	231 (3.8L)	(L)	(Fuel Strainer)	F139S
1992	231 (3.8L)	(L); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(L)	(Fuel Strainer)	F141S
1991-90	231 (3.8L)	(C) (w/1.45" Diameter Pump, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(C) (w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(C) (w/1.45" Diameter Pump)	(Fuel Strainer)	F102S
		(C) (w/2" Diameter Pump, w/Threaded Terminals)	(Fuel Strainer)	F141S
1989-86	231 (3.8L)	(w/1.45" Diameter Pump, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(w/1.45" Diameter Pump)	(Fuel Strainer)	F104S
		(w/2" Diameter Pump, w/Threaded Terminals)	(Fuel Strainer)	F141S
1986	181 (3.0L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(L)	(Fuel Strainer)	F104S
Opel				
L4				
1975	1897cc. (1.9L)	(1900, Manta)	(Electric Fuel Pump)	F4323
Reatta				
V6				
1991	231 (3.8L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(L)	(Fuel Strainer)	F111S
1990	231 (3.8L)	(C) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(C)	(Fuel Strainer)	F111S
1989-88	231 (3.8L)	(C) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(C)	(Fuel Strainer)	F111S
Regal, Regal Estate Wagon				
V6				
2004-00	231 (3.8L)	(K) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2553A
1996	231 (3.8L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(K)	(Fuel Strainer)	F102S
1996-95	189 (3.1L)	(M) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(M)	(Fuel Strainer)	F102S
1995	231 (3.8L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
BUICK (Cont'd)				
Regal, Regal Estate Wagon (Cont'd)				
V6 (Cont'd)				
1995 (Cont'd)		(L)	(Fuel Strainer)	F102S
1994	189 (3.1L)	(M) (Wiring Harness replacement recommended); Strainer required to validate the warranty (M)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F102S
1994-92	231 (3.8L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty (L)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F102S
1993-92	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F102S
1991-90	231 (3.8L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty (L)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F100S
1991-89	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F100S
1989-88	173 (2.8L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F100S
1987	231 (3.8L)	(7) (Turbo w/S.F.I.)	(Fuel Strainer)	F131S
1986	231 (3.8L)	(7) (Turbo w/S.F.I., Exc. Canada)	(Fuel Strainer)	F131S
1985	231 (3.8L)	(9) (Turbo w/S.F.I., Exc. Export, Canada)	(Fuel Strainer)	F131S
1984	231 (3.8L)	(9) (Turbo w/S.F.I.)	(Fuel Strainer)	F131S
Riviera				
V6				
1993-91	231 (3.8L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty (L)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F111S
1990	231 (3.8L)	(C) (Wiring Harness replacement recommended); Strainer required to validate the warranty (C)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F111S
1989-88	231 (3.8L)	(C) (Wiring Harness replacement recommended); Strainer required to validate the warranty (C)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F111S
1987	231 (3.8L)	(3) (Wiring Harness replacement recommended); Strainer required to validate the warranty (3)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F111S
1986	231 (3.8L)	(B) (Wiring Harness replacement recommended); Strainer required to validate the warranty (B)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
1985-84	231 (3.8L)	(9) (Turbo w/S.F.I.)	(Fuel Strainer)	F123S
Roadmaster				
V8				
1996-94	350 (5.7L)	(P) (Wiring Harness replacement recommended); Strainer required to validate the warranty (P)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F123S
1993	350 (5.7L)	(7)	(Fuel Strainer)	F123S
1992	350 (5.7L)	(7) (Sedan - w/BAG on Wiring Harness) (7) (Sedan - w/BAJ on Wiring Harness) (7) (Wagon)	(Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F104S F123S F104S
1991	305 (5.0L)	(E) (w/BAJ or BAK on Wiring Harness) (E) (w/BES or BEX on Wiring Harness)	(Fuel Strainer) (Fuel Strainer)	F123S F104S
Skyhawk				
L4				
1989	122 (2.0L)	(1) (Wiring Harness replacement recommended); Strainer required to validate the warranty (1)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1988	122 (2.0L)	(K, 1) (Wiring Harness replacement recommended); Strainer required to validate the warranty (K, 1)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1987	122 (2.0L)	(1) (w/o Turbo, Wiring Harness replacement recommended); Strainer required to validate the warranty (K) (w/o Turbo, Wiring Harness replacement recommended); Strainer required to	(In Tank Electric Fuel Pump)	F2223 F2913

Years	Displ	Qualifier	Part Description	Part No.
BUICK (Cont'd)				
Skyhawk (Cont'd)				
L4 (Cont'd)				
1987 (Cont'd)		validate the warranty (M) (w/Turbo, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
1986	112 (1.8L)	(O) (w/E.F.I.); Strainer required to validate the warranty (J) (w/M.P.I., w/Turbo, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump)	F2913 F2251
	121 (2.0L)	(P) (w/T.B.I.); Strainer required to validate the warranty (P) (w/T.B.I.)	(Fuel Strainer) (In Tank Electric Fuel Pump) (Fuel Strainer)	F104S F2913 F104S
1985	112 (1.8L)	(O) (T.B.I.); Strainer required to validate the warranty (J) (w/M.F.I., w/Turbo, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump)	F2913 F2251
	121 (2.0L)	(P); Strainer required to validate the warranty (P)	(Fuel Strainer) (In Tank Electric Fuel Pump) (Fuel Strainer)	F104S F2913 F104S
1984	112 (1.8L)	(J) (Turbo, Wiring Harness replacement recommended); Strainer required to validate the warranty (O) (w/T.B.I.) (J) (Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2251 F131S F104S
1984-83	121 (2.0L)	(B) (Carbureted) (P) (w/T.B.I.)	(Fuel Strainer) (Fuel Strainer)	F104S F131S
1983	112 (1.8L)	(O)	(Fuel Strainer)	F131S
1982	112 (1.8L)	(O) (w/T.B.I.)	(Fuel Strainer)	F102S
Skylark, Skylark Custom, Skylark Sportwagon, Skylark GS				
L4				
1995	138 (2.3L)	(D) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (D) (For Pump Only Both Strainers Are Required, On Module Strainer) (D) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2324 F120S F131S
1994-93	138 (2.3L)	(3) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (3) (For Pump Only Both Strainers Are Required) (3) (For Pump Only Both Strainers Are Required)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2324 F120S F131S
1992	138 (2.3L)	(3) (For Pump Only Both Strainers Are Required, on Module Strainer) (3) (For Pump Only Both Strainers Are Required, on Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1991-88	138 (2.3L)	(D) (Wiring Harness replacement recommended); Strainer required to validate the warranty (D)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
	151 (2.5L)	(U) (Wiring Harness replacement recommended); Strainer required to validate the warranty (U)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1987-86	151 (2.5L)	(U)	(Fuel Strainer)	F104S
1985	151 (2.5L)	(R)	(Fuel Strainer)	F104S
1984	151 (2.5L)	(R)	(Fuel Strainer)	F102S
1983-82	151 (2.5L)	(5) (Carbureted) (R) (T.B.I.)	(Fuel Strainer) (Fuel Strainer)	F104S F102S
V6				
1995-94	189 (3.1L)	(M) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (M) (For Pump Only Both Strainers Are Required, on Module Strainer) (M) (For Pump Only Both Strainers Are Required, on Pump Strainer)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2324 F120S F131S
1993	204 (3.3L)	(N) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (N) (For Pump Only Both Strainers Are Required, On Module Strainer) (N) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2324 F120S F131S
1992	204 (3.3L)	(N) (For Pump Only Both Strainers Are Required, On Module Strainer) (N) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1991-90	204 (3.3L)	(N); Strainer required to validate the warranty (N)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
1989	204 (3.3L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty (N)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
1988-86	181 (3.0L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251

Years	Displ	Qualifier	Part Description	Part No.
BUICK (Cont'd)				
Skylark, Skylark Custom, Skylark Sportwagon, Skylark GS (Cont'd)				
V6 (Cont'd)				
1988-86 (Cont'd)		(L)	(Fuel Strainer)	F104S
1985	173 (2.8L)	(W) (w/High Output, Wiring Harness replacement recommended); Strainer required to validate the warranty (W) (w/High Output)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
Somerset, Somerset Custom, Somerset Limited, Somerset Regal, Somerset Skylark				
L4				
1987-85	151 (2.5L)	(U); Strainer required to validate the warranty (U)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
V6				
1987-85	181 (3.0L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty (L)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
CADILLAC				
Allante				
V8				
1993	281 (4.6L)	(9) (For Pump Only Both Strainers Are Required, On Module Strainer) (9) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1992-89	273 (4.5L)	(8) (Wiring Harness replacement recommended); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F104S
1988	250 (4.1L)	(7) (Wiring Harness replacement recommended); Strainer required to validate the warranty (7)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F104S
1987	250 (4.1L)	(7) (Wiring Harness replacement recommended); Strainer required to validate the warranty (7)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
Cimarron				
L4				
1986-85	121 (2.0L)	(P); Strainer required to validate the warranty (P)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1984-83	121 (2.0L)	(P)	(Fuel Strainer)	F131S
V6				
1988-85	173 (2.8L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
Commercial Chassis				
V8				
1996-94	350 (5.7L)	(P); Strainer required to validate the warranty (P)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F123S
1993	350 (5.7L)	(7)	(Fuel Strainer)	F123S
1993-91	300 (4.9L)	(B); Strainer required to validate the warranty (B)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F141S
1990	273 (4.5L)	(3); Strainer required to validate the warranty (3)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F141S
1989-88	273 (4.5L)	(5); Strainer required to validate the warranty (5)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1987	252 (4.1L)	(8); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1986	252 (4.1L)	(8) (w/CPG on Wiring Harness); Strainer required to validate the warranty (8) (w/HEF on Wiring Harness); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F2913 F104S
1985	252 (4.1L)		(Fuel Strainer)	F123S
1984-83	368 (6.0L)		(Fuel Strainer)	F123S
1982-80	368 (6.0L)	(w/Fuel Inj.)	(Fuel Strainer)	F123S
1979-77	425 (7.0L)	(w/Fuel Inj.)	(Fuel Strainer)	F123S
1976-75	500 (8.2L)	(w/Fuel Inj.)	(Fuel Strainer)	F123S
DeVille, DeVille Concours				
V8				
1994	281 (4.6L)	(Y) (Stamped EPT or EPW on Sender, Both Strainers Are Required, On Module)	(Fuel Strainer)	F120S

Years	Displ	Qualifier	Part Description	Part No.
CADILLAC (Cont'd)				
DeVille, DeVille Concours (Cont'd)				
V8 (Cont'd)				
1994 (Cont'd)	300 (4.9L)	Strainer) (Y) (Stamped EPT or EPW on Sender, Both Strainers Are Required, On Pump Strainer) (B) (Stamped EPT or EPW on Sender, Both Strainers Are Required, On Module Strainer) (B) (Stamped EPT or EPW on Sender, Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F131S F120S F131S
1993-91	300 (4.9L)	(B) (w/1.45" Diameter Pump); Strainer required to validate the warranty (B) (w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty (B) (w/1.45" Diameter Pump) (B) (w/2" Diameter Pump, w/Threaded Terminals)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2251 F2233 F102S F141S
1990	273 (4.5L)	(3) (w/1.45" Diameter Pump); Strainer required to validate the warranty (3) (w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty (3) (w/1.45" Diameter Pump) (3) (w/2" Diameter Pump, w/Threaded Terminals)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2251 F2233 F102S F141S
1989-88	273 (4.5L)	(5) (Wiring Harness replacement recommended); Strainer required to validate the warranty (5)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1987	252 (4.1L)	(8) (Wiring Harness replacement recommended); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1986	252 (4.1L)	(Wiring Harness replacement recommended, w/1.45" Diameter Pump, w/CPG on Wiring Harness); Strainer required to validate the warranty (w/1.45" Diameter Pump, w/HEF on Wiring Harness); Strainer required to validate the warranty (w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty (w/1.45" Diameter Pump) (w/2" Diameter Pump, w/Threaded Terminals)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2223 F2913 F2233 F104S F141S
1985	252 (4.1L)	(8) (1st Design w/Harness Tag CEA); Strainer required to validate the warranty (8) (2nd Design w/Harness Tag CEH); Strainer required to validate the warranty (8) (3rd Design w/Harness Tag CPG, Wiring Harness replacement recommended); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F2913 F2223 F104S
1984-82	252 (4.1L)	(8)	(Fuel Strainer)	F123S
1981	368 (6.0L)		(Fuel Strainer)	F123S
1979-77	425 (7.0L)	(w/Fuel Inj.)	(Fuel Strainer)	F123S
1976	500 (8.2L)	(w/Fuel Inj.)	(Fuel Strainer)	F123S
1975	500 (8.2L)	(w/Fuel Inj.)	(Fuel Strainer)	F123S
Eldorado				
V8				
1994	281 (4.6L)	(Y, 9) (Stamped EPT or EPW on Sender, Both Strainers Are Required) (Y, 9) (Stamped EPT or EPW on Sender, Both Strainers Are Required)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1993	281 (4.6L)	(Y, 9) (Both Strainers Are Required, On Module Strainer) (Y, 9) (Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
	300 (4.9L)	(B) (Both Strainers Are Required, On Module Strainer) (B) (Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1992-91	300 (4.9L)	(B) (Wiring Harness replacement recommended); Strainer required to validate the warranty (B)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F111S
1990	273 (4.5L)	(3) (Wiring Harness replacement recommended); Strainer required to validate the warranty (3)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F111S
1989-88	273 (4.5L)	(5) (Wiring Harness replacement recommended); Strainer required to validate the warranty (5)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F111S
1987-86	252 (4.1L)	(8) (Wiring Harness replacement recommended); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F111S
1985-82	252 (4.1L)	(8)	(Fuel Strainer)	F123S
1981-80	368 (6.0L)	(9)	(Fuel Strainer)	F123S
1980	350 (5.7L)	(8)	(Fuel Strainer)	F123S
1979	350 (5.7L)	(B)	(Fuel Strainer)	F123S

Years	Displ	Qualifier	Part Description	Part No.
CADILLAC (Cont'd)				
Eldorado (Cont'd)				
V8 (Cont'd)				
1978-77	425 (7.0L)	(w/Fuel Inj.)	(Fuel Strainer)	F123S
1976-75	500 (8.2L)	(w/Fuel Inj.)	(Fuel Strainer)	F123S
Escalade				
V8				
2003-02	327 (5.3L)	(T) (Exc. ESV And EXT Models, Exc. Export, w/Module Code TDB, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2519A
	366 (6.0L)	(N) (Exc. ESV And EXT Models, Exc. Export, w/Module Code TDB, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2519A
2000	350 (5.7L)	(R) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2983A
1999	350 (5.7L)	(R) (w/o RFI Filter, w/o Low Lubricity Fuel Sender, w/o Robust Fuel System, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2983A
Fleetwood				
V8				
1996-94	350 (5.7L)	(P) (Wiring Harness replacement recommended); Strainer required to validate the warranty (P)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F123S
1993	350 (5.7L)	(7)	(Fuel Strainer)	F123S
1993-91	300 (4.9L)	(B) (F.W.D., w/1.45" Diameter Pump); Strainer required to validate the warranty (B) (F.W.D., w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty (B) (F.W.D., w/1.45" Diameter Pump) (B) (F.W.D., w/2" Diameter Pump, w/Threaded Terminals)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2251 F2233 F102S F141S
1992-91	305 (5.0L)	(E) (Wiring Harness replacement recommended); Strainer required to validate the warranty (E)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F123S
1992-90	350 (5.7L)	(7) (Wiring Harness replacement recommended); Strainer required to validate the warranty (7)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F123S
1990	273 (4.5L)	(3) (F.W.D., w/1.45" Diameter Pump); Strainer required to validate the warranty (3) (F.W.D., w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty (3) (F.W.D., w/1.45" Diameter Pump) (3) (F.W.D., w/2" Diameter Pump, w/Threaded Terminals)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2251 F2233 F102S F141S
1989-88	273 (4.5L)	(5) (F.W.D., Wiring Harness replacement recommended); Strainer required to validate the warranty (5) (F.W.D.)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1987	252 (4.1L)	(8) (F.W.D.); Strainer required to validate the warranty (8) (F.W.D.)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1986	252 (4.1L)	(8) (F.W.D. - w/CPG on Wiring Harness); Strainer required to validate the warranty (8) (F.W.D. - w/HEF on Wiring Harness); Strainer required to validate the warranty (8) (F.W.D.)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F2913 F104S
1985	252 (4.1L)	(8) (F.W.D., 1st Design w/Harness Tag CEA); Strainer required to validate the warranty (8) (F.W.D., 2nd Design w/Harness Tag CEH); Strainer required to validate the warranty (8) (F.W.D., 3rd Design w/Harness Tag CPG); Strainer required to validate the warranty (8) (R.W.D.); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F2913 F2223 F2913 F104S
1984	368 (6.0L)	(9)	(Fuel Strainer)	F123S
1984-82	252 (4.1L)	(8)	(Fuel Strainer)	F123S
1983-81	368 (6.0L)	(6, 9)	(Fuel Strainer)	F123S
1979-77	425 (7.0L)	(w/Fuel Inj.)	(Fuel Strainer)	F123S
1976-75	500 (8.2L)	(w/Fuel Inj.)	(Fuel Strainer)	F123S
Seville				
V8				
1994	281 (4.6L)	(Y, 9) (Stamped EPT or EPW on Sender, Both Strainers Are Required) (Y, 9) (Stamped EPT or EPW on Sender, Both Strainers Are Required)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1993	281 (4.6L)	(9) (Both Strainers Are Required)	(Fuel Strainer)	F120S
		(9) (Both Strainers Are Required)	(Fuel Strainer)	F131S
	300 (4.9L)	(B) (Both Strainers Are Required)	(Fuel Strainer)	F120S
		(B) (Both Strainers Are Required)	(Fuel Strainer)	F131S
1992-91	300 (4.9L)	(B) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276

Years	Displ	Qualifier	Part Description	Part No.
CADILLAC (Cont'd)				
Seville (Cont'd)				
V8 (Cont'd)				
1992-91 (Cont'd)		(B)	(Fuel Strainer)	F111S
1990	273 (4.5L)	(3) (Wiring Harness replacement recommended); Strainer required to validate the warranty (3)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F111S
1989-88	273 (4.5L)	(5) (Wiring Harness replacement recommended); Strainer required to validate the warranty (5)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F111S
1987-86	252 (4.1L)	(8) (Wiring Harness replacement recommended); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F111S
1985-82	252 (4.1L)	(8)	(Fuel Strainer)	F123S
1981-80	368 (6.0L)	(9)	(Fuel Strainer)	F123S
1980		(8)	(Fuel Strainer)	F123S
1979-78	350 (5.7L)	(B)	(Fuel Strainer)	F104S
1977-76	350 (5.7L)	(R)	(Fuel Strainer)	F104S
CHEVROLET				
Beretta				
L4				
1995-93	134 (2.2L)	(4) (For Pump Only Both Strainers are Required, On Module Strainer) (4) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1994-93	138 (2.3L)	(A) (Quad 4, For Pump Only Both Strainers Are Required, On Module Strainer) (A) (Quad 4, For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1992	134 (2.2L)	(4) (Wiring Harness replacement recommended); Strainer required to validate the warranty (4)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F131S
	138 (2.3L)	(A) (Quad 4, Wiring Harness replacement recommended); Strainer required to validate the warranty (A) (Quad 4)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F131S
1991-90	134 (2.2L)	(G) (Wiring Harness replacement recommended); Strainer required to validate the warranty (G)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F121S
	138 (2.3L)	(A) (Quad 4, Wiring Harness replacement recommended); Strainer required to validate the warranty (A) (Quad 4)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F121S
1989-87	121 (2.0L)	(1) (Wiring Harness replacement recommended); Strainer required to validate the warranty (1)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
V6				
1995-94	189 (3.1L)	(M) (For Pump Only Both Strainers Are Required, On Module Strainer) (M) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1993	189 (3.1L)	(T) (For Pump Only Both Strainers Are Required, On Module Strainer) (T) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1992	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F131S
1991-90	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F121S
1989	173 (2.8L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F104S
1988	173 (2.8L)	(W) (From VIN 200,001 to 500,000, Wiring Harness replacement recommended); Strainer required to validate the warranty (W) (From VIN 500,001, Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F2276 F104S
1987	173 (2.8L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
Camaro, Berlinetta, Z-28, IROC				
L4				
1986-85	151 (2.5L)	(2); Strainer required to validate the warranty (2)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F131S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
CHEVROLET (Cont'd)				
Camaro, Berlinetta, Z-28, IROC (Cont'd)				
L4 (Cont'd)				
1984	151 (2.5L)	(2)	(Fuel Strainer)	F131S
1983-82	151 (2.5L)	(2)	(Fuel Strainer)	F123S
		(F) (Canada)	(Fuel Strainer)	F131S
V6				
1992-90	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(T)	(Fuel Strainer)	F123S
1989-85	173 (2.8L)	(S) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(S)	(Fuel Strainer)	F131S
V8				
1992-90	305 (5.0L)	(E) (w/T.B.I., Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(F) (w/M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2221
			(Fuel Strainer)	F123S
1992-88	350 (5.7L)	(8) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2221
		(8)	(Fuel Strainer)	F123S
1989-88	305 (5.0L)	(E) (w/T.B.I., Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(F) (w/M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2221
		(E) (w/T.B.I.)	(Fuel Strainer)	F131S
		(F) (w/M.F.I.)	(Fuel Strainer)	F123S
1987	305 (5.0L)	(F) (w/M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2221
			(Fuel Strainer)	F131S
	350 (5.7L)	(8) (w/M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2221
		(8) (w/M.F.I.)	(Fuel Strainer)	F131S
1986	305 (5.0L)	(F) (w/M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2221
			(Fuel Strainer)	F131S
1985	305 (5.0L)	(F) (w/M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2221
			(Fuel Strainer)	F131S
1984	305 (5.0L)	(G) (4 Bbl. Carb., w/High Output, In-Tank)	(Fuel Strainer)	F131S
1983-82	305 (5.0L)	(w/T.B.I.)	(Fuel Strainer)	F131S
Caprice				
V6				
1993	262 (4.3L)	(Z)	(Fuel Strainer)	F123S
1992	262 (4.3L)	(Z)	(Fuel Strainer)	F104S
1990	262 (4.3L)	(Z); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F123S
1989-87	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F123S
1986-85	262 (4.3L)	(Z); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F123S
V8				
1996-95	265 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2221
		(W)	(Fuel Strainer)	F123S
1996-94	350 (5.7L)	(P) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(P)	(Fuel Strainer)	F123S
1994	265 (4.3L)	(W); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2221
		(W)	(Fuel Strainer)	F123S
1993	305 (5.0L)	(E)	(Fuel Strainer)	F123S
	350 (5.7L)	(7)	(Fuel Strainer)	F123S
1992	305 (5.0L)	(E) (Exc. Police)	(Fuel Strainer)	F104S
		(E) (Police)	(Fuel Strainer)	F123S
	350 (5.7L)	(7) (Exc. Police)	(Fuel Strainer)	F104S

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET (Cont'd)				
Caprice (Cont'd)				
V8 (Cont'd)				
1992 (Cont'd)		(7) (Police)	(Fuel Strainer)	F123S
1991	305 (5.0L)	(E) (w/BAJ or BAK on Wiring Harness)	(Fuel Strainer)	F123S
		(E) (w/BES or BEX on Wiring Harness)	(Fuel Strainer)	F104S
	350 (5.7L)	(7) (w/BAJ or BAK on Wiring Harness)	(Fuel Strainer)	F123S
		(7) (w/BES or BEX on Wiring Harness)	(Fuel Strainer)	F104S
1990	305 (5.0L)	(E) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(E)	(Fuel Strainer)	F123S
	350 (5.7L)	(7) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(7)	(Fuel Strainer)	F123S
1989	305 (5.0L)	(E) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(E)	(Fuel Strainer)	F123S
	350 (5.7L)	(7); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(7)	(Fuel Strainer)	F123S
Cavalier				
L4				
2005	134 (2.2L)	(F) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
2004-03	134 (2.2L)	(6) (Bi Fuel, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
		(F) (Gas, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
2002	134 (2.2L)	(4, F) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
2002-00	146 (2.4L)	(T) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
2001-00	134 (2.2L)	(4) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
1994-93	134 (2.2L)	(4) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2324
		(4) (For Pump Only Both Strainers are Required, On Module Strainer)	(Fuel Strainer)	F120S
		(4) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F131S
1992	134 (2.2L)	(4) (For Pump Only Both Strainers are Required, On Module Strainer)	(Fuel Strainer)	F120S
		(4) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F131S
1991-90	134 (2.2L)	(G) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(G)	(Fuel Strainer)	F104S
1989-87	122 (2.0L)	(1) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(1)	(Fuel Strainer)	F104S
1986-85	122 (2.0L)	(P); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(P)	(Fuel Strainer)	F104S
1984-83	122 (2.0L)	(B) (Canada)	(Fuel Strainer)	F104S
		(P)	(Fuel Strainer)	F131S
V6				
1994-93	189 (3.1L)	(T) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2324
		(T) (For Pump Only Both Strainers Are Required, On Module Strainer)	(Fuel Strainer)	F120S
		(T) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F131S
1992	189 (3.1L)	(T) (For Pump Only Both Strainers Are Required, On Module Strainer)	(Fuel Strainer)	F120S
		(T) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F131S
1991-90	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(T)	(Fuel Strainer)	F104S
1989-85	173 (2.8L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(W)	(Fuel Strainer)	F104S
Celebrity				
L4				
1990-89	151 (2.5L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(R)	(Fuel Strainer)	F104S
1988	151 (2.5L)	(R) (Wiring Harness replacement recommended, w/APH on Wiring Harness); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(R) (Wiring Harness replacement recommended, w/ARA on Wiring Harness); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(R)	(Fuel Strainer)	F104S

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET (Cont'd)				
Celebrity (Cont'd)				
L4 (Cont'd)				
1987	151 (2.5L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1986	151 (2.5L)	(R); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1985	151 (2.5L)	(R)	(Fuel Strainer)	F104S
1984	151 (2.5L)	(R)	(Fuel Strainer)	F102S
1983-82	151 (2.5L)	(5) (Canada, Carbureted) (R) (w/T.B.I.)	(Fuel Strainer) (Fuel Strainer)	F104S F102S
V6				
1990	189 (3.1L)	(T); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F141S
1989-87	173 (2.8L)	(W) (Exc. Wagon, Wiring Harness replacement recommended); Strainer required to validate the warranty (W) (Wagon); Strainer required to validate the warranty (W) (Exc. Wagon) (W) (Wagon)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2251 F2233 F104S F141S
1986	173 (2.8L)	(W) (w/ M.F.I., Exc. Police, Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
1985	173 (2.8L)	(w/Electric Pump, Exc. Police, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
1984	173 (2.8L)	(Exc. Export, Canada)	(Fuel Strainer)	F104S
Chevette				
L4				
1984-83	112 (1.8L)	(D) (Diesel)	(Fuel Strainer)	F131S
Citation				
L4				
1985	151 (2.5L)		(Fuel Strainer)	F104S
1984	151 (2.5L)		(Fuel Strainer)	F102S
1983-82	151 (2.5L)	(5) (Canada, Carbureted) (R) (T.B.I.)	(Fuel Strainer) (Fuel Strainer)	F104S F102S
V6				
1985	173 (2.8L)	(W) (w/ M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty (W) (w/M.F.I.)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
Corsica				
L4				
1995-93	134 (2.2L)	(4) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (4) (For Pump Only Both Strainers Are Required, On Module Strainer) (4) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2324 F120S F131S
1992	134 (2.2L)	(4) (Wiring Harness replacement recommended); Strainer required to validate the warranty (4)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F131S
1991-90	134 (2.2L)	(G) (Wiring Harness replacement recommended); Strainer required to validate the warranty (G)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F121S
1989-87	122 (2.0L)	(1) (Wiring Harness replacement recommended); Strainer required to validate the warranty (1)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
V6				
1995-94	189 (3.1L)	(M) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (M) (For Pump Only Both Strainers Are Required, On Module Strainer) (M) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2324 F120S F131S
1993	189 (3.1L)	(T) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (T) (For Pump Only Both Strainers Are Required, On Module Strainer) (T) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2324 F120S F131S
1992	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the	(In Tank Electric Fuel Pump)	F2276

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET (Cont'd)				
Corsica (Cont'd)				
V6 (Cont'd)				
1992 (C0nt'd)		warranty (T)	(Fuel Strainer)	F131S
1991-90	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F121S
1989	173 (2.8L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F104S
1988	173 (2.8L)	(W) (From VIN 200,001 to 500,000, Wiring Harness replacement recommended); Strainer required to validate the warranty (W) (From VIN 500,001, Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F2276 F104S
1987	173 (2.8L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
Corvette				
V8				
1996	350 (5.7L)		(Fuel Strainer)	F102S
1996-92	350 (5.7L)	(P)	(Fuel Strainer)	F102S
1995-90	350 (5.7L)	(J)	(Fuel Strainer)	F102S ⁶
1991-90	350 (5.7L)	(8) (Wiring Harness replacement recommended); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F102S
1989-85	350 (5.7L)	(8) (Wiring Harness replacement recommended); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2221 F102S
1984	350 (5.7L)	(8)	(Fuel Strainer)	F102S
1982	350 (5.7L)	(8)	(Fuel Strainer)	F131S
Impala, Impala SS				
V6				
2005-00	207 (3.4L) 231 (3.8L)	(E) (Wiring Harness replacement recommended) (K) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module) (Fuel Pump Assy-Module)	F2553A F2553A
1985	262 (4.3L)	(Z); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F123S
V8				
1996-94	350 (5.7L)	(P) (Impala SS, Wiring Harness replacement recommended); Strainer required to validate the warranty (P) (Impala SS)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F123S
Lumina				
L4				
1993	134 (2.2L)	(4); Strainer required to validate the warranty (4)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F102S
1992-90	151 (2.5L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F100S
V6				
1996-95	189 (3.1L)	(M) (Wiring Harness replacement recommended); Strainer required to validate the warranty (M)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F102S
1996-93	207 (3.4L)	(X) (Wiring Harness replacement recommended); Strainer required to validate the warranty (X)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F102S
1994	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F102S
1993	189 (3.1L)	(T) (Exc. Flex Fuel or Methanol Fuel Conversion, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F102S
1992	189 (3.1L)	(T) (Exc. Methanol Fuel Conversion, Wiring Harness replacement recommended); Strainer required to validate the warranty (T) (Exc. Methanol Fuel Conversion)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F100S

⁶Use two F102S strainers when two strainers are required.

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
CHEVROLET (Cont'd)				
Lumina (Cont'd)				
V6 (Cont'd)				
1992 (Cont'd)		(T) (w/Methanol Fuel Conversion)	(Fuel Strainer)	F102S
1992-91	207 (3.4L)	(X) (Wiring Harness replacement recommended); Strainer required to validate the warranty (X)	(In Tank Electric Fuel Pump)	F2276
			(Fuel Strainer)	F100S
1991	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump)	F2276
			(Fuel Strainer)	F100S
1990	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump)	F2276
			(Fuel Strainer)	F100S
Lumina APV Van				
V6				
1996	207 (3.4L)	(E); Strainer required to validate the warranty (E)	(In Tank Electric Fuel Pump)	F2276
			(Fuel Strainer)	F102S
1995	189 (3.1L)	(D); Strainer required to validate the warranty (D)	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F100S
	231 (3.8L)	(L); Strainer required to validate the warranty (L)	(In Tank Electric Fuel Pump)	F2276
			(Fuel Strainer)	F102S
1994	231 (3.8L)	(L) (Exc. Methanol Fuel Conversion); Strainer required to validate the warranty (L)	(In Tank Electric Fuel Pump)	F2276
			(Fuel Strainer)	F102S
1994-90	189 (3.1L)	(D); Strainer required to validate the warranty (D)	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F100S
1993-92	231 (3.8L)	(L); Strainer required to validate the warranty (L)	(In Tank Electric Fuel Pump)	F2276
			(Fuel Strainer)	F102S
Malibu				
L4				
2005-04	134 (2.2L)	(F) (Classic Style, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
V6				
2003-00	189 (3.1L)	(J) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
Metro				
L3				
2000-98	61 (1.0L)	(6); Strainer required to validate the warranty (6)	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F261S
1997-95	61 (1.0L)	(6); Strainer required to validate the warranty (6)	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1991	61 (1.0L)	(2) (Turbo - Canada); Strainer required to validate the warranty (2) (Turbo - Canada)	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F218S
1990	61 (1.0L)	(2) (Turbo - Canada); Strainer required to validate the warranty (2) (Turbo - Canada)	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F218S
1989	61 (1.0L)	(2) (Turbo - Canada); Strainer required to validate the warranty (2) (Turbo - Canada)	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F218S
L4				
2001-98	79 (1.3L)	(2); Strainer required to validate the warranty (2)	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F261S
1997-95	79 (1.3L)	(9); Strainer required to validate the warranty (9)	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
Monte Carlo				
V6				
2005-00	207 (3.4L)	(E) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2553A
	231 (3.8L)	(K) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2553A
1996-95	189 (3.1L)	(M) (Wiring Harness replacement recommended); Strainer required to validate the warranty (M)	(In Tank Electric Fuel Pump)	F2276
			(Fuel Strainer)	F102S
	207 (3.4L)	(X) (Wiring Harness replacement recommended); Strainer required to validate the warranty (X)	(In Tank Electric Fuel Pump)	F2276
			(Fuel Strainer)	F102S
1988-86	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F131S
1985	262 (4.3L)	(w/T.B.I.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET (Cont'd)				
Monte Carlo (Cont'd)				
V6 (Cont'd)				
1985 (Cont'd)		(w/T.B.I.)	(Fuel Strainer)	F102S
Nova				
L4				
1988	98 (1.6L)	(5) (w/M.F.I.); Strainer required to validate the warranty (5) (w/M.F.I.)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F204S
Prizm				
L4				
2002-98	110 (1.8L)	(8); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
1997-93	98 (1.6L) (6), 110 (1.8L) (8)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
			(Fuel Strainer)	F311S
1992	98 (1.6L)	(5, 6)	(Fuel Strainer)	F204S
1991	98 (1.6L)	(5, 6)	(Fuel Strainer)	F204S
1990	98 (1.6L)	(6) (To VIN LZ090310); Strainer required to validate the warranty (5, 6)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F204S
1989	98 (1.6L)	(6); Strainer required to validate the warranty (6)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F204S
Spectrum				
L4				
1989-87	92 (1.5L)	(9) (Turbo); Strainer required to validate the warranty (9) (Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F210S
Sprint				
L3				
1988	61 (1.0L)	(2) (Turbo); Strainer required to validate the warranty (2) (Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F218S
1987	61 (1.0L)	(2) (Turbo); Strainer required to validate the warranty (2) (Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F218S
Storm				
L4				
1993-92	111 (1.8L)	(8); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
	98 (1.6L)	(6) (SOHC 12 Valve); Strainer required to validate the warranty (6) (SOHC 12 Valve)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1991-90	98 (1.6L)	(5, 6); Strainer required to validate the warranty (5, 6)	(Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
CHEVROLET TRUCK				
Astro Van				
L4				
1990-87	151 (2.5L)	(Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F123S
1986-85	151 (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
V6				
2005-02	262 (4.3L)	(Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2517A
2001-00	262 (4.3L)	(Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2517A
1999-97	262 (4.3L)	(Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2951A
1996-95	262 (4.3L)	(Exc. Kuwait, Saudi Arabia, Gulf States Export Models, Wiring Harness replacement recommended); Strainer required to validate the warranty (Exc. Kuwait, Saudi Arabia, Gulf States Export Models)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F123S
1994-92	262 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump)	F2281 F2913
			(Fuel Strainer)	F123S
1991-87	262 (4.3L)	(Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F123S

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET TRUCK (Cont'd)				
Astro Van (Cont'd)				
V6 (Cont'd)				
1986	262 (4.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
Blazer - Full Size - (C & R Series 2 Wheel Drive, K & V Series 4 Wheel Drive)				
V8				
1994-92	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty (K)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1991-90	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty (K) (Exc. 31 Gal. Tank) (K) (w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
1989-88	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty (K)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1987	305 (5.0L)	(H) (On Dual Tank Applications One Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty (H) (Exc. 31 Gal. Tank) (H) (w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
	350 (5.7L)	(K) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty (K) (Exc. 31 Gal. Tank) (K) (w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
C10, 20, 30; C1500, 2500, 3500 Pickup - 2 Wheel Drive				
V6				
1998-97	262 (4.3L)	(W) (w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1996	262 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F123S
1995-92	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z) (w/High Temp Fuel Sender) (Z) (w/o High Temp Fuel Sender)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F104S F123S
1991-88	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S
V8				
2000	350 (5.7L)	(R) (C2500, 3500 2 Dr. Chassis Cab, w/Natural Gas Provisions, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, w/Natural Gas Provisions, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C3500 2 Dr. Ext'd. Chassis Cab, C3500 4 Dr. Chassis Cab/Crew Cab, w/Natural Gas Provisions, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C3500 4 Dr. Crew Cab Pickup w/8" Bed, w/Natural Gas Provisions, Exc. Calif., Exc. Export, w/o RFI Filter, w/Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L) (R), 454 (7.4L) (J)	(C2500 2 Dr. Ext'd. Cab Pickup w/6 1/2' Bed, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Chassis Cab Pickup, C3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/Calif. Emission System, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Chassis Cab and 2 Dr. Ext'd Chassis Cab Pickup, C3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, C3500 4 Dr. Crew Cab Pickup w/8' Bed, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Std. and Ext'd. Cab Pickup w/8' Bed, w/Calif. Emission System, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 4 Dr. Crew Cab Pickup w/8' Bed, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1999	305 (5.0L) (M), 350 (5.7L) (R)	(C1500 2 Dr. Ext'd. Cab and 3 Dr. Ext'd. Cab Pickup w/6 1/2' Bed, w/o Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness	(Fuel Pump Assy-Module)	F2958A

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET TRUCK (Cont'd)				
C10, 20, 30; C1500, 2500, 3500 Pickup - 2 Wheel Drive (Cont'd)				
V8 (Cont'd)				
1999		replacement recommended)		
(Cont'd)	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J)	(C1500, 2500 2 Dr. Ext'd. Cab and 3 Dr. Ext'd. Cab Pickup w/6 1/2' Bed, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500 2 Dr. Chassis Cab and 2 Dr. Ext'd. Chassis Cab Pickup, w/Calif. Emissions, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, w/Calif. Emissions, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Ext'd. Chassis Cab Pickup, C3500 2 Dr. Chassis Cab Pickup, C3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, C3500 4 Dr. Crew Cab Pickup w/8' Bed, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C2500 2 Dr. Chassis Cab, 2 Dr. Ext'd. Chassis Cab, w/Provisions for Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C2500 Std. and Ext'd. Cab Pickup w/8' Bed, w/Provisions for Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C3500 2 Dr. Chassis Cab, Crew Cab Chassis, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C3500 Std., Ext'd and Crew Cab Pickup w/8' Bed, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C3500 2 Dr. Chassis Cab, Ext'd. Chassis Cab and 4 Dr. Chassis Cab/Crew Cab, w/Calif. Emissions, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L)	(C3500 2 Dr. Std. Cab, Ext'd Cab and 4 Dr. Crew Cab Pickup w/8' Bed, w/Calif. Emissions, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L) (R), 454 (7.4L) (J)	(C3500 2 Dr. Chassis Cab, Ext'd. Chassis Cab and 4 Dr. Chassis Cab/Crew Cab, w/Calif. Emissions, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1998	305 (5.0L) 350 (5.7L)	(M) (w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C1500, Exc. Export, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C2500 2 Dr. Chassis Cab Pickup, 7,200 GVWR, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C2500 2 Dr. Ext'd. Cab Fleetside Pickup w/6 1/2' Bed, w/o Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C2500 Std. Cab 2 Dr. Fleetside Pickup w/8' Bed, 7,200 GVWR, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L) (R), 454 (7.4L) (J)	(C2500 2 Dr. Ext'd. Cab Fleetside Pickup w/6 1/2' Bed, w/Calif. Emission System, Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Chassis Cab and 2 Dr. Ext'd Chassis Cab, C3500 4 Dr. Chassis Cab/Crew Cab, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Fleetside Pickup w/8' Bed and 2 Dr. Ext'd. Cab Fleetside Pickup w/8' Bed, C3500 4 Dr. Crew Cab Fleetside Pickup w/8' Bed, Calif., w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, C3500 4 Dr. Crew Cab Pickup w/8' Bed, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C3500 4 Dr. Crew Cab/Chassis Cab Pickup, w/Calif. Emissions, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1997-96	305 (5.0L)	(M) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(M)	(Fuel Strainer)	F123S
	350 (5.7L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(R)	(Fuel Strainer)	F123S ²
	454 (7.4L)	(J) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281

²F102S strainer may be required for some C3500 models.

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET TRUCK (Cont'd)				
C10, 20, 30; C1500, 2500, 3500 Pickup - 2 Wheel Drive (Cont'd)				
V8 (Cont'd)				
1997-96 (Cont'd)		(J)	(Fuel Strainer)	F123S ²
1995-94	454 (7.4L)	(N) (C2500, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N) (C3500 2 Dr. Hvy. Duty Chassis Cab); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N) (C3500 2 Dr. Std. Cab, 2 Dr. Ext'd. Cab and 4 Dr. Crew Cab Pickup w/8' Bed, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N) (C2500)	(Fuel Strainer)	F123S
		(N) (C3500 2 Dr. Hvy. Duty Chassis Cab)	(Fuel Strainer)	F102S
		(N) (C3500 2 Dr. Std. Cab, 2 Dr. Ext'd. Cab and 4 Dr. Crew Cab Pickup w/8' Bed)	(Fuel Strainer)	F123S ²
1995-92	305 (5.0L)	(H) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H) (w/High Temp Fuel Sender)	(Fuel Strainer)	F104S
		(H) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S
	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K) (w/High Temp Fuel Sender)	(Fuel Strainer)	F104S ²
		(K) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S ²
1993-92	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N) (w/High Temp Fuel Sender)	(Fuel Strainer)	F104S ²
		(N) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S ²
1991-88	305 (5.0L)	(H) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H)	(Fuel Strainer)	F102S
	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K)	(Fuel Strainer)	F102S
	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F102S
El Camino				
V6				
1987	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F102S
1986-85	262 (4.3L)	(Z); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F102S
G10, 20, 30, 1500, 2500, 3500 Vans, Express G1500, 2500, 3500 Vans				
V6				
2002-01	262 (4.3L)	(W) (Over 8,500 GVW Emission System, w/1 Electrical Connector, w/o Calif. Emissions, Exc. Natural Gas, w/o Fitting For Take Off Fuel Line, w/o Pressure Sensor, Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
2001-99	262 (4.3L)	(W) (Under 8,500 GVW Emission System, w/2 Electrical Connectors, w/o Calif. Emissions, w/Pressure Sensor, w/Module Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
2001-98	262 (4.3L)	(W) (w/Calif. Emissions, w/2 Electrical Connectors, w/Pressure Sensor, w/Module Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
		(W) (w/Leaded Fuel Export Emission System, w/1 Electrical Connector, w/o Low Lubricity Fuel System Sender, w/o Fitting For Take Off Fuel Line, w/o Pressure Sensor, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
2000-99	262 (4.3L)	(W) (Over 8,500 GVW, w/1 Electrical Connector, w/o Calif. Emissions, w/o Fitting For Take Off Fuel Line, w/o Pressure Sensor, Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
1998	262 (4.3L)	(W) (Under 8,500 GVW, w/2 Electrical Connectors, w/o Calif. Emissions, w/o Leaded Fuel System, w/Pressure Sensor, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
		(W) (w/o Calif. Emissions, w/1 Electrical Connector, w/o Leaded Fuel, w/o Fitting For Take Off Fuel Line, w/o Pressure Sensor, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
1997	262 (4.3L)	(W) (w/o Pressure Sensor, w/1 Electrical Connector, w/o Low Lubricity Fuel System Sender, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
1996	262 (4.3L)	(Z)	(Fuel Strainer)	F123S
1995-87	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F123S

²F102S strainer may be required for some C3500 models.

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET TRUCK (Cont'd)				
G10, 20, 30, 1500, 2500, 3500 Vans, Express G1500, 2500, 3500 Vans (Cont'd)				
V8				
2002	350 (5.7L)	(R) (3/4, 1 Ton Pass and Cargo/Panel Vans, w/2 Electrical Connectors, w/Calif. Emissions, LPG Conversion, Exc. Natural Gas, w/o Fitting for Take Off Fuel Line, Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
	350 (5.7L) (R), 496 (8.1L) (G)	(G3 1 Ton Commercial and RV Cutaway w/2 Electrical Connectors, w/Calif. Emissions, w/55 Gal. Tank, w/Module Code GFH, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
2002-01	305 (5.0L) (M), 350 (5.7L) (R), 496 (8.1L) (G)	(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans w/1 Electrical Connector, w/Leaded Fuel Export Emissions, w/o Robust Fuel System Sender, w/o Fitting For Take off Fuel Line, w/Module Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
	350 (5.7L) (R), 496 (8.1L) (G)	(1/2, 3/4, 1 Ton Pass. and Cargo Vans, Over 8,500 GVW Emission System, w/1 Electrical Connector, w/o Calif. Emissions, Exc. Natural Gas, Exc. Pressure Sensor, w/o Fitting for Take Off Fuel Line, w/Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
		(G3 1 Ton Commercial and RV Cutaway w/1 Electrical Connector, w/o Calif. Emissions, w/55 Gal. Tank, w/Module Code GFJ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
2001	305 (5.0L) (M), 350 (5.7L) (R), 496 (8.1L) (G)	(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans w/2 Electrical Connectors, w/Calif. Emissions, Exc. Natural Gas, w/Pressure Sensor, w/Module Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
	496 (8.1L)	(G) (Express 3500 1 Ton Commercial and RV Cutaway w/2 Electrical Connectors, w/Calif. Emissions, w/55 Gal. Tank, Code GFH, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
2001-99	305 (5.0L)(M), 350(5.7L) (R), 454(7.4L)(J), 496(8.1L)(G)	(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans Under 8,500 GVW Emission System, w/2 Electrical Connectors, w/o Calif. Emissions, w/Pressure Sensor, w/Module Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
2001-98	350 (5.7L) (R), 454 (7.4L) (J)	(G3 1 Ton Commercial and RV Cutaway w/Calif. Emissions, w/2 Electrical Connectors, w/55 Gal. Tank, w/Module Code GFJ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
2000-99	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J)	(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans Over 8,500 GVW, w/1 Electrical Connector, w/o Calif. Emissions, w/o Fitting For Take Off Fuel Line, w/o Pressure Sensor, w/Module Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
2000-98	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J)	(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans w/1 Electrical Connector, w/Leaded Fuel Export Emission System, w/o Pressure Sensor, w/o Low Lubricity Fuel Sender, w/o Fitting For Take Off Fuel Line, Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
		(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans w/2 Electrical Connectors, w/Calif. Emissions, w/Pressure Sensor, w/Module Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
	350 (5.7L) (R), 454 (7.4L) (J)	(G3 1 Ton Commercial and RV Cutaway w/1 Electrical Connector, w/o Calif. Emissions, w/55 Gal. Tank, w/Module Code GFJ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
1998	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J)	(1/2, 3/4 and 1 Ton Pass. and Cargo/Panel Vans w/1 Electrical Connector, w/o Calif. Emissions, w/o Leaded Fuel, w/o Fitting For Take Off Fuel Line, w/o Pressure Sensor, Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
		(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans Under 8,500 GVW, w/2 Electrical Connectors, w/o Calif. Emissions, w/o Leaded Fuel System, w/Pressure Sensor, Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
1997	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J)	(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans w/1 Electrical Connector, w/o Low Lubricity Fuel System Sender, w/o Pressure Sensor, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
	350 (5.7L) (R), 454 (7.4L) (J)	(G30 1 Ton Commercial and RV Cutaway w/1 Electrical Connector, w/55 Gal. Tank, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
1996	350 (5.7L)	(K)	(Fuel Strainer)	F123S
1996-94	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N)	(Fuel Strainer)	F123S
1995-88	305 (5.0L)	(H) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H)	(Fuel Strainer)	F123S
	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
1993-92		(K)	(Fuel Strainer)	F123S
	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
1991		(N)	(Fuel Strainer)	F123S
	454 (7.4L)	(N) (G3 Series, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N) (G3 Series)	(Fuel Strainer)	F123S

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET TRUCK (Cont'd)				
G10, 20, 30, 1500, 2500, 3500 Vans, Express G1500, 2500, 3500 Vans (Cont'd)				
V8 (Cont'd)				
1990	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty (N)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F123S
1989-88	454 (7.4L)	(N) (G3 Series, Wiring Harness replacement recommended); Strainer required to validate the warranty (N) (G3 Series)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F123S
1987	305 (5.0L)	(H) (Wiring Harness replacement recommended); Strainer required to validate the warranty (H)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S
	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty (K)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S
K10, 20, 30: K1500, 2500, 3500 Pickup - 4 Wheel Drive				
V6				
1998-97	262 (4.3L)	(W) (w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1996	262 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F123S
1995-92	262 (4.3L)	(Z); Strainer required to validate the warranty (Z) (w/High Temp Fuel Sender) (Z) (w/o High Temp Fuel Sender)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F104S F123S
1991-88	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S
V8				
2000	350 (5.7L)	(R) (K2500, 3500 2 Dr. Chassis Cab Pickup, K3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (K2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (K3500 4 Dr. Crew Cab Pickup w/8' Bed, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L) (R), 454 (7.4L) (J)	(K2500 2 Dr. Ext'd. Cab Pickup w/6 1/2' Bed, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Chassis Cab Pickup, K3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Chassis Cab and 2 Dr. Ext'd. Chassis Cab Pickup, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, K3500 4 Dr. Crew Cab Pickup w/8' Bed, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Std. and Ext'd. Cab Pickup w/8' Bed, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 4 Dr. Crew Cab Pickup w/8' Bed, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1999	305 (5.0L) (M), 350 (5.7L) (R)	(K1500 2 Dr. Ext'd Cab and 3 Dr. Ext'd Cab Pickup w/ 6 1/2' Bed, w/o Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K1500 2 Dr. Ext'd Cab and 3 Dr. Ext'd Cab Pickup w/6 1/2' Bed, w/Calif. Emission System, w/o RFI Filter, Exc. Export, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J)	(K1500, 2500 2 Dr. Ext'd. Cab and 3 Dr. Ext'd. Cab Pickup w/6 1/2' Bed, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500 2 Dr. Chassis Cab and Ext'd. Chassis Cab, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Ext'd. Chassis Cab Pickup, K3500 2 Dr. Chassis Cab Pickup, K3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET TRUCK (Cont'd)				
K10, 20, 30; K1500, 2500, 3500 Pickup - 4 Wheel Drive (Cont'd)				
V8 (Cont'd)				
1999 (Cont'd)	350 (5.7L)	(K2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, K3500 4 Dr. Crew Cab Pickup w/8' Bed, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (K2500 2 Dr. Chassis Cab and 2 Dr. Ext'd Chassis Cab, w/Provisions For Natural Gas, w/o Calif. Emissions, Exc. Export, w/o RFI Filter, w/Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (K2500 Std. and Ext'd Cab w/8' Bed, w/Provisions For Natural Gas, w/o Calif. Emissions, Exc. Export, w/o RFI Filter, w/Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (K3500 2 Dr. Chassis Cab, Crew Cab Chassis, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L) (R), 454 (7.4L) (J)	(R) (K3500 Std., Ext'd and Crew Cab Pickup w/8' Bed, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K3500 2 Dr. Chassis Cab, Ext'd. Chassis Cab, 4 Dr. Chassis Cab/Crew Cab, w/Calif. Emissions, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K3500 2 Dr. Std. Cab, 2 Dr. Ext'd Cab and 4 Dr. Crew Cab w/8' Bed, w/Calif. Emissions, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1998	305 (5.0L)	(M) (w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L)	(R) (K1500, Exc. Export, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L) (R), 454 (7.4L) (J)	(K2500 2 Dr. Ext'd. Cab Pickup, w/6 1/2' Bed, w/Calif. Emissions, Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Chassis Cab and 2 Dr. Ext'd. Chassis Cab, K3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, K3500 4 Dr. Crew Cab Pickup w/8' Bed, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. and 2 Dr. Ext'd. Cab Fleetside Pickup w/8' Bed, K3500 4 Dr. Crew Cab Fleetside Pickup w/8' Bed, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K3500 4 Dr. Crew Cab/Chassis Cab Pickup, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1997-96	305 (5.0L)	(M) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(M)	(Fuel Strainer)	F123S
	350 (5.7L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(R)	(Fuel Strainer)	F123S ³
	454 (7.4L)	(J) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(J)	(Fuel Strainer)	F123S ³
1995-94	454 (7.4L)	(N) (K2500, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N) (K3500 2 Dr. Hvy. Duty Chassis Cab, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N) (K3500 2 Dr. Std. Cab, 2 Dr. Ext'd. Cab and 4 Dr. Crew Cab Pickup w/8' Bed, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N) (K2500)	(Fuel Strainer)	F123S
		(N) (K3500 2 Dr. Hvy. Duty Chassis Cab)	(Fuel Strainer)	F102S
		(N) (K3500 2 Dr. Std. Cab, 2 Dr. Ext'd. Cab and 4 Dr. Crew Cab Pickup w/8' Bed)	(Fuel Strainer)	F123S ³
1995-92	305 (5.0L)	(H) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H) (w/High Temp Fuel Sender)	(Fuel Strainer)	F104S
		(H) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S
	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K) (w/High Temp Fuel Sender)	(Fuel Strainer)	F104S ³
		(K) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S ³
1993-92	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N) (w/High Temp Fuel Sender)	(Fuel Strainer)	F104S ³
		(N) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S ³

³F102S strainer may be required for some K3500 models.

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET TRUCK (Cont'd)				
K10, 20, 30; K1500, 2500, 3500 Pickup - 4 Wheel Drive (Cont'd)				
V8 (Cont'd)				
1991-88	305 (5.0L)	(H) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H)	(Fuel Strainer)	F102S
	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K)	(Fuel Strainer)	F102S
	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F102S
Medium & Heavy Duty 40-90 Series				
V8				
2002	496 (8.1L)	(E) C6, 7 Kodiak Series w/35 Gal. Dual Rect. Fuel Tanks, In Left Hand Fuel Tank; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(E) C6, 7 Kodiak Series w/Single Fuel Tank; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(E) C6, 7 Kodiak Series w/35 Gal. Dual Rect. Fuel Tanks, In Left Hand Fuel Tank	(Fuel Strainer)	F104S
		(E) C6, 7 Kodiak Series w/35 Gal. Dual Rect. Fuel Tanks, In Right Hand Fuel Tank	(Fuel Strainer)	F104S
		(E) C6, 7 Kodiak Series w/Single Fuel Tank	(Fuel Strainer)	F104S
2002-01	496 (8.1L)	(E) C6, 7 Kodiak Series w/50 Gal. Dual Rect. Fuel Tanks, In Left Hand Fuel Tank; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(E) C6, 7 Kodiak Series w/50 Gal. Dual Rect. Fuel Tanks, In Left Hand Fuel Tank	(Fuel Strainer)	F104S
		(E) C6, 7 Kodiak Series w/50 Gal. Dual Rect. Fuel Tanks, In Right Hand Fuel Tank	(Fuel Strainer)	F104S
2001	496 (8.1L)	(E) C6, 7 Kodiak Series w/35 Gal. Dual Rect. Fuel Tanks, In Left Hand Fuel Tank, Exc. Leaded Fuel; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(E) C6, 7 Kodiak Series w/35 Gal. Dual Rect. Fuel Tanks, In Left Hand Fuel Tank, Exc. Leaded Fuel	(Fuel Strainer)	F104S
		(E) C6, 7 Kodiak Series w/35 Gal. Dual Rect. Fuel Tanks, In Right Hand Fuel Tank, Exc. Leaded Fuel	(Fuel Strainer)	F104S
2000-99	454 (7.4L)	(B, D) C6, 7 Kodiak Series (Exc. Export); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(B, D) C6, 7 Kodiak Series w/35 Gal. & 50 Gal. Dual Rect. Fuel Tanks, Right Hand (Used In The Right Hand Tank On Dual Tanks, w/o Leaded Fuel)	(Fuel Strainer)	F104S
		(B, D) C6, 7 Kodiak Series (Exc. Export)	(Fuel Strainer)	F104S
1998-97	366 (6.0L) (P), 427 (7.0L) (M)	w/TBI, C5, 6, 7 Kodiak Series w/50 Gal. R.H. Rect. Fuel Tank; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		w/TBI, C5, 6, 7 Kodiak Series w/50 Gal. R.H. Rect. Fuel Tank	(Fuel Strainer)	F104S
1998-90	366 (6.0L) (P), 427 (7.0L) (M)	w/TBI, C Series Kodiak w/60 Gal. R.H. Rect. Fuel Tank; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		w/TBI, C5, 6, 7 Kodiak Series w/35 Gal. & 50 Gal. Dual Rect. Fuel Tanks, Left Hand (Used In The Left Hand Tank On Dual Tanks); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		w/TBI, C Series Kodiak w/60 Gal. R.H. Rect. Fuel Tank	(Fuel Strainer)	F104S
		w/TBI, C5, 6, 7 Kodiak Series w/35 Gal. & 50 Gal. Dual Rect. Fuel Tanks, Right Hand (Used In The Right Hand Tank On Dual Tanks)	(Fuel Strainer)	F104S
		w/TBI, C5, 6, 7 Kodiak Series w/35 Gal. & 50 Gal. Dual Rect. Fuel Tanks, Left Hand (Used In The Left Hand Tank On Dual Tanks)	(Fuel Strainer)	F104S
1996-90	366 (6.0L) (P), 427 (7.0L) (M)	w/TBI, C5, 6, 7 Kodiak Series w/35 Gal. & 50 Gal. Single R.H., Single L. H. Rect. Fuel Tanks (Used in Both Right Hand & Left Hand Single Tanks); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		w/TBI, C5, 6, 7 Kodiak Series w/35 Gal. & 50 Gal. Single R.H., Single L. H. Rect. Fuel Tanks (Used in Both Right Hand & Left Hand Single Tanks)	(Fuel Strainer)	F104S
1989-88	366 (6.0L), 427 (7.0L)	60, 70 Series	(Fuel Strainer)	F104S
P10, 20, 30, 1500, 2500, 3500 Vans				
V6				
1997-96	262 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(W)	(Fuel Strainer)	F102S
1995-90	262 (4.3L)	(Z)	(Fuel Strainer)	F102S
V8				
1997-96	350 (5.7L)	(R) (Exc. School Bus, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(R) (Exc. School Bus)	(Fuel Strainer)	F102S
	454 (7.4L)	(J) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(J)	(Fuel Strainer)	F102S
1997-94	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the	(In Tank Electric Fuel Pump)	F2223

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET TRUCK (Cont'd)				
P10, 20, 30, 1500, 2500, 3500 Vans (Cont'd)				
V8 (Cont'd)				
1997-94 (Cont'd)		warranty (N)	(Fuel Strainer)	F102S
1995-92	350 (5.7L)	(K)	(Fuel Strainer)	F102S
1993-92	454 (7.4L)	(N)	(Fuel Strainer)	F102S
1991	350 (5.7L)	(K)	(Fuel Strainer)	F102S
1991-90	454 (7.4L)	(N)	(Fuel Strainer)	F102S
1990	350 (5.7L)	(K)	(Fuel Strainer)	F102S
1989-88	350 (5.7L)	(K)	(Fuel Strainer)	F102S
1988-87	454 (7.4L)	(W) (P3 Motor Home)	(Fuel Strainer)	F104S
1987	350 (5.7L)	(K)	(Fuel Strainer)	F102S
1986-85	454 (7.4L)	(P3 Motor Home)	(Fuel Strainer)	F104S
R10, 20, 30; R2500, 3500 Pickup - 2 Wheel Drive				
V6				
1987	262 (4.3L)	(Z) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S
V8				
1991-90	350 (5.7L)	(K) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty (K)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S
	454 (7.4L)	(N) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty (N)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S
1989	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty (K)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S
	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty (N) (Exc. 31 Gal. Tank) (N) (R2500 Series w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
1988	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty (K) (Exc. 31 Gal. Tank) (K) (R20 Series w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty (N) (Exc. 31 Gal. Tank) (N) (R20 Series w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
1987	305 (5.0L)	(H) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty (H) (Exc. 31 Gal. Tank) (H) (w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
	350 (5.7L)	(K) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty (K) (Exc. 31 Gal. Tank) (K) (R10, R20 Series w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
	454 (7.4L)	(N) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty (N) (Exc. 31 Gal. Tank) (N) (R20 Series w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
S-10 Blazer				
L4				
1988-87	151 (2.5L)	(E) (Wiring Harness replacement recommended); Strainer required to validate the warranty (E)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F123S
1986-85	151 (2.5L)	(E) (Wiring Harness replacement recommended); Strainer required to validate the warranty (E)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F123S
V6				
2004-03	262 (4.3L)	(X) (4 Door, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2903A
2002	262 (4.3L)	(W) (4 Door, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2903A
2001-00	262 (4.3L)	(W) (4 Door, Exc. Export, w/Module Code TCH, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2903A

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
CHEVROLET TRUCK (Cont'd)				
S-10 Blazer (Cont'd)				
V6 (Cont'd)				
1999	262 (4.3L)	(W) (4 Door, Exc. Export, w/Module Code TCH, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2903A
1998	262 (4.3L)	(W) (4 Door, w/18 Gal. Tank, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2903A
		(W) (4 Door, w/o 18 Gal. Tank, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2964A
1997	262 (4.3L)	(W) (4 Door, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2964A
1996	262 (4.3L)	(W) (4 Door, Exc. Kuwait, Saudi Arabia, Gulf States Export Models, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2936A
1995	262 (4.3L)	(W) (Exc. Kuwait, Saudi Arabia, Gulf States Export Models, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(W) (Exc. Kuwait, Saudi Arabia, Gulf States Export Models)	(Fuel Strainer)	F123S
1994-92	262 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F123S
1991-88	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F123S
1990-88	173 (2.8L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(R)	(Fuel Strainer)	F123S
1987-86	173 (2.8L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(R)	(Fuel Strainer)	F123S
S-10 Pickup				
L4				
2000-97	134 (2.2L)	(4) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2954A
1995-94	134 (2.2L)	(4) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(4)	(Fuel Strainer)	F123S
1993-92	151 (2.5L)	(A) (w/13 Gal. tank)	(Fuel Strainer)	F104S
		(A) (w/20 Gal. Tank)	(Fuel Strainer)	F123S
1991	151 (2.5L)	(A, E) (w/13 Gal. Tank)	(Fuel Strainer)	F104S
		(A, E) (w/20 Gal. Tank)	(Fuel Strainer)	F123S
1990-89	151 (2.5L)	(E) (w/13 Gal. Tank)	(Fuel Strainer)	F104S
		(E) (w/20 Gal. Tank)	(Fuel Strainer)	F123S
1988-87	151 (2.5L)	(E) (w/13 Gal. Tank)	(Fuel Strainer)	F131S
		(E) (w/20 Gal. Tank)	(Fuel Strainer)	F123S
1986-85	151 (2.5L)	(E) (w/13 Gal. Tank)	(Fuel Strainer)	F131S
		(E) (w/20 Gal. Tank)	(Fuel Strainer)	F123S
V6				
2002	262 (4.3L)	(W) (Crew Cab 4 W. D., Code SGH, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2963A
		(W) (Reg. Cab Long Bed, Code SGH, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2963A
2001-00	262 (4.3L)	(W) (Exc. Export, w/Module Code SGH, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2963A
1999	262 (4.3L)	(W, X) (Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2963A
1998-97	262 (4.3L)	(W, X) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2963A
1995-94	262 (4.3L)	(Z)	(Fuel Strainer)	F123S
1995-92	262 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(W)	(Fuel Strainer)	F123S
1993-92	262 (4.3L)	(Z) (w/20 Gal. Tank, Sender Codes SET, SFT)	(Fuel Strainer)	F123S
1993-89	173 (2.8L)	(R) (w/13 Gal. Tank)	(Fuel Strainer)	F104S
		(R) (w/20 Gal. Tank)	(Fuel Strainer)	F123S
1991-89	262 (4.3L)	(Z) (w/13 Gal. Tank)	(Fuel Strainer)	F104S
		(Z) (w/20 Gal. Tank)	(Fuel Strainer)	F123S
1988	173 (2.8L)	(R) (w/13 Gal. Tank)	(Fuel Strainer)	F131S
		(R) (w/20 Gal. Tank)	(Fuel Strainer)	F123S
	262 (4.3L)	(Z) (w/13 Gal. Tank)	(Fuel Strainer)	F131S
		(Z) (w/20 Gal. Tank)	(Fuel Strainer)	F123S
1987-86	173 (2.8L)	(R) (w/13 Gal. Tank)	(Fuel Strainer)	F131S
		(R) (w/20 Gal. Tank)	(Fuel Strainer)	F123S

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET TRUCK (Cont'd)				
Silverado 1500, 1500HD, 2500, 2500HD, 3500HD Pickup - 2 & 4 Wheel Drive				
V6				
2004	262 (4.3L)	(X) (1500 1/2 Ton Std. and Extended Cab Pickup, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2003	262 (4.3L)	(X) (1500 1/2 Ton Pickup, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(X) (1500 1/2 Ton Std. and Ext. Cab Pickup, w/o Evap. Emissions, w/1 Electrical Connector, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
2002	262 (4.3L)	(W) (1500 1/2 Ton Pickup, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(W) (1500 1/2 Ton Pickup, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(X) (1500 1/2 Ton Pickup, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2001-99	262 (4.3L)	(W) (1500 1/2 Ton Pickup, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(W) (1500 1/2 Ton Pickup, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
V8				
2003	366 (6.0L)	(N) (Silverado SS w/1 Electrical Connector, w/o Evap. Emissions, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(N) (Silverado SS w/2 Electrical Connectors, w/Evap. Emissions, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(U) (2500 3/4 Ton Ext. Cab Pickup w/ 6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Hvy. Duty 2" Body Raise, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	366 (6.0L) (U), 496 (8.1L) (G)	(3500 1 Ton w/2 Electrical Connectors, w/Calif. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2003-02	294 (4.8L) (V), 327 (5.3L) (T)	(1500 1/2 Ton Std. and Ext. Cab Pickup w/ 6 1/2' Bed, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Hvy. Duty 2" Body Raise, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(1500 1/2 Ton Std. and Ext. Cab Pickup w/ 8' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(1500 1/2 Ton Std. and Ext. Cab Pickup w/ 8' Bed, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(1500 1/2 Ton Std. and Ext. Cab Pickup w/ 6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. H.D. 2" Body Raise, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	366 (6.0L)	(U) (1500 1/2 Ton Crew Cab Pickup, w/2 Electrical Connectors, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
	366 (6.0L) (U)	(2500 3/4 Ton Ext. Cab Pickup w/ 6 1/2' Bed, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Hvy. Duty 2" Body Raise, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
	366 (6.0L) (U), 496 (8.1L) (G)	(2500 3/4 Ton Ext. Cab and Crew Cab Pickup, w/ 6 1/2' Bed, Hvy. Duty Model w/ 2" Body Raise, w/1 Electrical Connector, Exc. Calif., Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(2500 3/4 Ton Pickup w/8' Bed, w/2 Electrical Connectors, w/Calif. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(2500 3/4 Ton Pickup, w/8' Bed, w/1 Electrical Connector, Exc. Calif., Exc. Natural Gas, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(3500 1 Ton Chassis Cab, w/1 Electrical Connector, Exc. Calif., Exc. Natural Gas, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(3500 1 Ton Std. Cab, Ext. Cab and Crew Cab Pickup, w/ 8' Bed, w/1 Electrical Connector, Exc. Calif., Exc. Natural Gas, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
2003-01	366 (6.0L) (U), 496 (8.1L) (G)	(2500 3/4 Ton Ext. Cab and Crew Cab Pickup w/6 1/2' Bed, Hvy. Duty Model w/2" Body Raise, w/2 Electrical Connector, w/Calif. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2002	366 (6.0L) (U)	(2500 3/4 Ton Ext. Cab Pickup, w/ 6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Hvy. Duty 2" Body Raise, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	366 (6.0L) (U), 496 (8.1L) (G)	(3500 1 Ton Std., Ext. Cab, Crew Cab and Chassis Cab Pickups, w/2 Electrical Connectors, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2001	294 (4.8L) (V), 327 (5.3L) (T)	(1500 1/2 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET TRUCK (Cont'd)				
Silverado 1500, 1500HD, 2500, 2500HD, 3500HD Pickup - 2 & 4 Wheel Drive (Cont'd)				
V8 (Cont'd)				
2001 (Cont'd)	294 (4.8L) (V), 327 (5.3L) (T), 366 (6.0L) (U)	(1500 1/2 Ton, 2500 3/4 Ton Std. and Ext. Cab w/6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. H.D. 2" Body Raise, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	327 (5.3L) (T), 366 (6.0L) (U)	(2500 3/4 Ton Ext. Cab Pickup w/6 1/2' Bed, w/1 Electrical Connector, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	366 (6.0L)	(U) (1500 1/2 Ton Crew Cab, w/ 6 1/2' Bed, w/2 Electrical Connectors, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
	366 (6.0L) (U), 496 (8.1L) (G)	(2500 3/4 Ton Crew Cab, w/ 6 1/2' Bed, H.D. Model w/2" Body Raise, w/2 Electrical Connectors, w/Calif. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(2500 3/4 Ton Ext. Cab and Crew Cab Pickup w/6 1/2' Bed, Hvy. Duty Model w/2" Body Raise, w/1 Electrical Connectors, w/o Calif. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(2500 3/4 Ton Ext. Cab and Crew Cab Pickup w/6 1/2' Bed, w/1 Electrical Connector, w/Calif. Emissions, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(2500 3/4 Ton Std. and Ext. Cab Pickups w/8' bed, 2500 3/4 Ton Crew Cab Pickup w/8' Bed, w/1 Electrical Connector, w/o Calif. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(2500 3/4 Ton and 3500 1 Ton Std. Cab and Ext. Cab Pickups, w/8' Bed, w/2 Electrical Connectors, w/Calif. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(3500 1 Ton Std. Cab, Ext. Cab and Crew Cab Pickup, w/1 Electrical Connector, w/o Calif. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(3500 1 Ton, w/2 Electrical Connectors, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2001-00	294 (4.8L) (V), 327 (5.3L) (T)	(1500 1/2 Ton Std. Cab and Ext. Cab Pickup w/6 1/2' Bed, w/Evap. Emissions, w/2 Electrical Connector, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
	294 (4.8L) (V), 327 (5.3L) (T), 366 (6.0L) (U)	(1500 1/2 Ton and 2500 3/4 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2000	294 (4.8L) (V), 327 (5.3L) (T)	(1500 1/2 Ton Std. Cab and Ext. Cab Pickup w/6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	294 (4.8L) (V), 327 (5.3L) (T), 366 (6.0L) (U)	(1500 1/2 Ton and 2500 3/4 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	327 (5.3L) (T), 366 (6.0L) (U)	(2500 3/4 Ton Ext. Cab Pickup w/6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(2500 3/4 Ton Ext. Cab Pickup w/6 1/2' Bed, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
1999	294 (4.8L) (V), 327 (5.3L) (T)	(1500 1/2 Ton Std. Cab and Ext. Cab Pickup w/6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(1500 1/2 Ton Std. Cab and Ext. Cab Pickup w/6 1/2' Bed, w/2 Electrical Connectors, w/ Evap. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(1500 1/2 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(1500 1/2 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/2 Electrical Connectors, w/Evap. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
	327 (5.3L) (T), 366 (6.0L) (U)	(2500 3/4 Ton Ext. Cab Pickup w/6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(2500 3/4 Ton Ext. Cab Pickup w/6 1/2' Bed, w/2 Electrical Connectors, w/Evap. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(2500 3/4 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(2500 3/4 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/2 Electrical Connectors, w/Evap. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET TRUCK (Cont'd)				
Suburban - (C & R Series are 2 Wheel Drive, K & V Series are 4 Wheel Drive) (Cont'd)				
V8				
2001	327 (5.3L) (T), 366 (6.0L) (U)	(1500 1/2 Ton, Exc. Export, w/Module Code TDC, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2510A
2000	327 (5.3L)	(T) (1500 1/2 Ton, w/Optional Trailer Towing Equipment, Exc. Export, w/Module Code TDC, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2510A
1999-98	350 (5.7L)	(R) (C, K1500, Exc. Export, w/Module Code GFN, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2978A
	350 (5.7L) (R), 454 (7.4L) (J)	(C, K2500 w/Calif. Emission System, w/Module Code GFN, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2978A
1997-96	350 (5.7L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
	454 (7.4L)	(J) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(Fuel Strainer)	F102S
		(J) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(J)	(Fuel Strainer)	F102S
1995-94	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
	454 (7.4L)	(K)	(Fuel Strainer)	F104S
		(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N)	(Fuel Strainer)	F104S
1995-92	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K)	(Fuel Strainer)	F104S
1993-92	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F104S
1991-90	350 (5.7L)	(K) (R & V Series, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K) (R & V Series Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
	454 (7.4L)	(K) (R & V Series w/31 Gal. Tank)	(Fuel Strainer)	F104S
		(N) (R & V Series, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N) (R & V Series)	(Fuel Strainer)	F102S
1989-88	350 (5.7L)	(K) (R & V Series, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K) (R & V Series Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
	454 (7.4L)	(K) (R & V Series w/31 Gal. Tank)	(Fuel Strainer)	F104S
		(N) (R & V Series, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N) (R & V Series Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(N) (R & V Series w/31 Gal. Tank)	(Fuel Strainer)	F104S
1987	305 (5.0L)	(H) (R 10 Series, On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H) (R 10 Series Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
	350 (5.7L)	(H) (R 10 Series w/31 Gal. Tank)	(Fuel Strainer)	F104S
		(K) (R & V Series, On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K) (R & V Series Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
	454 (7.4L)	(K) (R & V Series w/31 Gal. Tank)	(Fuel Strainer)	F104S
		(N) (R & V Series, On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N) (R & V Series Exc. 31 Gal. Tank)	(Fuel Strainer)	F123S
		(N) (R & V Series w/31 Gal. Tank)	(Fuel Strainer)	F104S
		(N) (R20 Series In Auxiliary Tank)	(Fuel Strainer)	F102S
Tahoe				
V8				
2003-00	294 (4.8L) (V), 327 (5.3L) (T)	(w/Module Code TDB, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2519A
2000	350 (5.7L)	(R) (4 Door, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2983A
1999-98	350 (5.7L)	(R) (4 Door, w/o RFI Filter, Exc. Export, w/Module Code GFU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2983A
1997-96	350 (5.7L)	(R) (2 Door, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(R) (2 Door)	(Fuel Strainer)	F104S
		(R) (4 Door w/Harness Codes TCB, TCP, For Pump Only Both Strainers Are Required, On Module Strainer)	(Fuel Strainer)	F120S

Years	Displ	Qualifier	Part Description	Part No.
CHEVROLET TRUCK (Cont'd)				
Tahoe (Cont'd)				
V8 (Cont'd)				
1997-96	350 (5.7L)	(R) (4 Door w/Harness Codes TCB, TCP, For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F131S
1995	350 (5.7L)	(K) (w/Harness Codes TCA & TCE, For Pump Only Both Strainers Are Required, On Module Strainer)	(Fuel Strainer)	F120S
		(K) (w/Harness Codes TCA & TCE, For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F131S
Tracker				
L4				
2003-01	98 (1.6L)	(6) (Canada); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(6) (Canada)	(Fuel Strainer)	F261S
2003-99	122 (2.0L)	(C) (Convertible); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(C) (Hard Top); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(C) (Convertible)	(Fuel Strainer)	F261S
		(C) (Hard Top)	(Fuel Strainer)	F311S
2000-99	98 (1.6L)	(6) (Convertible); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(6) (Convertible)	(Fuel Strainer)	F261S
1998-97	98 (1.6L)	(6); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(6)	(Fuel Strainer)	F253S
1996	98 (1.6L)	(6) (Hard Top); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(6) (Soft Top); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(6) (Hard Top)	(Fuel Strainer)	F253S
		(6) (Soft Top)	(Fuel Strainer)	F265S
1995-89	98 (1.6L)		(Fuel Strainer)	F265S
V6				
2004-01	2500cc. (2.5L)	(4) (Hard Top); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(4) (Hard Top)	(Fuel Strainer)	F311S
V10, 20, 30; V3500 Pickup - 4 Wheel Drive				
V6				
1987	262 (4.3L)	(Z) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F102S
V8				
1991-90	350 (5.7L)	(K) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
	454 (7.4L)	(K)	(Fuel Strainer)	F102S
		(N) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F102S
1989-88	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
	454 (7.4L)	(K)	(Fuel Strainer)	F102S
		(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F102S
1987	305 (5.0L)	(H) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H) (Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(H) (w/31 Gal. Tank)	(Fuel Strainer)	F104S
	350 (5.7L)	(K) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K) (Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(K) (w/31 Gal. Tank)	(Fuel Strainer)	F104S
	454 (7.4L)	(N) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F102S
CHRYSLER				
Cirrus				
L4				
1997-95	2429 cc. (2.4L)	(X)	(Fuel Pump Assy-Module)	F3090A
V6				
1997-95	2497 cc. (2.5L)	(H)	(Fuel Pump Assy-Module)	F3090A

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
CHRYSLER (Cont'd)				
Grand Voyager				
V6				
2000	181 (3.0L)	(3)	(Fuel Pump Assy-Module)	F3005A
	201 (3.3L)	(R)	(Fuel Pump Assy-Module)	F3005A
Imperial				
V6				
1993-91	231 (3.8L)	(L)	(Fuel Pump Assy-Module)	F3051A
1991	202 (3.3L)	(R)	(Fuel Pump Assy-Module)	F3051A
LeBaron				
L4				
1993	153 (2.5L)	(K)	(Fuel Pump Assy-Module)	F3051A
1992-91	153 (2.5L)	(Includes Turbo)	(Fuel Pump Assy-Module)	F3051A
V6				
1995-91	181 (3.0L)	(3)	(Fuel Pump Assy-Module)	F3051A
New Yorker				
V6				
1993-91	202 (3.3L)	(R)	(Fuel Pump Assy-Module)	F3051A
	231 (3.8L)	(L)	(Fuel Pump Assy-Module)	F3051A
Sebring				
L4				
2005	2429 cc. (2.4L)	(2 Door Convertible); Strainer required to validate the warranty (2 Door Convertible)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F318S
2004-02	2351 cc. (2.4L)	(2 Door)	(Fuel Strainer)	F318S
2001	2351 cc. (2.4L)	(2 Door)	(Fuel Strainer)	F318S
1999-96	1997 cc. (2.0L)	(Y) (DOHC - Exc. Convertible); Strainer required to validate the warranty (Y) (DOHC - Exc. Convertible)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
	2429 cc. (2.4L)	(X) (16 Valve - Convertible)	(Fuel Pump Assy-Module)	F3090A
1995	1997 cc. (2.0L)	(Y) (DOHC); Strainer required to validate the warranty (Y) (DOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
V6				
2004-02	2972 cc. (3.0L)	(2 Door)	(Fuel Strainer)	F318S
2001	2972 cc. (3.0L)	(2 Door)	(Fuel Strainer)	F318S
2000-97	2497 cc. (2.5L)	(N) (Exc. Convertible); Strainer required to validate the warranty (N) (Exc. Convertible)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1998-96	2497 cc. (2.5L)	(H) (Convertible)	(Fuel Pump Assy-Module)	F3090A
1996	2497 cc. (2.5L)	(N) (Exc. Convertible); Strainer required to validate the warranty (N) (Exc. Convertible)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1995	2497 cc. (2.5L)	(N); Strainer required to validate the warranty (N)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
TC by Maserati				
V6				
1991	181 (3.0L)		(Fuel Pump Assy-Module)	F3051A
Town & Country Van				
V6				
2000-96	201 (3.3L)	(R) (Gas)	(Fuel Pump Assy-Module)	F3005A
	230 (3.8L)	(L)	(Fuel Pump Assy-Module)	F3005A
1995-94	230 (3.8L)	(L) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3088A
1993-91	201 (3.3L)	(R) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3041A ¹
Voyager				
L4				
2000	148 (2.4L)	(B)	(Fuel Pump Assy-Module)	F3005A
V6				
2000	181 (3.0L)	(3)	(Fuel Pump Assy-Module)	F3005A
	201 (3.3L)	(R)	(Fuel Pump Assy-Module)	F3005A
DAIHATSU				
Charade				
L3				
1992-88	993 cc. (1.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F246S

¹May require Wiring Harness replacement.

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
DAIHATSU (Cont'd)				
Charade (Cont'd)				
L4				
1992-89	1295 cc. (1.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F246S
DODGE				
Aries				
L4				
1984	135 (2.2L)	(w/ 2 Bbl. Carb., For Models Which Were Converted To Use An In-Tank Elect. Pump Due to Hot Fuel Problems)	(Fuel Strainer)	F123S
Avenger				
L4				
1999-95	1997 cc. (2.0L)	(Y) DOHC; Strainer required to validate the warranty (Y) DOHC	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
V6				
2000-95	2497 cc. (2.5L)	(N); Strainer required to validate the warranty (N)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
Charger, Charger SE, Shelby Charger				
L4				
1987-85	135 (2.2L)	(Turbo In-Tank, Used w/Ext. Mntd. Pump)	(Fuel Strainer)	F123S
Colt				
L4				
1994-93	1834 cc. (1.8L)	(C); Strainer required to validate the warranty (C)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1994-91	1468 cc. (1.5L)	(A); Strainer required to validate the warranty (A)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1990	1595 cc. (1.6L)	(Y) DOHC; Strainer required to validate the warranty (Y) DOHC	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F233S
1990-89	1468 cc. (1.5L)	(X); Strainer required to validate the warranty (X)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F233S
	1755 cc. (1.8L)	(T) (Wagon); Strainer required to validate the warranty (T) (Wagon)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F233S
1989	1595 cc. (1.6L)	(Z) (Turbo); Strainer required to validate the warranty (Z) (Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F233S
1988	1468 cc. (1.5L)	Fuel Inj. (Wagon); Strainer required to validate the warranty Fuel Inj. (Wagon)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F233S
1988-85	1595 cc. (1.6L)	(F) (Turbo); Strainer required to validate the warranty (F) (Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F233S
Colt Vista				
L4				
1994	1834 cc. (1.8L)	(C) (4 W.D.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
	2351 cc. (2.4L)	(G) (4 W.D.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1994-93	1834 cc. (1.8L)	(C) (2 W.D.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
	2351 cc. (2.4L)	(G) (2 W.D.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1993	1834 cc. (1.8L)	(C) (4 W.D.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
	2351 cc. (2.4L)	(G) (4 W.D.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1992	1834 cc. (1.8L)	(D); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
	2351 cc. (2.4L)	(W); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1991-89	1997 cc. (2.0L)	(V); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F232S
1988	1997 cc. (2.0L)	(D); Strainer required to validate the warranty (D)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F232S
1987	1997 cc. (2.0L)	(E.F.I. - w/In-Tank Pump); Strainer required to validate the warranty (E.F.I. - w/In-Tank Pump)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F232S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
DODGE (Cont'd)				
Daytona				
L4				
1993-92	135 (2.2L)	(A) (Turbo)	(Fuel Pump Assy-Module)	F3051A
1993-91	153 (2.5L)	(K) (E.F.I. - Exc. Turbo)	(Fuel Pump Assy-Module)	F3051A
1992-91	153 (2.5L)	(J) (Turbo)	(Fuel Pump Assy-Module)	F3051A
V6				
1993-91	181 (3.0L)	(3)	(Fuel Pump Assy-Module)	F3051A
Dynasty				
L4				
1993-91	153 (2.5L)	(K)	(Fuel Pump Assy-Module)	F3051A
V6				
1993-91	181 (3.0L)	(3)	(Fuel Pump Assy-Module)	F3051A
	202 (3.3L)	(R)	(Fuel Pump Assy-Module)	F3051A
Neon				
L4				
1997-96	122 (2.0L)	(C, Y) (w/o Plastic Tank)	(Fuel Pump Assy-Module)	F3086A
1995	122 (2.0L)	(C, Y)	(Fuel Pump Assy-Module)	F3086A
Omni/024				
L4				
1986-85	135 (2.2L)	(Turbo In-Tank - Used w/Ext. Mntd. Pump)	(Fuel Strainer)	F123S
Shadow				
L4				
1994-91	135 (2.2L)	(D)	(Fuel Pump Assy-Module)	F3051A
	153 (2.5L)	(K) (Exc. Turbo)	(Fuel Pump Assy-Module)	F3051A
1992-91	153 (2.5L)	(J) (Turbo)	(Fuel Pump Assy-Module)	F3051A
V6				
1994-92	181 (3.0L)	(3)	(Fuel Pump Assy-Module)	F3051A
Spirit				
L4				
1995	153 (2.5L)	(K)	(Fuel Pump Assy-Module)	F3051A
1994-93	153 (2.5L)	(K) (Gasoline)	(Fuel Pump Assy-Module)	F3051A
1993-91	135 (2.2L)	(A) (Turbo)	(Fuel Pump Assy-Module)	F3051A
1992-91	153 (2.5L)	(J) (Turbo)	(Fuel Pump Assy-Module)	F3051A
		(K) (Exc. Turbo)	(Fuel Pump Assy-Module)	F3051A
V6				
1995-91	181 (3.0L)	(3)	(Fuel Pump Assy-Module)	F3051A
Stealth				
V6				
1996-93	2972 cc. (3.0L)	(H) (SOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(J) (DOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(H, J)	(Fuel Strainer)	F253S
		(K) (DOHC Turbo)	(Fuel Strainer)	F232S
1992-91	2972 cc. (3.0L)	(B) (DOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(S) (SOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(B, S)	(Fuel Strainer)	F253S
		(C) (DOHC Turbo)	(Fuel Strainer)	F232S
Stratus				
L4				
2005	2429 cc. (2.4L)	(2 Door); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(2 Door)	(Fuel Strainer)	F318S
2005-02	2351 cc. (2.4L)	(2 Door)	(Fuel Strainer)	F318S
2001	2351 cc. (2.4L)	(2 Door)	(Fuel Strainer)	F318S
1997-95	1996 cc. (2.0L)	(C) (SOHC)	(Fuel Pump Assy-Module)	F3090A
	2429 cc. (2.4L)	(X) (16 Valve)	(Fuel Pump Assy-Module)	F3090A
V6				
2005-02	2972 cc. (3.0L)	(2 Door)	(Fuel Strainer)	F318S
2001	2972 cc. (3.0L)	(2 Door)	(Fuel Strainer)	F318S
1997-95	2497 cc. (2.5L)	(H)	(Fuel Pump Assy-Module)	F3090A

Years	Displ	Qualifier	Part Description	Part No.
DODGE TRUCK				
Caravan, Grand Caravan, Mini Ram Van, Royal Mini Ram Van				
L4				
2000-96	148 (2.4L)	(B)	(Fuel Pump Assy-Module)	F3005A
1995-94	153 (2.5L)	(K) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3088A
1993-91	153 (2.5L)	(K) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3041A
V6				
2000-96	181 (3.0L)	(3)	(Fuel Pump Assy-Module)	F3005A
	201 (3.3L)	(R) (Gas)	(Fuel Pump Assy-Module)	F3005A
	230 (3.8L)	(L)	(Fuel Pump Assy-Module)	F3005A
1995-94	181 (3.0L)	(3) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3088A
	201 (3.3L)	(R) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3088A
	230 (3.8L)	(L) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3088A
1993-91	181 (3.0L)	(3) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3041A
	201 (3.3L)	(R) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3041A
Raider				
V6				
1989	181 (3.0L)	(S): Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(S)	(Fuel Strainer)	F232S
Ram 50, Power Ram 50, D50 Pickups				
L4				
1993-91	2350 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1990	2350 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
			(Fuel Strainer)	F232S
V6				
1991	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1990	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
			(Fuel Strainer)	F232S
EAGLE				
2000GTX				
L4				
1992-91	1997 cc. (2.0L)	Canada; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		Canada	(Fuel Strainer)	F253S
Premier				
L4				
1989-88	150 (2.5L)		(Fuel Strainer)	F205S
V6				
1991-88	181 (3.0L)	(To 10-31-90)	(Fuel Strainer)	F205S
Summit				
L4				
1996-94	1834 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1996-91	1468 cc. (1.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1993-92	1834 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1990-89	1468 cc. (1.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F233S
	1595 cc. (1.6L)	(Includes Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(Includes Turbo)	(Fuel Strainer)	F233S
Talon				
L4				
1998	1997 cc. (2.0L)		(Fuel Strainer)	F253S
1998-96	1997 cc. (2.0L)	(Y) (w/o Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S

Years	Displ	Qualifier	Part Description	Part No.
EAGLE (Cont'd)				
Talon (Cont'd)				
L4 (Cont'd)				
1997-95	1997 cc. (2.0L)		(Fuel Strainer)	F253S
1995	1997 cc. (2.0L)	(Y) (Front Wheel Drive - w/o Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1994-93	1755 cc. (1.8L)	(w/ 1 1/2" dia. pump); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(w/ 2" dia. pump); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F253S
		(w/ 2" dia. pump)	(Fuel Strainer)	F232S
1994-92	1997 cc. (2.0L)	(Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(w/ 1 1/2" dia. pump); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(w/ 2" dia. pump); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F232S
		(w/ 1 1/2" dia. pump)	(Fuel Strainer)	F253S
1991-90	1997 cc. (2.0L)	(Includes Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(Includes Turbo)	(Fuel Strainer)	F232S
FERRARI				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
FIAT				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
FORD				
Aspire				
L4				
1997-94	80 (1.3L)		(Fuel Strainer)	F255S
Contour				
L4				
1999	1989 cc. (2.0L)	(w/thin electrical terminals, w/6" Flange, w/Locator Tabs, To 5/3/99); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(w/wide electrical terminals, w/6" Flange, w/Locator Tabs, To 5/3/99); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(w/6" Flange, w/Locator Tabs, To 5/3/99)	(Fuel Strainer)	F288S
1998	1989 cc. (2.0L)	(w/thin electrical terminals, w/4 1/2" Flange, w/o Locator Tabs); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(w/thin electrical terminals, w/6" Flange, w/Locator Tabs); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(w/wide electrical terminals, w/4 1/2" Flange, w/o Locator Tabs); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(w/wide electrical terminals, w/6" Flange, w/Locator Tabs); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F288S
1997	1989 cc. (2.0L)	(3, Z) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(3, Z) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(3, Z)	(Fuel Strainer)	F288S
1996	1989 cc. (2.0L)	(w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F288S
1995	1989 cc. (2.0L)	(3) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(3) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(3)	(Fuel Strainer)	F288S
V6				
1999	2450 cc. (2.5L)	(G, L) (w/6" Flange, w/Locator Tabs, To 5/3/99, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(G, L) (w/6" Flange, w/Locator Tabs, To 5/3/99, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(G, L) (w/6" Flange, w/Locator Tabs, To 5/3/99)	(Fuel Strainer)	F288S
1998	2450 cc. (2.5L)	(G, L) (w/4 1/2" Flange, w/o Locator Tabs, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(G, L) (w/4 1/2" Flange, w/o Locator Tabs, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(G, L) (w/6" Flange, w/Locator Tabs, To 5/3/99, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(G, L) (w/6" Flange, w/Locator Tabs, To 5/3/99, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
FORD (Cont'd)				
Contour (Cont'd)				
V6 (Cont'd)				
1998	2450 cc. (2.5L)	(G, L)	(Fuel Strainer)	F288S
1997	2450 cc. (2.5L)	(L) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(L) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(L)	(Fuel Strainer)	F288S
1996-95	2450 cc. (2.5L)	(L) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(L) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(L)	(Fuel Strainer)	F288S
Escort, Escort GT, EXP, ZX2				
L4				
2003	121 (2.0L) 1989 cc.	(3) (DOHC, For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F300S
2002-99	121 (2.0L)	(3) (DOHC, For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F300S
	122 (2.0L)	(P) (SOHC, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1997	122 (2.0L)	(P); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(P)	(Fuel Strainer)	F241S
1996	112 (1.8L)	(8); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(8)	(Fuel Strainer)	F241S
	116 (1.9L)	(J); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(J)	(Fuel Strainer)	F241S
1995-94	112 (1.8L)	(8); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(8)	(Fuel Strainer)	F241S
	116 (1.9L)	(J); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(J)	(Fuel Strainer)	F241S
1993-91	112 (1.8L)	(8); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053
		(8)	(Fuel Strainer)	F241S
	116 (1.9L)	(J); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053
		(J)	(Fuel Strainer)	F241S
1990-88	116 (1.9L)	(GT, w/M.F.I.)	(Fuel Strainer)	F212S
1987	116 (1.9L)	(EXP Sporty w/M.F.I.)	(Fuel Strainer)	F212S
		(GT, w/M.F.I.)	(Fuel Strainer)	F212S
Festiva				
L4				
1993-89	79 (1.3L)	(H) (w/M.F.I.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(H) (w/M.F.I.)	(Fuel Strainer)	F233S
Focus				
L4				
2006-05	121 (2.0L)	(N) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F300S
	140 (2.3L)	(Z) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
LTD, LTD Crown Victoria, Country Squire, Crown Victoria, XL				
V6				
1986	232 (3.8L)	(LTD w/T.B.I., Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(LTD Sedan w/T.B.I.)	(Fuel Strainer)	F123S
		(LTD Wagon w/T.B.I.)	(Fuel Strainer)	F104S
1985	232 (3.8L)	(LTD w/T.B.I., Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(LTD Sedan w/T.B.I.)	(Fuel Strainer)	F123S
		(LTD Wagon w/T.B.I.)	(Fuel Strainer)	F104S
1984	232 (3.8L)	(LTD w/T.B.I., Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(LTD Sedan w/T.B.I.)	(Fuel Strainer)	F123S
		(LTD Wagon w/T.B.I.)	(Fuel Strainer)	F104S
V8				
2004	281 (4.6L)	(W) (Crown Victoria)	(Fuel Strainer)	F276S
2003	281 (4.6L)	(W) (Crown Victoria)	(Fuel Strainer)	F276S
2002-01	281 (4.6L)	(W) (Crown Victoria, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (Crown Victoria, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W) (Crown Victoria)	(Fuel Strainer)	F276S
2000-99	281 (4.6L)	(W) (Crown Victoria, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (Crown Victoria, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W) (Crown Victoria)	(Fuel Strainer)	F276S

⁵Require two fuel pumps, which should be mounted in-tank and externally.

Years	Displ	Qualifier	Part Description	Part No.
FORD (Cont'd)				
LTD, LTD Crown Victoria, Country Squire, Crown Victoria, XL (Cont'd)				
V8 (Cont'd)				
1998	281 (4.6L)	(W) (Crown Victoria, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (Crown Victoria, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W) (Crown Victoria)	(Fuel Strainer)	F276S
1997	281 (4.6L)	(W) (Crown Victoria, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (Crown Victoria, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W) (Crown Victoria)	(Fuel Strainer)	F276S
1996	281 (4.6L)	(W, 6) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(W, 6) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W, 6)	(Fuel Strainer)	F276S
1995	281 (4.6L)	(W) (w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(W) (w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W)	(Fuel Strainer)	F276S
1994-93	281 (4.6L)	(W) (w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(W) (w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W)	(Fuel Strainer)	F274S
1992	281 (4.6L)	(W); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(W)	(Fuel Strainer)	F212S
1991-90	302 (5.0L)	(LTD Crown Victoria Sedan, Exc. Export); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1012
			(Fuel Strainer)	F212S
Mustang, Mustang II				
L4				
1993-87	140 (2.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
			(Fuel Strainer)	F212S
1986	140 (2.3L)	(SVO Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(SVO Turbo)	(Fuel Strainer)	F212S
1985	140 (2.3L)	(SVO Turbo, To 11-84, Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(SVO Turbo, From 11-84); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(SVO Turbo, To 11-84, In-Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(SVO Turbo, From 11-84)	(Fuel Strainer)	F212S
		(SVO Turbo, To 11-84, In-Tank)	(Fuel Strainer)	F111S
1984	140 (2.3L)	(Turbo, Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(Turbo, From 11-83); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(To 11-83)	(Fuel Strainer)	F104S
		(Turbo, From 11-83)	(Fuel Strainer)	F111S
1983	140 (2.3L)	(Turbo, Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(Turbo)	(Fuel Strainer)	F111S
1980	140 (2.3L)	(Turbo, w/Elec. Pump); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036
		(Turbo, w/Elec. Pump)	(Fuel Strainer)	F111S
V6				
2004-01	232 (3.8L)	(4) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1997-94	232 (3.8L)	(4) (w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(4) (w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(4) (w/brass outlet tube)	(Fuel Strainer)	F212S
		(4) (w/plastic outlet tube)	(Fuel Strainer)	F276S
1986	232 (3.8L)	(w/T.B.I.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(w/T.B.I.)	(Fuel Strainer)	F212S
1985	232 (3.8L)	(Before 11-84, Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/T.B.I., Before 11-84); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(w/T.B.I., From 11-84); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(w/T.B.I., Before 11-84)	(Fuel Strainer)	F111S
		(w/T.B.I., From 11-84)	(Fuel Strainer)	F212S
1984	232 (3.8L)	(w/T.B.I., Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/T.B.I., From 11-83); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(Before 11-83)	(Fuel Strainer)	F104S
		(w/T.B.I., From 11-83)	(Fuel Strainer)	F111S
V8				
2004-01	281 (4.6L)	(X) (SOHC, For pump only both strainers are required, On Pump Strainer)	(Fuel Strainer)	F300S

⁵Require two fuel pumps, which should be mounted in-tank and externally.

Years	Displ	Qualifier	Part Description	Part No.
FORD (Cont'd)				
Mustang, Mustang II (Cont'd)				
V8 (Cont'd)				
2001	281 (4.6L)	(V) (DOHC, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1997-96	281 (4.6L)	(X) (2 Valve, SOHC, Exc. Cobra, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(X) (2 Valve, SOHC, Exc. Cobra, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(X) (2 Valve, SOHC, Exc. Cobra, w/brass outlet tube)	(Fuel Strainer)	F212S
		(X) (2 Valve, SOHC, Exc. Cobra, w/plastic outlet tube)	(Fuel Strainer)	F276S
1995	351 (5.8L)	(C) (Cobra R, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(C) (Cobra R, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(C) (Cobra R, w/brass outlet tube)	(Fuel Strainer)	F212S
		(C) (Cobra R, w/plastic outlet tube)	(Fuel Strainer)	F276S
1995-94	302 (5.0L)	w/brass outlet tube; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		w/plastic outlet tube; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		w/brass outlet tube	(Fuel Strainer)	F212S
		w/plastic outlet tube	(Fuel Strainer)	F276S
1993	302 (5.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
			(Fuel Strainer)	F212S
1992-87	302 (5.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
			(Fuel Strainer)	F212S
1986	302 (5.0L)	(w/Fuel Inj.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(w/Fuel Inj.)	(Fuel Strainer)	F212S
1985	302 (5.0L)	(w/Fuel Inj., w/Auto. Trans., Before 11-84, Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/Fuel Inj., From 11-84); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(w/Fuel Inj., w/Auto. Trans., Before 11-84); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(w/Fuel Inj., From 11-84)	(Fuel Strainer)	F212S
		(w/Fuel Inj., w/Auto. Trans., Before 11-84)	(Fuel Strainer)	F111S
1984	302 (5.0L)	(w/Fuel Inj., w/Auto. Trans., Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/Fuel Inj., w/Auto. Trans.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(w/Fuel Inj., w/Auto. Trans.)	(Fuel Strainer)	F111S
Probe				
L4				
1997-96	122 (2.0L)	(A) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(A) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(A)	(Fuel Strainer)	F271S
1995	122 (2.0L)	(A) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(A) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(A)	(Fuel Strainer)	F271S
1994	122 (2.0L)	(A) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(A) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(A)	(Fuel Strainer)	F271S
1993	122 (2.0L)	(A) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(A) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(A)	(Fuel Strainer)	F271S
1992-89	134 (2.2L)	(C, L); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(C, L)	(Fuel Strainer)	F219S
V6				
1997-96	153 (2.5L)	(B) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(B) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(B)	(Fuel Strainer)	F271S
1995	153 (2.5L)	(B) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(B) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(B)	(Fuel Strainer)	F271S
1994	153 (2.5L)	(B) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(B) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(B)	(Fuel Strainer)	F271S
1993	153 (2.5L)	(B) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(B) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(B)	(Fuel Strainer)	F271S
1992-90	183 (3.0L)	(U)	(Fuel Strainer)	F241S
Taurus				
L4				
1990	153 (2.5L)	(w/16 Gal. Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴
		(w/16 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴

⁴Find the fuel tank identification page for help if Ford fuel tank size need to be identified. ⁵Require two fuel pumps, which should be mounted in-tank and externally.

Years	Displ	Qualifier	Part Description	Part No.
FORD (Cont'd)				
Taurus (Cont'd)				
L4 (Cont'd)				
1990 (Cont'd)		(w/18.6 Gal. Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴
		(w/18.6 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴
		(w/16 Gal. Tank, w/brass outlet tube)	(Fuel Strainer)	F242S
		(w/16 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S
		(w/18.6 Gal. Tank, w/brass outlet tube)	(Fuel Strainer)	F242S
		(w/18.6 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S
1989	153 (2.5L)	(w/16 Gal. Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053
		(w/16 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(w/18.6 Gal. Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053
		(w/18.6 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(w/16 Gal. Tank, w/brass outlet tube)	(Fuel Strainer)	F242S
		(w/16 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S
		(w/18.6 Gal. Tank, w/brass outlet tube)	(Fuel Strainer)	F242S
		(w/18.6 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S
1988-86	153 (2.5L)	(w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053
		(w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(w/brass outlet tube)	(Fuel Strainer)	F242S
		(w/plastic outlet tube)	(Fuel Strainer)	F291S
V6				
2006-04	183 (3.0L)	(S, U) (Gas, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
2003-02	183 (3.0L)	(S, U) (Gas, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
2001	183 (3.0L)	(S, U) (Gas, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
2000	183 (3.0L)	(S, U) (Gas, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1999	183 (3.0L)	(S, U) (Gas, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1998	183 (3.0L)	(S, U) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1997	183 (3.0L)	(S, U) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1996	183 (3.0L)	(U) (OHV, Gas, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1995-93	183 (3.0L)	(Y) (SHO); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1012
		(Y) (SHO)	(Fuel Strainer)	F242S
	195 (3.2L)	(P) (SHO); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1012
		(P) (SHO)	(Fuel Strainer)	F242S
1995-90	183 (3.0L)	(U) (OHV Eng. w/16 Gal.Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴
		(U) (OHV Eng. w/16 Gal.Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴
		(U) (OHV Eng. w/18.6 Gal.Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴
		(U) (OHV Eng. w/18.6 Gal.Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴
		(U) (OHV Eng. w/16 Gal.Tank, w/brass outlet tube)	(Fuel Strainer)	F242S
		(U) (OHV Eng. w/16 Gal.Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S
		(U) (OHV Eng. w/18.6 Gal.Tank, w/brass outlet tube)	(Fuel Strainer)	F242S
		(U) (OHV Eng. w/18.6 Gal.Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S
	232 (3.8L)	(w/16 Gal.Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴
		(w/16 Gal.Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴
		(w/18.6 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴
		(w/18.6 Gal.Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴
		(w/16 Gal.Tank, w/brass outlet tube)	(Fuel Strainer)	F242S
		(w/16 Gal.Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S
		(w/18.6 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S
		(w/18.6 Gal.Tank, w/brass outlet tube)	(Fuel Strainer)	F242S
1992-89	183 (3.0L)	(Y) (SHO); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1012
		(Y) (SHO)	(Fuel Strainer)	F242S
1989-88	232 (3.8L)	(w/16 Gal.Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴
		(w/16 Gal.Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴
		(w/18.6 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴
		(w/18.6 Gal.Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴
		(w/16 Gal.Tank, w/brass outlet tube)	(Fuel Strainer)	F242S
		(w/16 Gal.Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S
		(w/18.6 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S
		(w/18.6 Gal.Tank, w/brass outlet tube)	(Fuel Strainer)	F242S
1989-86	183 (3.0L)	(U) (OHV Eng. w/16 Gal.Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴
		(U) (OHV Eng. w/16 Gal.Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴

⁴Find the fuel tank identification page for help if Ford fuel tank size need to be identified.

Years	Displ	Qualifier	Part Description	Part No.
FORD (Cont'd)				
Taurus (Cont'd)				
V6 (Cont'd)				
1989-86 (Cont'd)		(U) (OHV Eng. w/18.6 Gal.Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴
		(U) (OHV Eng. w/18.6 Gal.Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴
		(U) (OHV Eng. w/16 Gal.Tank, w/brass outlet tube)	(Fuel Strainer)	F242S
		(U) (OHV Eng. w/16 Gal.Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S
		(U) (OHV Eng. w/18.6 Gal.Tank, w/brass outlet tube)	(Fuel Strainer)	F242S
		(U) (OHV Eng. w/18.6 Gal.Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S
V8				
1999-98	207 (3.4L)	(N) (SHO, For Pump Only Both Strainers are Required)	(Fuel Strainer)	F300S
Tempo				
L4				
1994	140 (2.3L)	(X) (From 6-94, w/plastic outlet tube, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(X) (From 6-94, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(X) (To 6-94, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(X) (From 6-94, w/plastic outlet tube, w/thin & wide electrical terminals)	(Fuel Strainer)	F283S
		(X) (To 6-94, w/brass outlet tube)	(Fuel Strainer)	F242S
1993	140 (2.3L)	(X) (w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(X) (w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(X) (w/brass outlet tube)	(Fuel Strainer)	F242S
		(X) (w/plastic outlet tube)	(Fuel Strainer)	F271S
1992-88	140 (2.3L)	(Front Wheel Drive, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(Front Wheel Drive, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(Front Wheel Drive, w/brass outlet tube)	(Fuel Strainer)	F242S
		(Front Wheel Drive, w/plastic outlet tube)	(Fuel Strainer)	F271S
1991-88	140 (2.3L)	(All Wheel Drive)	(Fuel Strainer)	F242S
V6				
1994	183 (3.0L)	(U) (From 6-94, w/plastic outlet tube, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(U) (From 6-94, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(U) (To 6-94, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(U) (From 6-94, w/plastic outlet tube, w/thin & wide electrical terminals)	(Fuel Strainer)	F283S
		(U) (To 6-94, w/brass outlet tube)	(Fuel Strainer)	F242S
1993-92	183 (3.0L)	(U) (w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(U) (w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(U) (w/brass outlet tube)	(Fuel Strainer)	F242S
		(U) (w/plastic outlet tube)	(Fuel Strainer)	F271S
Thunderbird				
L4				
1988-85	140 (2.3L)	(Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(Turbo)	(Fuel Strainer)	F242S
1984	140 (2.3L)	(Turbo, Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
1983	140 (2.3L)	(Turbo, Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(Turbo)	(Fuel Strainer)	F111S
		V6		
1997-96	232 (3.8L)	(4); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(4)	(Fuel Strainer)	F242S
1995-90	232 (3.8L)	(Includes Supercharged); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(Includes Supercharged)	(Fuel Strainer)	F242S
1989	232 (3.8L)	(Includes Supercharged); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(Includes Supercharged)	(Fuel Strainer)	F242S
1988-86	232 (3.8L)		(Fuel Strainer)	F242S
1985	232 (3.8L)		(Fuel Strainer)	F242S
1984	232 (3.8L)	(w/T.B.I., Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
			(Fuel Strainer)	F104S
V8				
2003-02	242 (3.9L)	(A) (To 11/18/2002, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1997-94	281 (4.6L)	(W); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(W)	(Fuel Strainer)	F242S

⁴Find the fuel tank identification page for help if Ford fuel tank size need to be identified. ⁵Require two fuel pumps, which should be mounted in-tank and externally.

Years	Displ	Qualifier	Part Description	Part No.
FORD (Cont'd)				
Thunderbird (Cont'd)				
V8 (Cont'd)				
1993-91	302 (5.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1055 F242S
1988-86	302 (5.0L)		(Fuel Strainer)	F242S
1985	302 (5.0L)		(Fuel Strainer)	F242S
1984	302 (5.0L)	(Ext. Mntd.)	(Electric Fuel Pump) (Fuel Strainer)	F1011 ⁵ F104S
1983	302 (5.0L)	(Ext. Mntd.) Strainer required to validate the warranty	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1011 ⁵ F1036 ⁵ F111S
FORD ENGLISH				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
FORD TRUCK				
Aerostar				
L4				
1987	140 (2.3L)		(Fuel Strainer)	F212S
1986	140 (2.3L)	(Ext. Mntd.) (From 2-86) (To 2-86)	(Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1011 ⁵ F212S F104S
V6				
1997-91	183 (3.0L), 244 (4.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1012 F212S
1990	183 (3.0L), 244 (4.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1012 F212S
1989	183 (3.0L)	(w/21 Gal. Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1012 F212S
1988	183 (3.0L)		(Fuel Strainer)	F212S
1987-86	183 (3.0L)		(Fuel Strainer)	F212S
Bronco				
L6				
1992-90	300 (4.9L)		(In Tank Electric Fuel Pump)	F1060A ⁸
1989-87	300 (4.9L)	(Ext. Mntd.) Strainer required to validate the warranty	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1011 ⁵ F1036 F104S
V8				
1996-90	302 (5.0L), 351 (5.8L)		(In Tank Electric Fuel Pump)	F1060A ⁸
1989-88	302 (5.0L), 351 (W - Windsor) (5.8L)	(Ext. Mntd.) Strainer required to validate the warranty	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1011 ⁵ F1036 F104S
1987	302 (5.0L)	(Ext. Mntd.) Strainer required to validate the warranty	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1011 ⁵ F1036 F104S
1986-85	302 (5.0L)	(w/M.F.I., Ext. Mntd.) (w/M.F.I.); Strainer required to validate the warranty (w/M.F.I.)	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1011 ⁵ F1036 F104S
Bronco II				
V6				
1990-89	177 (2.9L)	(T)	(In Tank Electric Fuel Pump)	F1060A ⁸
1988-86	177 (2.9L)	(T) (Ext. Mntd.) (T)	(Electric Fuel Pump) (Fuel Strainer)	F1011 ⁵ F104S
E100/350 Van & E Super Duty Van				
L6				
1996	300 (4.9L)	(Center Tank w/3 Tube Ports, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S

⁵Require two fuel pumps, which should be mounted in-tank and externally. ⁸Strainer is packed with pump.

Years	Displ	Qualifier	Part Description	Part No.
FORD TRUCK (Cont'd)				
E100/350 Van & E Super Duty Van (Cont'd)				
L6 (Cont'd)				
1996-92	300 (4.9L)	(Module and Pump, Includes Cutaway & Stripped Chassis, Can Only be Used if The Original Ford Module is Still in The Tank, Plastic Module Height is Approx. 6", See Illustration Section) (Rear Tank, For Pump Only Both Strainers are Required, On Pump Strainer)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1060A ⁸ F300S
1995-92	300 (4.9L)	(Center Tank w/3 Tube Ports, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1991-90	300 (4.9L)	(w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty (w/20-22 Gal. Rear Tank, From 5-22-90); Strainer required to validate the warranty (E350 Cutaway w/40 Gal. Tank, To 6-91) (w/16 Gal. Center Tank, 138" Wheelbase) (w/20-22 Gal. Rear Tank, From 5-22-90)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F1019 F1019 ⁵ F104S F123S F104S
1991-87	300 (4.9L)	(Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
1990	300 (4.9L)	(w/18 Gal. Center Tank, 124" Wheelbase); Strainer required to validate the warranty (w/20-22 Gal. Rear Tank, To 5-22-90); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1019 ⁵ F1019 ⁵ F123S
1989	300 (4.9L)	(w/16 Gal. Tank, From 10/88, 138" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1019 ⁵ F123S
1989-88	300 (4.9L)	(w/16 Gal. Tank, to 9/88, 138" Wheelbase); Strainer required to validate the warranty (w/18 Gal. Tank, 124" Wheelbase); Strainer required to validate the warranty (w/20-22 Gal. Tank, 138" Wheelbase); Strainer required to validate the warranty (E350 Cutaway w/36-40 Gal. Tank) (w/16 Gal. Tank w/138" Wheelbase, 18 Gal. Tank w/124" Wheelbase, 20-22 Gal. Tank w/138" Wheelbase)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1019 ⁵ F1019 ⁵ F1019 ⁵ F104S F123S
1988-87	300 (4.9L)	(E350 w/36-40 Gal. Tank)	(Fuel Strainer)	F104S
1987	300 (4.9L)	(Exc. Cutaway w/36 Gal. Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1019 ⁵ F123S
1986	300 (4.9L)	(Carb., E350); Strainer required to validate the warranty (Carb., E350) (E350 Cutaway w/36 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1019 F123S F104S
V6				
2003	256 (4.2L)	(2) (E150/250 w/2 Tube Ports, Center Tank); Strainer required to validate the warranty (2) (E150/250 w/2 Tube Ports, Center Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1168 F298S
2002-99	256 (4.2L)	(2) (w/Thin Electrical Terminals); Strainer required to validate the warranty (2) (w/Wide Electrical Terminals); Strainer required to validate the warranty (2) (Center Tank) (2) (Rear Tank)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1168 F1482 F298S F276S
1998	256 (4.2L)	(2) (w/Thin Electrical Terminals); Strainer required to validate the warranty (2) (w/Wide Electrical Terminals); Strainer required to validate the warranty (2) (Center Tank) (2) (Rear Tank)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1168 F1482 F298S F276S
1997	256 (4.2L)	(2) (w/Thin Electrical Terminals); Strainer required to validate the warranty (2) (w/Wide Electrical Terminals); Strainer required to validate the warranty (2) (Center Tank) (2) (Rear Tank)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1168 F1482 F298S F276S
V8				
2003	281 (4.6L) 330 (5.4L)	(W) (w/2 Tube Ports, Center Tank); Strainer required to validate the warranty (W) (w/2 Tube Ports, Center Tank) (L); Strainer required to validate the warranty (L) (3 Tube Ports, Rear Tank) (L) (Center Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1168 F298S F1237 F276S F298S
2002-00	330 (5.4L)	(L) (w/thin electrical terminals); Strainer required to validate the warranty (L) (w/wide electrical terminals); Strainer required to validate the warranty (L) (Center Tank) (L) (Rear Tank)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1237 F1482 F298S F276S
2002-99	281 (4.6L)	(W) (E150 w/thin electrical terminals w/Center Tank); Strainer required to validate the warranty (W) (E150 w/wide electrical terminals w/Center Tank); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1168 F1482 F298S
1999-98	330 (5.4L)	(L) (Gas, w/thin electrical terminals); Strainer required to validate the warranty (L) (Gas, w/wide electrical terminals); Strainer required to validate the warranty (Z) (E250/350 Bi Fuel w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump)	F1237 F1482 F1482

⁵Require two fuel pumps, which should be mounted in-tank and externally. ⁸Strainer is packed with pump.

Years	Displ	Qualifier	Part Description	Part No.
FORD TRUCK (Cont'd)				
E100/350 Van & E Super Duty Van (Cont'd)				
V8 (Cont'd)				
1999-98 (Cont'd)		(Z) (E250/350 Bi Fuel, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(L) (Gas, w/2 Tube Ports, Center Tank)	(Fuel Strainer)	F276S
		(L) (Gas, w/3 Tube Ports, Center Tank)	(Fuel Strainer)	F298S
		(L) (Gas, w/3 Tube Ports, Rear Tank)	(Fuel Strainer)	F276S
		(Z) (E250/350 Bi Fuel, w/2 Tube Ports, Center Tank)	(Fuel Strainer)	F276S
		(Z) (E250/350 Bi Fuel, w/3 Tube Ports, Center Tank)	(Fuel Strainer)	F298S
		(Z) (E250/350 Bi Fuel, w/3 Tube Ports, Rear Tank)	(Fuel Strainer)	F276S
1998	281 (4.6L)	(6) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(6) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(6) (w/3 Tube Ports, Rear Tank)	(Fuel Strainer)	F276S
		(6) (w/Center Tank)	(Fuel Strainer)	F298S
1997	281 (4.6L)	(6) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(6) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(6) (w/3 Tube Ports, Rear Tank)	(Fuel Strainer)	F276S
		(6) (w/Center Tank)	(Fuel Strainer)	F298S
	330 (5.4L)	(L) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(L) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(L) (w/3 Tube Ports, Rear Tank)	(Fuel Strainer)	F276S
		(L) (w/Center Tank)	(Fuel Strainer)	F298S
1996	302 (5.0L), 351 (5.8L), 460 (7.5L)	(Center Tank, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1996-92	302 (5.0L), 351 (5.8L), 460 (7.5L)	(Module and Pump, Can Only be Used if the Original Ford Module is Still in The Tank, Plastic Module Height is Approx. 6", See Illustration Section, Includes Cutaway & Stripped Chassis)	(In Tank Electric Fuel Pump)	F1060A ⁸
	351 (5.8L), 460 (7.5L)	(Rear Tank, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1995-92	302 (5.0L), 351 (5.8L), 460 (7.5L)	(Center Tank w/3 Tube Ports, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1991	302 (5.0L)	(Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/20-22 Gal. Rear Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/16 Gal. Center Tank, 138" Wheelbase)	(Fuel Strainer)	F123S
		(w/20-22 Gal. Rear Tank)	(Fuel Strainer)	F104S
	351 (5.8L) (W)	(W) (Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/20 - 22 Gal. Rear Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(E350 Cutaway w/40 Gal. Tank, To 6-91)	(Fuel Strainer)	F104S
		(w/16 Gal. Center Tank, 138" Wheelbase)	(Fuel Strainer)	F123S
	460 (7.5L)	(w/20-22 Gal. Rear Tank)	(Fuel Strainer)	F104S
		(Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(E250/350 w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/20-22 Gal. Rear Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(E250/350 w/16 Gal. Center Tank, 138" Wheelbase)	(Fuel Strainer)	F123S
	1990	(E350 Cutaway, w/40 Gal. Tank, To 6-91)	(Fuel Strainer)	F104S
		(w/20-22 Gal. Rear Tank)	(Fuel Strainer)	F123S
		(Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/18 Gal. Center Tank, 124" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
1990	302 (5.0L)	(w/20-22 Gal. Rear Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/16 Gal. Center Tank, 138" Wheelbase)	(Fuel Strainer)	F123S
		(w/18 Gal. Center Tank, 124" Wheelbase)	(Fuel Strainer)	F123S
		(w/20-22 Gal. Rear Tank, From 5-22-90)	(Fuel Strainer)	F104S
		(w/20-22 Gal. Rear Tank, To 5-22-90)	(Fuel Strainer)	F123S
	351 (5.8L) (W)	(W) (Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/18 Gal. Center Tank, 124" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/20-22 Gal. Rear Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/16 Gal. Center Tank, 138" Wheelbase)	(Fuel Strainer)	F123S
	460 (7.5L)	(w/18 Gal. Center Tank, 124" Wheelbase)	(Fuel Strainer)	F123S
		(w/20-22 Gal. Rear Tank, From 5-22-90)	(Fuel Strainer)	F104S
		(w/20-22 Gal. Rear Tank, To 5-22-90)	(Fuel Strainer)	F123S
		(Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵

⁵Require two fuel pumps, which should be mounted in-tank and externally. ⁸Strainer is packed with pump.

Years	Displ	Qualifier	Part Description	Part No.
FORD TRUCK (Cont'd)				
E100/350 Van & E Super Duty Van (Cont'd)				
V8 (Cont'd)				
1990 (Cont'd)		(w/18 Gal. Center Tank, 124" Wheelbase); Strainer required to validate the warranty (w/20-22 Gal. Rear Tank); Strainer required to validate the warranty (E350 Cutaway w/40 Gal. Tank) (w/16 Gal. Center Tank, 138" Wheelbase) (w/18 Gal. Center Tank, 124" Wheelbase) (w/20-22 Gal. Rear Tank, From 5-22-90) (w/20-22 Gal. Rear Tank, To 5-22-90)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F1019 ⁵ F1019 ⁵ F104S F123S F123S F104S F123S
1989	302 (5.0L)	(Ext. Mntd.) (w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty (w/18 Gal. Tank, 124" Wheelbase); Strainer required to validate the warranty (w/20-22 Gal. Rear Tank, 138" Wheelbase); Strainer required to validate the warranty (w/16 Gal. Center Tank, 138" Wheelbase) (w/18 Gal. Tank, 124" Wheelbase) (w/20-22 Gal. Rear Tank, 138" Wheelbase)	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F1011 ⁵ F1019 ⁵ F1019 ⁵ F1019 ⁵ F123S F123S F123S
	351 (5.8L) (W)	(Ext. Mntd.) (E150/250 w/20-22 Gal. Rear Tank, 138" Wheelbase); Strainer required to validate the warranty (w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty (w/18 Gal. Tank, 124" Wheelbase); Strainer required to validate the warranty (E350 Cutaway w/36 Gal. Tank) (w/16 Gal. Center Tank, 138" Wheelbase) (w/18 Gal. Tank, 124" Wheelbase) (w/20-22 Gal. Rear Tank, 138" Wheelbase)	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F1011 ⁵ F1019 ⁵ F1019 ⁵ F1019 ⁵ F104S F123S F123S
	460 (7.5L)	(Ext. Mntd.) (E250 w/20-22 Gal. Rear Tank, 138" Wheelbase); Strainer required to validate the warranty (E250/350 w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty (w/18 Gal. Tank, 124" Wheelbase); Strainer required to validate the warranty (E250 w/20-22 Gal. Rear Tank, 138" Wheelbase) (E250/350 w/16 Gal. Center Tank, 138" Wheelbase) (E350 Cutaway w/36-40 Gal. Tank) (w/18 Gal. Tank, 124" Wheelbase)	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F1011 ⁵ F1019 ⁵ F1019 ⁵ F123S F123S F104S F123S
1988	302 (5.0L)	(Ext. Mntd.) (w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty (w/18 Gal. Tank, 124" Wheelbase); Strainer required to validate the warranty (w/20-22 Gal. Rear Tank, 138" Wheelbase); Strainer required to validate the warranty (w/16 Gal. Center Tank, 138" Wheelbase) (w/18 Gal. Tank, 124" Wheelbase) (w/20-22 Gal. Rear Tank, 138" Wheelbase)	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F1011 ⁵ F1019 ⁵ F1019 ⁵ F1019 ⁵ F123S F123S F123S
	351 (5.8L) (W)	(Ext. Mntd.) (w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty (w/18 Gal. Tank, 124" Wheelbase); Strainer required to validate the warranty (w/20-22 Gal. Rear Tank, 138" Wheelbase); Strainer required to validate the warranty (E350 Cutaway w/36 Gal. Tank) (w/16 Gal. Center Tank, 138" Wheelbase) (w/18 Gal. Tank, 124" Wheelbase) (w/20-22 Gal. Rear Tank, 138" Wheelbase)	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F1011 ⁵ F1019 ⁵ F1019 ⁵ F1019 ⁵ F104S F123S F123S
	460 (7.5L)	(Ext. Mntd.) (w/16 Gal. Center Tank, 138" Wheelbase); Strainer required to validate the warranty (w/18 Gal. Tank, 124" Wheelbase); Strainer required to validate the warranty (w/20-22 Gal. Rear Tank, 138" Wheelbase); Strainer required to validate the warranty (E350 Cutaway w/36-40 Gal. Tank) (w/16 Gal. Center Tank, 138" Wheelbase) (w/18 Gal. Tank, 124" Wheelbase) (w/20-22 Gal. Rear Tank, 138" Wheelbase)	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F1011 ⁵ F1019 ⁵ F1019 ⁵ F1019 ⁵ F104S F123S F123S
1987	460 (7.5L)	(Ext. Mntd.) (Carb.); Strainer required to validate the warranty (Carb.) (E.F.I., E350 Cutaway w/36-40 Gal. Tank)	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1011 ⁵ F1019 F123S F104S
1987-86	302 (5.0L)	(w/E.F.I., Ext. Mntd.) (E150/250 Exc. Cutaway w/36 Gal. Tank); Strainer required to validate the warranty	(Electric Fuel Pump) (In Tank Electric Fuel Pump)	F1011 ⁵ F1019 ⁵

⁵Require two fuel pumps, which should be mounted in-tank and externally.

Years	Displ	Qualifier	Part Description	Part No.
FORD TRUCK (Cont'd)				
E100/350 Van & E Super Duty Van (Cont'd)				
V8 (Cont'd)				
1987-86 (Cont'd)	351 (5.8L) (W)	(E350 Cutaway w/36 Gal. Tank)	(Fuel Strainer)	F123S
			(Fuel Strainer)	F104S
1986	460 (7.5L)	(Carb.); Strainer required to validate the warranty (Carb.)	(In Tank Electric Fuel Pump)	F1019
			(Fuel Strainer)	F123S
1985	460 (7.5L)	(E250/350); Strainer required to validate the warranty (E250/350)	(In Tank Electric Fuel Pump)	F1036
			(Fuel Strainer)	F111S
1984-83	460 (7.5L)	(E250/350); Strainer required to validate the warranty (E250/350)	(In Tank Electric Fuel Pump)	F1036
			(Fuel Strainer)	F111S
1982-80	302 (5.0L), 351 (5.8L), 400 (6.6L), 460 (7.5L)	(E250/350); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036
		(E250/350)	(Fuel Strainer)	F111S
V10				
2003	415 (6.8L)	(S); Strainer required to validate the warranty (S) (3 Tube Ports, Rear Tank) (S) (Center Tank)	(In Tank Electric Fuel Pump)	F1237
			(Fuel Strainer)	F276S
			(Fuel Strainer)	F298S
2002-00	415 (6.8L)	(S) (E350 and E Super Duty w/thin electrical terminals); Strainer required to validate the warranty (S) (E350 and E Super Duty w/wide electrical terminals); Strainer required to validate the warranty (S) (E350 and E Super Duty w/3 Tube Ports, Rear Tank) (S) (E350 and E Super Duty w/Center Tank)	(In Tank Electric Fuel Pump)	F1237
			(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F276S
			(Fuel Strainer)	F298S
1999-98	415 (6.8L)	(S) (E350 and E Super Duty w/thin electrical terminals); Strainer required to validate the warranty (S) (E350 and E Super Duty w/wide electrical terminals); Strainer required to validate the warranty (S) (E350 and E Super Duty w/2 Tube Ports, Center Tank) (S) (E350 and E Super Duty w/3 Tube Ports, Center Tank) (S) (E350 and E Super Duty w/3 Tube Ports, Rear Tank)	(In Tank Electric Fuel Pump)	F1237
			(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F276S
			(Fuel Strainer)	F298S
			(Fuel Strainer)	F276S
1997	415 (6.8L)	(S) (E250/350 and E Super Duty w/thin electrical terminals); Strainer required to validate the warranty (S) (E250/350 and E Super Duty w/wide electrical terminals); Strainer required to validate the warranty (S) (E250/350 and E Super Duty w/3 Tube Ports, Rear Tank) (S) (E250/350 and E Super Duty w/Center Tank)	(In Tank Electric Fuel Pump)	F1237
			(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F276S
			(Fuel Strainer)	F298S
Excursion				
V8				
2005-00	330 (5.4L)	(L) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F300S
V10				
2005-00	415 (6.8L)	(S) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F300S
Expedition				
V8				
2002-99	281 (4.6L) (6, W), 330 (5.4L) (L)	(w/thin electrical terminals); Strainer required to validate the warranty (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
			(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F299S
1998-97	281 (4.6L) (6, W), 330 (5.4L) (L)	(w/thin electrical terminals); Strainer required to validate the warranty (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
			(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F299S
Explorer				
V6				
2002	244 (4.0L)	(E) (Sport, Sport Trac, w/ 2 Tube Ports, To 3/4/2002)	(Fuel Strainer)	F290S
2001	244 (4.0L)	(E) (Sport, Sport Trac, w/ 1 Tube Port, w/thin electrical terminals); Strainer required to validate the warranty (E) (Sport, Sport Trac, w/ 1 Tube Port, w/wide electrical terminals); Strainer required to validate the warranty (E, X) (Explorer, w/o Flex Fuel, w/thin electrical terminals); Strainer required to validate the warranty (E, X) (Explorer, w/o Flex Fuel, w/wide electrical terminals); Strainer required to validate the warranty (E, X)	(In Tank Electric Fuel Pump)	F1237
			(In Tank Electric Fuel Pump)	F1482
			(In Tank Electric Fuel Pump)	F1237
			(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F290S

Years	Displ	Qualifier	Part Description	Part No.
FORD TRUCK (Cont'd)				
Explorer (Cont'd)				
V6 (Cont'd)				
2000-99	244 (4.0L)	(E, X) (USA and Canada Built, Exc. Flex Fuel, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(E, X) (USA and Canada Built, Exc. Flex Fuel, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(E, X) (USA and Canada Built, Exc. Flex Fuel)	(Fuel Strainer)	F290S
2000-98	244 (4.0L)	(E, X) (2 Dr., Mexico Built, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(E, X) (2 Dr., Mexico Built, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(E, X) (2 Dr., Mexico Built)	(Fuel Strainer)	F276S
1998-97	244 (4.0L)	(E, X) (USA and Canada Built, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(E, X) (USA and Canada Built, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(E, X) (USA and Canada Built)	(Fuel Strainer)	F290S
1997	244 (4.0L)	(E, X) (4 Dr. Mexico Built, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(E, X) (4 Dr. Mexico Built, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(E, X) (4 Dr. Mexico Built)	(Fuel Strainer)	F290S
		(E, X) (2 Dr., Mexico Built, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(E, X) (2 Dr., Mexico Built, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(E, X) (2 Dr., Mexico Built)	(Fuel Strainer)	F276S
1996-95	244 (4.0L)	(X) (2 Dr., Mexico Built, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(X) (2 Dr., Mexico Built, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(X) (2 Dr., Mexico Built)	(Fuel Strainer)	F276S
		(X) (2 Dr., USA and Canada Built)	(In Tank Electric Fuel Pump)	F1060A ⁸
1995	244 (4.0L)	(X) (4 Dr., Mexico Built, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(X) (4 Dr., Mexico Built, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(X) (4 Dr., Mexico Built)	(Fuel Strainer)	F276S
1994-91	244 (4.0L)	(X); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1012
		(X)	(Fuel Strainer)	F212S
V8				
2001-99	302 (5.0L)	(P) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(P) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(P)	(Fuel Strainer)	F290S
1998-97	302 (5.0L)	(P) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(P) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(P)	(Fuel Strainer)	F290S
1996	302 (5.0L)	(P) (2 Dr., Mexico Built, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(P) (2 Dr., Mexico Built, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(P) (2 Dr., USA and Canada Built)	(In Tank Electric Fuel Pump)	F1060A ⁸
		(P) (2 Dr., Mexico Built)	(Fuel Strainer)	F276S
F100/350 Pickup				
L6				
1996-90	300 (4.9L)	(Y) (18 Gal. Rear Steel Tank)	(In Tank Electric Fuel Pump)	F1075A ⁸
		(Y) (19 Gal. Rear Plastic Tank)	(In Tank Electric Fuel Pump)	F1060A ⁸
		(Y) (Center Tank)	(In Tank Electric Fuel Pump)	F1060A ⁸
1995-94	300 (4.9L)	(Z) (18 Gal. Rear Steel Tank, Bi Fuel)	(In Tank Electric Fuel Pump)	F1075A ⁸
		(Z) (19 Gal. Rear Plastic Tank, Bi Fuel)	(In Tank Electric Fuel Pump)	F1060A ⁸
		(Z) (Center Tank, Bi Fuel)	(In Tank Electric Fuel Pump)	F1060A ⁸
1989-88	300 (4.9L)	(w/Rear Plastic Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036
			(Fuel Strainer)	F123S
1989-87	300 (4.9L)	(Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/17 Gal. Center Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/19 Gal. Center Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
			(Fuel Strainer)	F123S

⁵Require two fuel pumps, which should be mounted in-tank and externally. ⁸Strainer is packed with pump.

Years	Displ	Qualifier	Part Description	Part No.
FORD TRUCK (Cont'd)				
F100/350 Pickup (Cont'd)				
V6				
2004	256 (4.2L)	(2) (F150 Heritage 2 WD, 120" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(2) (F150 Heritage Supercab, 139" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(2) (F150 Heritage Supercab, 157" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(F150 Heritage Reg. Cab, 139" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(2): Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(2) (F150 Heritage 2 WD, 120" Wheelbase)	(Fuel Strainer)	F299S
		(2) (F150 Heritage 4 WD, 120" Wheelbase)	(Fuel Strainer)	F276S
		(2) (F150 Heritage Supercab, 139" Wheelbase)	(Fuel Strainer)	F299S
		(2) (F150 Heritage Supercab, 157" Wheelbase)	(Fuel Strainer)	F276S
		(F150 Heritage Reg. Cab, 139" Wheelbase)	(Fuel Strainer)	F276S
2003-00	256 (4.2L)	(2) (F150 2WD, 120" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(2) (F150, 139" and 157" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(2) (w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(2) (w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(2)	(Fuel Strainer)	F276S
1999	256 (4.2L)	(2) (F150 2WD, 120" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(2) (F150, 139" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(2) (w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(2) (w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(2)	(Fuel Strainer)	F276S
1998	256 (4.2L)	(2) (w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(2) (w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(2)	(Fuel Strainer)	F276S
1997	256 (4.2L)	(2) (w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(2) (w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(2)	(Fuel Strainer)	F276S
V8				
2004	281 (4.6L)	(W) (F150 Heritage Pickup 2 WD, 120" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(W) (F150 Heritage Pickup Reg. Cab, 139" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(W) (F150 Heritage Pickup Super Cab, 139" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(W) (F150 Heritage Pickup Super Cab, 157" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(W) (F150 Heritage Pickup 2 WD, 120" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (F150 Heritage Pickup 4 WD, 120" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (F150 Heritage Pickup Reg. Cab, 139" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (F150 Heritage Pickup Super Cab, 139" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (F150 Heritage Pickup Super Cab, 157" Wheelbase); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (F150 Heritage Pickup 2 WD, 120" Wheelbase)	(Fuel Strainer)	F299S
		(W) (F150 Heritage Pickup 4 WD, 120" Wheelbase)	(Fuel Strainer)	F276S
		(W) (F150 Heritage Pickup Reg. Cab, 139" Wheelbase)	(Fuel Strainer)	F276S
		(W) (F150 Heritage Pickup Super Cab, 139" Wheelbase)	(Fuel Strainer)	F299S
		(W) (F150 Heritage Pickup Super Cab, 157" Wheelbase)	(Fuel Strainer)	F276S
2003-01	330 (5.4L)	(L) (F150 Crewcab)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(L) (F150 Crewcab, w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(L) (F150 Crewcab, w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(L) (F150 Crewcab)	(Fuel Strainer)	F276S
		2003-00	281 (4.6L)	(W) (F150 2WD, 120" Wheelbase)
(W) (F150, 139" and 157" Wheelbase)	(Fuel Pump Assy-Pump, Sender)			F1248A
(W) (w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)			F1237
(W) (w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)			F1482
330 (5.4L)	(W)		(Fuel Strainer)	F276S
	(L, Z) (F150 2WD, 120" Wheelbase)		(Fuel Pump Assy-Pump, Sender)	F1248A
	(L, Z) (F150, 139" and 157" Wheelbase)		(Fuel Pump Assy-Pump, Sender)	F1248A
	(L, Z) (w/Thin Electrical Terminals); Strainer required to validate the warranty		(In Tank Electric Fuel Pump)	F1237
	(L, Z) (w/Wide Electrical Terminals); Strainer required to validate the warranty		(In Tank Electric Fuel Pump)	F1482
	(L, Z)		(Fuel Strainer)	F276S
2002-01	281 (4.6L)	(W) (F150 Crewcab)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(W) (F150 Crewcab, w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237

Years	Displ	Qualifier	Part Description	Part No.
FORD TRUCK (Cont'd)				
F100/350 Pickup (Cont'd)				
V8 (Cont'd)				
2002-01 (Cont'd)		(W) (F150 Crewcab, w/Wide Electrical Terminals); Strainer required to validate the warranty (W) (F150 Crewcab)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F276S
1999	281 (4.6L)	(6, W) (F150/250 2WD, 120" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(6, W) (F150/250, 139" and 157" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(6, W) (w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(6, W) (w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
	330 (5.4L)	(6, W)	(Fuel Strainer)	F276S
		(L) (F150/250 2WD, 120" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(L) (F150/250, 139" and 157" Wheelbase)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(Z) (F150/250 2WD, 120" Wheelbase, Bi Fuel)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(Z) (F150/250, 139" and 157" Wheelbase, Bi Fuel)	(Fuel Pump Assy-Pump, Sender)	F1248A
		(L, Z) (w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(L, Z) (w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(L, Z)	(Fuel Strainer)	F276S
	281 (4.6L)	(6, W) (w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(6, W) (w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(6, W)	(Fuel Strainer)	F276S
		(L, Z) (w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
	330 (5.4L)	(L, Z) (w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(L, Z)	(Fuel Strainer)	F276S
1997	281 (4.6L)	(6, W) (w/Thin Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(6, W) (w/Wide Electrical Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(6, W)	(Fuel Strainer)	F276S
	330 (5.4L)	(L) (w/Thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(L) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(L)	(Fuel Strainer)	F276S
1997-90	351 (5.8L)	(18 Gal. Rear Steel Tank)	(In Tank Electric Fuel Pump)	F1075A ⁸
		(19 Gal. Rear Plastic Tank)	(In Tank Electric Fuel Pump)	F1060A ⁸
		(Center Tank)	(In Tank Electric Fuel Pump)	F1060A ⁸
	460 (7.5L)	(18 Gal. Rear Steel Tank)	(In Tank Electric Fuel Pump)	F1075A ⁸
		(19 Gal. Rear Plastic Tank)	(In Tank Electric Fuel Pump)	F1060A ⁸
		(Center Tank)	(In Tank Electric Fuel Pump)	F1060A ⁸
1996-90	302 (5.0L)	(18 Gal. Rear Steel Tank)	(In Tank Electric Fuel Pump)	F1075A ⁸
		(19 Gal. Rear Plastic Tank)	(In Tank Electric Fuel Pump)	F1060A ⁸
		(Center Tank)	(In Tank Electric Fuel Pump)	F1060A ⁸
1989-88	302 (5.0L)	(Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/17 Gal. Center Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/19 Gal. Center Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/Rear Plastic Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
			(Fuel Strainer)	F123S
			(Electric Fuel Pump)	F1011 ⁵
	351 (5.8L) (W - Windsor)	(Ext. Mntd.)		
		(w/17 Gal. Center Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/19 Gal. Center Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/Rear Plastic Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
			(Fuel Strainer)	F123S
			(Electric Fuel Pump)	F1011 ⁵
	460 (7.5L)	(Ext. Mntd.)		
		(w/17 Gal. Center Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/19 Gal. Center Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/Rear Plastic Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
			(Fuel Strainer)	F123S
			(Electric Fuel Pump)	F1011 ⁵
1987	302 (5.0L)	(Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/17 Gal. Center Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(w/19 Gal. Center Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
			(Fuel Strainer)	F123S
			(Electric Fuel Pump)	F1011 ⁵
			(In Tank Electric Fuel Pump)	F1019 ⁵
	460 (7.5L)	(Ext. Mntd.)		
		(F250/350 w/Center Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		(F250/350 w/Rear Plastic Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(F250/350 w/Center Tank)	(Fuel Strainer)	F123S
		(F250/350 w/Rear Plastic Tank)	(Fuel Strainer)	F111S
		(F250/350 w/Rear Steel Tank)	(Fuel Strainer)	F123S
1986	302 (5.0L)	(Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
			(Fuel Strainer)	F123S
	460 (7.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036

⁵Require two fuel pumps, which should be mounted in-tank and externally. ⁸Strainer is packed with pump.

Years	Displ	Qualifier	Part Description	Part No.
FORD TRUCK (Cont'd)				
F100/350 Pickup (Cont'd)				
V8 (Cont'd)				
1986 (Cont'd)			(Fuel Strainer)	F111S
1985	302 (5.0L)	(Ext. Mntd.) (F150 w/E.F.I.) (F250, w/ E.F.I., w/22 Gal. Center Tank) (w/Rear Steel Tank)	(Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F1011 ⁵ F123S F111S F123S
	460 (7.5L)	(F250/350 w/Center Tank, Exc. 22 Gal. Tank); Strainer required to validate the warranty (F250/350 w/Rear Plastic Tank); Strainer required to validate the warranty (F250/350 w/Rear Steel Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1036 F1036 F1036 F111S
1984-83	460 (7.5L)	(F250/350 Carb., w/19 Gal. Center Tank); Strainer required to validate the warranty (F250/350 w/Rear Steel Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1036 F1036 F111S
1982-81	351 (5.8L) (W - Windsor)	(F250/350, w/Center Tank); Strainer required to validate the warranty (F250/350, w/Center Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1036 F111S
1982-80	302 (5.0L)	(F250, w/Center Tank); Strainer required to validate the warranty (F250, w/Center Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1036 F111S
	302 (5.0L), 351 (5.8L), 400 (6.6L)	(F250/350 w/Rear Steel Tank); Strainer required to validate the warranty (F250/350 w/Rear Steel Tank) (F250/350, w/Center Tank); Strainer required to validate the warranty (F250/350, w/Center Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1036 F111S F1036 F111S
F250/350/450/550 Super Duty Pickup				
V8				
2004-00	330 (5.4L)	(L) (w/o Calif. Emissions, Rear Tank, For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F300S
2004-99	330 (5.4L)	(L) (Center Tank, For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1997-90	460 (7.5L)		(In Tank Electric Fuel Pump)	F1060A ⁸
1989-88	460 (7.5L)	(Ext. Mntd.) (w/Center Tank); Strainer required to validate the warranty (w/Rear Plastic Tank); Strainer required to validate the warranty	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1011 ⁵ F1019 ⁵ F1036 ⁵ F123S
V10				
2004-00	415 (6.8L)	(S) (w/o Calif. Emissions, Rear Tank, For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F300S
2004-99	415 (6.8L)	(S) (Center Tank, For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F300S
F53 Stripped Chassis				
V8				
1997-90	460 (7.5L)	(For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
Ranger Pickup				
L4				
2001	153 (2.5L)	(C) (Unleaded Fuel, w/Thin Electrical Terminals); Strainer required to validate the warranty (C) (Unleaded Fuel, w/Wide Electrical Terminals); Strainer required to validate the warranty (C) (Unleaded Fuel)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F306S
2000	153 (2.5L)	(C) (w/Thin Electrical Terminals); Strainer required to validate the warranty (C) (w/Wide Electrical Terminals); Strainer required to validate the warranty (C)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F306S
1999	153 (2.5L)	(C) (w/Thin Electrical Terminals); Strainer required to validate the warranty (C) (w/Wide Electrical Terminals); Strainer required to validate the warranty (C)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F306S
1998	153 (2.5L)	(C) (w/Thin Electrical Terminals); Strainer required to validate the warranty (C) (w/Wide Electrical Terminals); Strainer required to validate the warranty (C)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1168 F1482 F306S
1997-90	140 (2.3L)	(A) (Super Cab); Strainer required to validate the warranty (A)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1012 F212S
1989	140 (2.3L)	(A)	(Fuel Strainer)	F212S
1988-86	140 (2.3L)	(A) (Gas Eng., Ext. Mntd.) (A) (Gas Eng., Center Tank, Exc. Super Cab) (A) (Gas Eng., Center Tank, Super Cab)	(Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1011 ⁵ F123S F104S

⁵Require two fuel pumps, which should be mounted in-tank and externally. ⁸Strainer is packed with pump.

Years	Displ	Qualifier	Part Description	Part No.
FORD TRUCK (Cont'd)				
Ranger Pickup (Cont'd)				
L4 (Cont'd)				
1988-86 (Cont'd)		(A) (Gas Engs., Rear Tank)	(Fuel Strainer)	F123S
1985	140 (2.3L)	(Gas, Ext. Mntd.) (Gas)	(Electric Fuel Pump) (Fuel Strainer)	F1011 ⁵ F123S
V6				
2000	183 (3.0L)	(U) (Gas, w/Thin Electrical Terminals); Strainer required to validate the warranty (U) (Gas, w/Wide Electrical Terminals); Strainer required to validate the warranty (U) (Gas)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F306S
	244 (4.0L)	(X) (w/Thin Electrical Terminals); Strainer required to validate the warranty (X) (w/Wide Electrical Terminals); Strainer required to validate the warranty (X)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F306S
1999	183 (3.0L)	(U) (Gas, w/Thin Electrical Terminals); Strainer required to validate the warranty (U) (Gas, w/Wide Electrical Terminals); Strainer required to validate the warranty (U) (Gas)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F306S
	244 (4.0L)	(X) (w/Thin Electrical Terminals); Strainer required to validate the warranty (X) (w/Wide Electrical Terminals); Strainer required to validate the warranty (X)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F306S
1998	183 (3.0L) (U), 244 (4.0L) (X)	(w/thin electrical terminals); Strainer required to validate the warranty (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1168 F1482 F306S
1997-90	177 (2.9L) (T), 183 (3.0L) (U), 244 (4.0L) (X)	(Super Cab); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1012
			(Fuel Strainer)	F212S
1989	177 (2.9L)	(T)	(Fuel Strainer)	F212S
1988-86	177 (2.9L)	(T) (Ext. Mntd.) (T) (Center Tank, Exc. Super Cab) (T) (Center Tank, Super Cab) (T) (Rear Tank)	(Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F1011 ⁵ F123S F104S F123S
Windstar				
V6				
2003-01	232 (3.8L)	(4) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
2000-99	183 (3.0L) 232 (3.8L)	(U) (For Pump Only Both Strainers are Required, On Pump Strainer) (4) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F300S F300S
1998	183 (3.0L) 232 (3.8L)	(U) (For Pump Only Both Strainers are Required, On Pump Strainer) (4) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F300S F300S
1997	183 (3.0L) (U), 232 (3.8L) (4)	(Mexico Built, To 12/6/96); Strainer required to validate the warranty (USA & Canada Built, To 12/6/96); Strainer required to validate the warranty (Mexico Built, From 12/6/96, For Pump Only Both Strainers are Required, On Pump Strainer) (Mexico Built, To 12/6/96) (USA & Canada Built, To 12/6/96) (USA and Canada Built, From 12/6/96, For Pump Only Both Strainers are Required, On Pump Strainer)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F1482 F1055 F300S F301S F242S F300S
1996	183 (3.0L) (U), 232 (3.8L) (4)	(Mexico Built); Strainer required to validate the warranty (USA & Canada Built); Strainer required to validate the warranty (Mexico Built) (USA & Canada Built)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1482 F1055 F301S F242S
1995	183 (3.0L) (U), 232 (3.8L) (4)	(Mexico Built); Strainer required to validate the warranty (USA & Canada Built); Strainer required to validate the warranty (Mexico Built) (USA & Canada Built)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1482 F1055 F301S F242S
GMC TRUCK				
C15, 25, 35, C1500, 2500, 3500, 1000, 1500, 2500 Pickup - 2 Wheel Drive, C1500, 2500 Panel Delivery - 2 Wheel Drive				
V6				
1998-97	262 (4.3L)	(W) (w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1996	262 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F123S

⁵Require two fuel pumps, which should be mounted in-tank and externally.

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
GMC TRUCK (Cont'd)				
C15, 25, 35, C1500, 2500, 3500, 1000, 1500, 2500 Pickup - 2 Wheel Drive, C1500, 2500 Panel Delivery - 2 Wheel Drive (Cont'd)				
V6 (Cont'd)				
1995-92	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z) (w/High Temp Fuel Sender) (Z) (w/o High Temp Fuel Sender)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F104S F123S
1991-88	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S
V8				
2000	350 (5.7L)	(R) (C2500, 3500 2 Dr. Chassis Cab, w/Natural Gas Provisions, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended) (R) (C2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, w/Natural Gas Provisions, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended) (R) (C3500 2 Dr. Ext'd. Chassis Cab, C3500 4 Dr. Chassis Cab/Crew Cab, w/Natural Gas Provisions, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended) (R) (C3500 4 Dr. Crew Cab Pickup w/8" Bed, w/Natural Gas Provisions, Exc. Calif., Exc. Export, w/o RFI Filter, w/Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module)	F2958A F2958A F2958A F2958A
	350 (5.7L) (R), 454 (7.4L) (J)	(C2500 2 Dr. Ext'd. Cab Pickup w/6 1/2' Bed, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended) (C2500, 3500 2 Dr. Chassis Cab Pickup, C3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/Calif. Emission System, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended) (C2500, 3500 2 Dr. Chassis Cab and 2 Dr. Ext'd. Chassis Cab, C3500 4 Dr. Chassis Cab/Crew Cab, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended) (C2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, C3500 4 Dr. Crew Cab Pickup w/8' Bed, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended) (C2500, 3500 2 Dr. Std. and Ext'd. Cab Pickup w/8' Bed, w/Calif. Emission System, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended) (C2500, 3500 4 Dr. Crew Cab Pickup w/8' Bed, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module)	F2958A F2958A F2958A F2958A F2958A
1999	305 (5.0L) (M), 350 (5.7L) (R)	(C1500 2 Dr. Ext'd. Cab and 3 Dr. Ext'd. Cab Pickup w/6 1/2' Bed, w/o Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J)	(C1500, 2500 2 Dr. Ext'd. Cab and 3 Dr. Ext'd. Cab Pickup w/6 1/2' Bed, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500 2 Dr. Chassis Cab and 2 Dr. Ext'd. Chassis Cab Pickup, w/Calif. Emissions, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, w/Calif. Emissions, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Ext'd. Chassis Cab Pickup, C3500 2 Dr. Chassis Cab Pickup, C3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, C3500 4 Dr. Crew Cab Pickup w/8' Bed, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L)	(R) (C2500 2 Dr. Chassis Cab, 2 Dr. Ext'd. Chassis Cab, w/Provisions for Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Codes GAL, GAP, GAV, Wiring Harness replacement recommended) (R) (C2500 Std. and Ext'd. Cab Pickup w/8' Bed, w/Provisions for Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Codes GAL, GAP, GAV, Wiring Harness replacement recommended) (R) (C3500 2 Dr. Chassis Cab, Crew Cab Chassis, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Codes GAL, GAP, GAV, Wiring Harness replacement recommended) (R) (C3500 Std., Ext'd and Crew Cab Pickup w/8' Bed, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module)	F2958A F2958A F2958A F2958A
	350 (5.7L) (R), 454 (7.4L) (J)	(C3500 2 Dr. Chassis Cab, Ext'd. Chassis Cab and 4 Dr. Chassis Cab/Crew Cab, w/Calif. Emissions, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A

Years	Displ	Qualifier	Part Description	Part No.
GMC TRUCK (Cont'd)				
C15, 25, 35, C1500, 2500, 3500, 1000, 1500, 2500 Pickup - 2 Wheel Drive, C1500, 2500 Panel Delivery - 2 Wheel Drive (Cont'd)				
V8 (Cont'd)				
1999 (Cont'd)		(C3500 2 Dr. Std. Cab, Ext'd Cab and 4 Dr. Crew Cab Pickup w/8' Bed, w/Calif. Emissions, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1998	305 (5.0L) 350 (5.7L)	(M) (w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C1500, Exc. Export, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C2500 2 Dr. Chassis Cab Pickup, 7,200 GVWR, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (C2500 2 Dr. Ext'd. Cab Fleetside Pickup w/6 1/2' Bed, w/o Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L) (R), 454 (7.4L) (J)	(R) (C2500 Std. Cab 2 Dr. Fleetside Pickup w/8' Bed, 7,200 GVWR, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500 2 Dr. Ext'd. Cab Fleetside Pickup w/6 1/2' Bed, w/Calif. Emission System, Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Chassis Cab and 2 Dr. Ext'd. Chassis Cab, C3500 4 Dr. Chassis Cab/Crew Cab, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Fleetside Pickup w/8' Bed and 2 Dr. Ext'd. Cab Fleetside Pickup w/8' Bed, C3500 4 Dr. Crew Cab Fleetside Pickup w/8' Bed, Calif., w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, C3500 4 Dr. Crew Cab Pickup w/8' Bed, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(C3500 4 Dr. Crew Cab/Chassis Cab Pickup, w/Calif. Emissions, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(M) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(M)	(Fuel Strainer)	F123S
		(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(R)	(Fuel Strainer)	F123S ²
		(J) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(J)	(Fuel Strainer)	F123S ²
1995-94	454 (7.4L)	(N) (C2500, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N) (C3500 2 Dr. Hvy. Duty Chassis Cab); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N) (C3500 2 Dr. Std. Cab, 2 Dr. Ext'd. Cab and 4 Dr. Crew Cab Pickup w/8' Bed, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N) (C2500)	(Fuel Strainer)	F123S ²
		(N) (C3500 2 Dr. Hvy. Duty Chassis Cab)	(Fuel Strainer)	F102S
1995-92	305 (5.0L) 350 (5.7L)	(N) (C3500 2 Dr. Std. Cab, 2 Dr. Ext'd. Cab and 4 Dr. Crew Cab Pickup w/8' Bed)	(Fuel Strainer)	F123S ²
		(H) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H) (w/High Temp Fuel Sender)	(Fuel Strainer)	F104S ²
		(H) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S ²
		(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
1993-92	454 (7.4L)	(K) (w/High Temp Fuel Sender)	(Fuel Strainer)	F104S ²
		(K) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S ²
		(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N) (w/High-Temp Fuel Sender)	(Fuel Strainer)	F104S ²
		(N) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S ²
1991-88	305 (5.0L) 350 (5.7L) 454 (7.4L)	(H) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H)	(Fuel Strainer)	F102S
		(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K)	(Fuel Strainer)	F102S
		(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F102S

²F102S strainer may be required for some C3500 models.

Years	Displ	Qualifier	Part Description	Part No.
GMC TRUCK (Cont'd)				
Caballero				
V6				
1987	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S
1986-85	262 (4.3L)	(Z); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S
G15, 25, 35, G1500, 2500, 3500 Vans, Savana G1500, 2500, 3500 Vans				
V6				
2002-01	262 (4.3L)	(W) (Over 8,500 GVW Emission System, w/1 Electrical Connector, w/o Calif. Emissions, Exc. Natural Gas, w/o Fitting For Take Off Fuel Line, w/o Pressure Sensor, Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
2001-99	262 (4.3L)	(W) (Under 8,500 GVW Emission System, w/2 Electrical Connectors, w/o Calif. Emissions, w/Pressure Sensor, w/Module Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
2001-98	262 (4.3L)	(W) (w/Calif. Emissions, w/2 Electrical Connectors, w/Pressure Sensor, w/Module Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
		(W) (w/Leaded Fuel Export Emission System, w/1 Electrical Connector, w/o Low Lubricity Fuel System Sender, w/o Fitting For Take Off Fuel Line, w/o Pressure Sensor, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
2000-99	262 (4.3L)	(W) (Over 8,500 GVW, w/1 Electrical Connector, w/o Calif. Emissions, w/o Fitting For Take Off Fuel Line, w/o Pressure Sensor, Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
1998	262 (4.3L)	(W) (Under 8,500 GVW, w/2 Electrical Connectors, w/o Calif. Emissions, w/o Leaded Fuel System, w/Pressure Sensor, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
		(W) (w/o Calif. Emissions, w/1 Electrical Connector, w/o Leaded Fuel, w/o Fitting For Take Off Fuel Line, w/o Pressure Sensor, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
1997	262 (4.3L)	(W) (w/o Pressure Sensor, w/1 Electrical Connector, w/o Low Lubricity Fuel System Sender, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
1996	262 (4.3L)	(Z)	(Fuel Strainer)	F123S
1995-87	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F123S
V8				
2002	350 (5.7L)	(R) (3/4, 1 Ton Pass and Cargo/Panel Vans, w/2 Electrical Connectors, w/Calif. Emissions, LPG Conversion, Exc. Natural Gas, w/o Fitting for Take Off Fuel Line, Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
	350 (5.7L) (R), 496 (8.1L) (G)	(G3 1 Ton Commercial and RV Cutaway w/2 Electrical Connectors, w/Calif. Emissions, w/55 Gal. Tank, w/Module Code GFH, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
2002-01	305 (5.0L) (M), 350 (5.7L) (R), 496 (8.1L) (G)	(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans w/1 Electrical Connector, w/Leaded Fuel Export Emissions, w/o Robust Fuel System Sender, w/o Fitting For Take off Fuel Line, w/Module Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
	350 (5.7L) (R), 496 (8.1L) (G)	(1/2, 3/4, 1 Ton Pass. and Cargo Vans, Over 8,500 GVW Emission System, w/1 Electrical Connector, w/o Calif. Emissions, Exc. Natural Gas, Exc. Pressure Sensor, w/o Fitting for Take Off Fuel Line, w/Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
		(G3 1 Ton Commercial and RV Cutaway w/1 Electrical Connector, w/o Calif. Emissions, w/55 Gal. Tank, w/Module Code GFJ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
2001	305 (5.0L) (M), 350 (5.7L) (R), 496 (8.1L) (G)	(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans w/2 Electrical Connectors, w/Calif. Emissions, Exc. Natural Gas, w/Pressure Sensor, w/Module Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
	496 (8.1L)	(G) (Savana 3500 1 Ton Commercial and RV Cutaway w/2 Electrical Connectors, w/Calif. Emissions, w/55 Gal. Tank, Code GFH, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
2001-99	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J), 496 (8.1L) (G)	(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans Under 8,500 GVW Emission System, w/2 Electrical Connectors, w/o Calif. Emissions, w/Pressure Sensor, w/Module Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
2001-98	350 (5.7L) (R), 454 (7.4L) (J)	(G3 1 Ton Commercial and RV Cutaway w/2 Electrical Connectors, w/Calif. Emissions, w/55 Gal. Tank, w/Module Code GFJ), Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
2000-99	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J)	(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans Over 8,500 GVW, w/1 Electrical Connector, w/o Calif. Emissions, w/o Fitting For Take Off Fuel Line, w/o Pressure Sensor, w/Module Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
2000-98	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J)	(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans w/1 Electrical Connector, w/Leaded Fuel Export Emission System, w/o Pressure Sensor, w/o Low Lubricity Fuel Sender, w/o Fitting For Take Off Fuel Line, Code VAZ, Wiring Harness replacement	(Fuel Pump Assy-Module)	F2977A

Years	Displ	Qualifier	Part Description	Part No.
GMC TRUCK (Cont'd)				
G15, 25, 35, G1500, 2500, 3500 Vans, Savana G1500, 2500, 3500 Vans (Cont'd)				
V8 (Cont'd)				
2000-98 (Cont'd)		recommended)		
		(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans w/2 Electrical Connectors, w/Calif. Emissions, w/Pressure Sensor, w/Module Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
	350 (5.7L) (R), 454 (7.4L) (J)	(G3 1 Ton Commercial and RV Cutaway w/1 Electrical Connector, w/o Calif. Emissions, w/55 Gal. Tank, w/Module Code GFJ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
1998	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J)	(1/2, 3/4 and 1 Ton Pass. and Cargo/Panel Vans w/1 Electrical Connector, w/o Calif. Emissions, w/o Leaded Fuel, w/o Fitting For Take Off Fuel Line, w/o Pressure Sensor, Code VAZ, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
		(1/2, 3/4, 1 Ton Pass. and Cargo/Panel Vans Under 8,500 GVW, w/2 Electrical Connectors, w/o Calif. Emissions, w/o Leaded Fuel System, w/Pressure Sensor, Code VAY, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2982A
1997	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J)	(1/2, 3/4 and 1 Ton Pass. and Cargo/Panel Vans w/1 Electrical Connector, w/o Low Lubricity Fuel System Sender, w/o Pressure Sensor, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
		(G3 1 Ton Commercial and RV Cutaway w/1 Electrical Connector, w/55 Gal. Tank, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2977A
1996	350 (5.7L)	(K)	(Fuel Strainer)	F123S
1996-94	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N)	(Fuel Strainer)	F123S
1995-88	305 (5.0L)	(H) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
	350 (5.7L)	(H)	(Fuel Strainer)	F123S
		(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K)	(Fuel Strainer)	F123S
1993-92	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F123S
1991	454 (7.4L)	(N) (G3 Series, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N) (G3 Series)	(Fuel Strainer)	F123S
1990	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F123S
1989-88	454 (7.4L)	(N) (G3 Series, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N) (G3 Series)	(Fuel Strainer)	F123S
1987	305 (5.0L)	(H) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
	350 (5.7L)	(H)	(Fuel Strainer)	F102S
		(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K)	(Fuel Strainer)	F102S
Jimmy-Full Size (C Series 2 Wheel Drive, K & V Series 4 Wheel Drive)				
V8				
1991-90	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K) (Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(K) (w/31 Gal. Tank)	(Fuel Strainer)	F104S
1989-88	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K)	(Fuel Strainer)	F104S
1987	305 (5.0L)	(H) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
	350 (5.7L)	(H) (Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(H) (w/31 Gal. Tank)	(Fuel Strainer)	F104S
		(K) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K) (Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(K) (w/31 Gal. Tank)	(Fuel Strainer)	F104S

Years	Displ	Qualifier	Part Description	Part No.
GMC TRUCK (Cont'd)				
K15, 25, 35, K1000, 1500, 2500, 3500 Pickup - 4 Wheel Drive, K1500, 2500 Panel Delivery - 4 Wheel Drive				
V6				
1998-97	262 (4.3L)	(W) (w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1996	262 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(W)	(Fuel Strainer)	F123S
1995-92	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z) (w/High Temp Fuel Sender)	(Fuel Strainer)	F104S
		(Z) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S
1991-88	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F102S
V8				
2000	350 (5.7L)	(R) (K2500, 3500 2 Dr. Chassis Cab Pickup, K3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (K2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (K3500 4 Dr. Crew Cab Pickup w/8' Bed, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L) (R), 454 (7.4L) (J)	(K2500 2 Dr. Ext'd. Cab Pickup w/6 1/2' Bed, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Chassis Cab Pickup, K3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Chassis Cab and 2 Dr. Ext'd. Chassis Cab Pickup, K3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, K3500 4 Dr. Crew Cab Pickup w/8' Bed, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Std. and Ext'd. Cab Pickup w/8' Bed, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 4 Dr. Crew Cab Pickup w/8' Bed, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1999	305 (5.0L) (M), 350 (5.7L) (R)	(K1500 2 Dr. Ext'd Cab and 3 Dr. Ext'd Cab Pickup w/ 6 1/2' Bed, w/o Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K1500 2 Dr. Ext'd Cab and 3 Dr. Ext'd Cab Pickup w/6 1/2' Bed, w/Calif. Emission System, w/o RFI Filter, Exc. Export, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	305 (5.0L) (M), 350 (5.7L) (R), 454 (7.4L) (J)	(K1500, 2500 2 Dr. Ext'd. Cab and 3 Dr. Ext'd. Cab Pickup w/6 1/2' Bed, w/RFI Filter, w/Module Codes GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500 2 Dr. Chassis Cab and Ext'd. Chassis Cab, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Ext'd. Chassis Cab Pickup, K3500 2 Dr. Chassis Cab Pickup, K3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, K3500 4 Dr. Crew Cab Pickup w/8' Bed, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L)	(R) (K2500 2 Dr. Chassis Cab and 2 Dr. Ext'd Chassis Cab, w/Provisions For Natural Gas, w/o Calif. Emissions, Exc. Export, w/o RFI Filter, w/Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (K2500 Std. and Ext'd Cab w/8' Bed, w/Provisions For Natural Gas, w/o Calif. Emissions, Exc. Export, w/o RFI Filter, w/Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (K3500 2 Dr. Chassis Cab, Crew Cab Chassis, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(R) (K3500 Std., Ext'd and Crew Cab Pickup w/8' Bed, w/Provisions For Natural Gas, Exc. Calif., Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring	(Fuel Pump Assy-Module)	F2958A

Years	Displ	Qualifier	Part Description	Part No.
GMC TRUCK (Cont'd)				
K15, 25, 35, K1000, 1500, 2500, 3500 Pickup - 4 Wheel Drive, K1500, 2500 Panel Delivery - 4 Wheel Drive (Cont'd)				
V8 (Cont'd)				
1999 (Cont'd)	350 (5.7L) (R), 454 (7.4L) (J)	Harness replacement recommended)		
		(K3500 2 Dr. Chassis Cab, Ext'd. Chassis Cab, 4 Dr. Chassis Cab/Crew Cab, w/Calif. Emissions, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K3500 2 Dr. Std. Cab, 2 Dr. Ext'd Cab and 4 Dr. Crew Cab w/8' Bed, w/Calif. Emissions, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1998	305 (5.0L)	(M) (w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L)	(R) (K1500, Exc. Export, w/Module Codes GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
	350 (5.7L) (R), 454 (7.4L) (J)	(K2500 2 Dr. Ext'd. Cab Pickup, w/6 1/2' Bed, w/Calif. Emissions, Exc. Export, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Chassis Cab and 2 Dr. Ext'd. Chassis Cab Pickup, K3500 4 Dr. Chassis Cab/Crew Cab Pickup, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. Std. Cab and 2 Dr. Ext'd. Cab Pickup w/8' Bed, K3500 4 Dr. Crew Cab Pickup w/8' Bed, w/RFI Filter, w/Module Code GDJ, GFK, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K2500, 3500 2 Dr. and 2 Dr. Ext'd. Cab Fleetside Pickup w/8' Bed, K3500 4 Dr. Crew Cab Fleetside Pickup w/8' Bed, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K3500 4 Dr. Crew Cab/Chassis Cab Pickup, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
		(K3500 4 Dr. Crew Cab/Chassis Cab Pickup, w/Calif. Emission System, w/o RFI Filter, w/Module Code GAL, GAP, GAV, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2958A
1997-96	305 (5.0L)	(M) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(M)	(Fuel Strainer)	F123S
	350 (5.7L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(R)	(Fuel Strainer)	F123S ³
	454 (7.4L)	(J) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(J)	(Fuel Strainer)	F123S ³
1995-94	454 (7.4L)	(N) (K2500, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N) (K3500 2 Dr. Hvy. Duty Chassis Cab); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N) (K3500 2 Dr. Std. Cab, 2 Dr. Ext'd. Cab and 4 Dr. Crew Cab Pickup w/8' Bed, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(N) (K2500)	(Fuel Strainer)	F123S ³
		(N) (K3500 2 Dr. Hvy. Duty Chassis Cab)	(Fuel Strainer)	F102S
		(N) (K3500 2 Dr. Std. Cab, 2 Dr. Ext'd. Cab and 4 Dr. Crew Cab Pickup w/8' Bed)	(Fuel Strainer)	F123S ³
1995-92	305 (5.0L)	(H) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H) (w/High Temp Fuel Sender)	(Fuel Strainer)	F104S
		(H) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S
	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K) (w/High Temp Fuel Sender)	(Fuel Strainer)	F104S ³
		(K) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S ³
1993-92	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N) (w/High Temp Fuel Sender)	(Fuel Strainer)	F104S ³
		(N) (w/o High Temp Fuel Sender)	(Fuel Strainer)	F123S ³
1991-88	305 (5.0L)	(H) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H)	(Fuel Strainer)	F102S
	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K)	(Fuel Strainer)	F102S
	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F102S
Medium & Heavy Duty 40-90 Series				
V8				
2002	496 (8.1L)	(E) C6, 7 Topkick Series w/35 Gal. Dual Rect. Fuel Tanks, In Left Hand Fuel Tank;	(In Tank Electric Fuel Pump)	F2281

³F102S strainer may be required for some K3500 models.

Years	Displ	Qualifier	Part Description	Part No.
GMC TRUCK (Cont'd)				
Medium & Heavy Duty 40-90 Series (Cont'd)				
V8 (Cont'd)				
2002 (Cont'd)		Strainer required to validate the warranty (E) C6, 7 Topkick Series w/35 Gal. Dual Rect. Fuel Tanks, In Left Hand Fuel Tank (E) C6, 7 Topkick Series w/35 Gal. Dual Rect. Fuel Tanks, In Right Hand Fuel Tank	(Fuel Strainer) (Fuel Strainer)	F104S F104S
2002-01	496 (8.1L)	(E) C6, 7 Topkick Series w/50 Gal. Dual Rect. Fuel Tanks, In Left Hand Fuel Tank; Strainer required to validate the warranty (E) C6, 7 Topkick Series w/Single Tank; Strainer required to validate the warranty (E) C6, 7 Topkick Series w/50 Gal. Dual Rect. Fuel Tanks, In Left Hand Fuel Tank (E) C6, 7 Topkick Series w/50 Gal. Dual Rect. Fuel Tanks, In Right Hand Fuel Tank (E) C6, 7 Topkick Series w/Single Tank	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F2281 F2281 F104S F104S F104S
2001	496 (8.1L)	(E) C6, 7 Topkick Series w/35 Gal. Dual Rect. Fuel Tanks, In Left Hand Fuel Tank, Exc. Leaded Fuel; Strainer required to validate the warranty (E) C6, 7 Topkick Series w/35 Gal. Dual Rect. Fuel Tanks, In Left Hand Fuel Tank, Exc. Leaded Fuel (E) C6, 7 Topkick Series w/35 Gal. Dual Rect. Fuel Tanks, In Right Hand Fuel Tank, Exc. Leaded Fuel	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2281 F104S F104S
2000-99	454 (7.4L)	(B, D) C6, 7 Topkick Series (Exc. Export); Strainer required to validate the warranty (B, D) C6, 7 Topkick Series w/35 Gal. & 50 Gal. Dual Rect. Fuel Tanks, Right Hand (Used In The Right Hand Tank On Dual Tanks, w/o Leaded Fuel) (B, D) C6, 7 Topkick Series (Exc. Export)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2281 F104S F104S
1998-97	366 (6.0L) (P), 427 (7.0L) (M)	w/TBI, C5, 6, 7 Topkick Series w/50 Gal. R.H. Rect. Fuel Tank; Strainer required to validate the warranty w/TBI, C5, 6, 7 Topkick Series w/50 Gal. R.H. Rect. Fuel Tank	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1998-90	366 (6.0L) (P), 427 (7.0L) (M)	w/TBI, C Series Topkick w/60 Gal. R.H. Rect. Fuel Tank; Strainer required to validate the warranty w/TBI, C5, 6, 7 Topkick Series w/35 Gal. & 50 Gal. Dual Rect. Fuel Tanks, Left Hand (Used In The Left Hand Tank On Dual Tanks); Strainer required to validate the warranty w/TBI, C Series Topkick w/60 Gal. R.H. Rect. Fuel Tank w/TBI, C5, 6, 7 Topkick Series w/35 Gal. & 50 Gal. Dual Rect. Fuel Tanks, Right Hand (Used In The Right Hand Tank On Dual Tanks) w/TBI, C5, 6, 7 Topkick Series w/35 Gal. & 50 Gal. Dual Rect. Fuel Tanks, Left Hand (Used In The Left Hand Tank On Dual Tanks)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F2223 F2223 F104S F104S F104S
1996-90	366 (6.0L) (P), 427 (7.0L) (M)	w/TBI, C5, 6, 7 Topkick Series w/35 Gal. & 50 Gal. Single R.H., Single L. H. Rect. Fuel Tanks (Used in Both Right Hand & Left Hand Single Tanks); Strainer required to validate the warranty w/TBI, C5, 6, 7 Topkick Series w/35 Gal. & 50 Gal. Single R.H., Single L. H. Rect. Fuel Tanks (Used in Both Right Hand & Left Hand Single Tanks)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1989-88	366 (6.0L), 427 (7.0L)	60, 70 Series (In-Tank)	(Fuel Strainer)	F104S
P15, 25, 35, 1000, 1500, 2500, 3500 Forward Control/Step Vans, PB15, 25, 1500, 2500 Forward Control/Package Vans				
V6				
1997-96	262 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F102S
1995-90	262 (4.3L)	(Z)	(Fuel Strainer)	F102S
V8				
1997-96	350 (5.7L)	(R) (Exc. School Bus, Wiring Harness replacement recommended); Strainer required to validate the warranty (R) (Exc. School Bus)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F102S
	454 (7.4L)	(J) (Wiring Harness replacement recommended); Strainer required to validate the warranty (J)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F102S
1997-94	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty (N)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F102S
1995-92	350 (5.7L)	(K)	(Fuel Strainer)	F102S
1993-92	454 (7.4L)	(N)	(Fuel Strainer)	F102S
1991	350 (5.7L)	(K)	(Fuel Strainer)	F102S
1991-90	454 (7.4L)	(N)	(Fuel Strainer)	F102S
1990	350 (5.7L)	(K)	(Fuel Strainer)	F102S
1989-88	350 (5.7L)	(K)	(Fuel Strainer)	F102S
1988-87	454 (7.4L)	(W) (P3 Motor Home)	(Fuel Strainer)	F104S
1987	350 (5.7L)	(K)	(Fuel Strainer)	F102S
1986-85	454 (7.4L)	(P3 Motor Home)	(Fuel Strainer)	F104S

Years	Displ	Qualifier	Part Description	Part No.
GMC TRUCK (Cont'd)				
R15, 25, 35, R1500, 2500, 3500 Pickup - 2 Wheel Drive				
V6				
1987	262 (4.3L)	(Z) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F102S
V8				
1991-90	350 (5.7L)	(K) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K)	(Fuel Strainer)	F102S
	454 (7.4L)	(N) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F102S
1989-88	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K) (Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(K) (w/31 Gal. Tank)	(Fuel Strainer)	F104S
	454 (7.4L)	(N) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N) (Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(N) (R2500 Series w/31 Gal. Tank)	(Fuel Strainer)	F104S
1987	305 (5.0L)	(H) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H) (Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(H) (w/31 Gal. Tank)	(Fuel Strainer)	F104S
	350 (5.7L)	(K) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K) (Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(K) (w/31 Gal. Tank)	(Fuel Strainer)	F104S
	454 (7.4L)	(N) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N) (Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(N) (R2500 Series w/31 Gal. Tank)	(Fuel Strainer)	F104S
S-15 Jimmy, Jimmy Envoy				
L4				
1988-87	151 (2.5L)	(E) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(E)	(Fuel Strainer)	F123S
1986-85	151 (2.5L)	(E) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(E)	(Fuel Strainer)	F123S
V6				
2001-00	262 (4.3L)	(W) (4 Door, Exc. Export, w/Module Code TCH, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2903A
1999	262 (4.3L)	(W) (4 Door, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2903A
1998	262 (4.3L)	(W) (4 Door, w/18 Gal. Tank, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2903A
		(W) (4 Door, w/o 18 Gal. Tank, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2964A
1997	262 (4.3L)	(W) (4 Door, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2964A
1996	262 (4.3L)	(W) (4 Door, Exc. Kuwait, Saudi Arabia, Gulf States Export Models, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2936A
1995	262 (4.3L)	(W) (Exc. Kuwait, Saudi Arabia, Gulf States Export Models, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(W) (Exc. Kuwait, Saudi Arabia, Gulf States Export Models)	(Fuel Strainer)	F123S
1994-92	262 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F123S
1991-88	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F123S
1989-87	173 (2.8L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(R)	(Fuel Strainer)	F123S
1986	173 (2.8L)	(R); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(R)	(Fuel Strainer)	F123S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
GMC TRUCK (Cont'd)				
S-15 Pickup				
L4				
1990-89	151 (2.5L)	(E) (w/13 Gal. Tank) (E) (w/20 Gal. Tank)	(Fuel Strainer) (Fuel Strainer)	F104S F123S
1988-87	151 (2.5L)	(E) (w/13 Gal. Tank) (E) (w/20 Gal. Tank)	(Fuel Strainer) (Fuel Strainer)	F131S F123S
1986-85	151 (2.5L)	(E) (w/13 Gal. Tank) (E) (w/20 Gal. Tank)	(Fuel Strainer) (Fuel Strainer)	F131S F123S
V6				
1990-89	173 (2.8L)	(R) (w/13 Gal. Tank) (R) (w/20 Gal. Tank)	(Fuel Strainer) (Fuel Strainer)	F104S F123S
	262 (4.3L)	(Z) (w/13 Gal. Tank) (Z) (w/20 Gal. Tank)	(Fuel Strainer) (Fuel Strainer)	F104S F123S
1988	262 (4.3L)	(Z) (w/13 Gal. Tank) (Z) (w/20 Gal. Tank)	(Fuel Strainer) (Fuel Strainer)	F131S F123S
1988-87	173 (2.8L)	(R) (w/13 Gal. Tank) (R) (w/20 Gal. Tank)	(Fuel Strainer) (Fuel Strainer)	F131S F123S
1986	173 (2.8L)	(R) (w/13 Gal. Tank) (R) (w/20 Gal. Tank)	(Fuel Strainer) (Fuel Strainer)	F131S F123S
S-15 Sonoma Pickup				
L4				
2000-97	134 (2.2L)	(4) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2954A
1995-94	134 (2.2L)	(4) (Wiring Harness replacement recommended); Strainer required to validate the warranty (4)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F123S
1993-91	151 (2.5L)	(A) (w/13 Gal. Tank) (A) (w/20 Gal. Tank)	(Fuel Strainer) (Fuel Strainer)	F104S F123S
1991	151 (2.5L)	(E) (w/13 Gal. Tank) (E) (w/20 Gal. Tank)	(Fuel Strainer) (Fuel Strainer)	F104S F123S
V6				
2002	262 (4.3L)	(W) (Crew Cab 4 W. D., Code SGH, Wiring Harness replacement recommended) (W) (Reg. Cab Long Bed, Code SGH, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module) (Fuel Pump Assy-Module)	F2963A F2963A
2001-00	262 (4.3L)	(W) (Exc. Export, w/Module Code SGH, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2963A
1999-97	262 (4.3L)	(W, X) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2963A
1995-94	262 (4.3L)	(Z)	(Fuel Strainer)	F123S
1995-92	262 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F123S
1993-92	262 (4.3L)	(Z) (w/20 Gal. Tank, Sender Codes SET, SFT)	(Fuel Strainer)	F123S
1993-91	173 (2.8L)	(R) (w/13 Gal. Tank) (R) (w/20 Gal. Tank)	(Fuel Strainer) (Fuel Strainer)	F104S F123S
1991	262 (4.3L)	(Z) (w/13 Gal. Tank) (Z) (w/20 Gal. Tank)	(Fuel Strainer) (Fuel Strainer)	F104S F123S
S-15 Syclone				
V6				
1992-91	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F123S
S-15 Typhoon				
V6				
1993-92	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F123S
Safari Van				
L4				
1990-87	151 (2.5L)	(E) (Wiring Harness replacement recommended); Strainer required to validate the warranty (E)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F123S
1986-85	151 (2.5L)	(E); Strainer required to validate the warranty (E)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
V6				
2005-02	262 (4.3L)	(X) (Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2517A
2001-00	262 (4.3L)	(W) (Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2517A

Years	Displ	Qualifier	Part Description	Part No.
GMC TRUCK (Cont'd)				
Safari Van (Cont'd)				
V6 (Cont'd)				
1999-97	262 (4.3L)	(W) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2951A
1996-95	262 (4.3L)	(W) (Exc. Kuwait, Saudi Arabia, Gulf States Export Models, Wiring Harness replacement recommended); Strainer required to validate the warranty (W) (Exc. Kuwait, Saudi Arabia, Gulf States Export Models)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F123S
1994-92	262 (4.3L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump)	F2281 F2913
			(Fuel Strainer)	F123S
1991-87	262 (4.3L)	(B, Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty (B, Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F123S
1986	262 (4.3L)	(Z); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
Sierra 1500, 1500HD, 2500, 2500HD, 3500HD Pickup - 2 & 4 Wheel Drive				
V6				
2004	262 (4.3L)	(X) (1500 1/2 Ton Std. and Extended Cab Pickup, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2003	262 (4.3L)	(X) (1500 1/2 Ton Pickup, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended) (X) (1500 1/2 Ton Std. and Ext. Cab Pickup, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module) (Fuel Pump Assy-Module)	F2511A F2512A
2002	262 (4.3L)	(W) (1500 1/2 Ton Pickup, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended) (W) (1500 1/2 Ton Pickup, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended) (X) (1500 1/2 Ton Pickup, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module)	F2512A F2511A F2511A
2001-99	262 (4.3L)	(W) (1500 1/2 Ton Pickup, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended, Remove the Fuel Tank to ensure purchasing the correct Fuel Pump Module) (W) (1500 1/2 Ton Pickup, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module) (Fuel Pump Assy-Module)	F2512A F2511A
V8				
2003	366 (6.0L) (U), 496 (8.1L) (G)	(3500 1 Ton w/Calif. Emissions, w/2 Electrical Connectors, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2003-02	294 (4.8L) (V), 327 (5.3L) (T)	(1500 1/2 Ton Std. and Ext. Cab Pickup w/ 6 1/2' Bed, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Hvy. Duty 2" Body Raise, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended) (1500 1/2 Ton Std. and Ext. Cab Pickup w/ 8' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended) (1500 1/2 Ton Std. and Ext. Cab Pickup w/ 8' Bed, w/2 Electrical Connectors, w/Evap. Emissions, w/2 Plugs, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended) (1500 1/2 Ton Std. and Ext. Cab Pickup w/ 6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, w/1 Plug, Exc. H.D. 2" Body Raise, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module)	F2511A F2512A F2511A F2512A
	366 (6.0L)	(U) (1500 1/2 Ton Crew Cab Pickup, w/2 Electrical Connectors, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
	366 (6.0L) (U)	(2500 3/4 Ton Ext. Cab Pickup w/ 6 1/2' Bed, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Hvy. Duty 2" Body Raise, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
	366 (6.0L) (U), 496 (8.1L) (G)	(2500 3/4 Ton Ext. Cab and Crew Cab Pickup, w/ 6 1/2' Bed, Hvy. Duty Model w/ 2" Body Raise, w/1 Electrical Connector, Exc. Calif., Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended) (2500 3/4 Ton Pickup w/8' Bed, w/2 Electrical Connectors, w/Calif. Emissions, w/Module Code TCF, Wiring Harness replacement recommended) (2500 3/4 Ton Pickup, w/8' Bed, w/1 Electrical Connector, Exc. Calif., Exc. Natural Gas, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended) (3500 1 Ton Chassis Cab, w/1 Electrical Connector, Exc. Calif., Exc. Natural Gas, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended) (3500 1 Ton Std. Cab, Ext. Cab and Crew Cab Pickup, w/ 8' Bed, w/1 Electrical Connector, Exc. Calif., Exc. Natural Gas, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module)	F2512A F2511A F2512A F2512A F2512A

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
GMC TRUCK (Cont'd)				
Sierra 1500, 1500HD, 2500, 2500HD, 3500HD Pickup - 2 & 4 Wheel Drive (Cont'd)				
V8 (Cont'd)				
2003-01	366 (6.0L) (U), 496 (8.1L) (G)	(2500 3/4 Ton Ext. Cab and Crew Cab Pickups w/6 1/2' Bed, Hvy. Duty Model w/2" Body Raise, w/2 Electrical Connectors, w/Calif. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2002	366 (6.0L) (U)	(2500 3/4 Ton Ext. Cab Pickup, w/ 6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Hvy. Duty 2" Body Raise, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	366 (6.0L) (U), 496 (8.1L) (G)	(3500 1 Ton Std., Ext. Cab, Crew Cab and Chassis Cab Pickups, w/2 Electrical Connectors, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2001	294 (4.8L) (V), 327 (5.3L) (T)	(1500 1/2 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	294 (4.8L) (V), 327 (5.3L) (T), 366 (6.0L) (U)	(1500 1/2 Ton, 2500 3/4 Ton Std. and Ext. Cab w/6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. H.D. 2" Body Raise, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	366 (6.0L)	(U) (1500 1/2 Ton Crew Cab, w/ 6 1/2' Bed, w/2 Electrical Connectors, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
	366 (6.0L) (U)	(2500 3/4 Ton Ext. Cab Pickup w/6 1/2' Bed, w/1 Electrical Connector, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	366 (6.0L) (U), 496 (8.1L) (G)	(2500 3/4 Ton Crew Cab, w/ 6 1/2' Bed, H.D. Model w/2" Body Raise, w/2 Electrical Connectors, w/Calif. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(2500 3/4 Ton Ext. Cab and Crew Cab Pickup w/6 1/2' Bed, Hvy. Duty Model w/2" Body Raise, w/1 Electrical Connector, w/o Calif. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(2500 3/4 Ton Ext. Cab and Crew Cab Pickup w/6 1/2' Bed, w/1 Electrical Connector, w/Calif. Emissions, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(2500 3/4 Ton Std. and Ext. Cab Pickups w/8' bed, 2500 3/4 Ton Crew Cab Pickup w/8' Bed, w/1 Electrical Connector, w/o Calif. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(2500 3/4 Ton and 3500 1 Ton Std. Cab and Ext. Cab Pickups, w/8' Bed, w/2 Electrical Connectors, w/Calif. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(3500 1 Ton Std. Cab, Ext. Cab and Crew Cab Pickup, w/1 Electrical Connector, w/o Calif. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(3500 1 Ton, w/2 Electrical Connectors, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2001-00	294 (4.8L) (V), 327 (5.3L) (T)	(1500 1/2 Ton Std. Cab and Ext. Cab Pickup w/6 1/2' Bed, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
	294 (4.8L) (V), 327 (5.3L) (T), 366 (6.0L) (U)	(1500 1/2 Ton and 2500 3/4 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
2000	294 (4.8L) (V), 327 (5.3L) (T)	(1500 1/2 Ton Std. Cab and Ext. Cab Pickup w/6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	294 (4.8L) (V), 327 (5.3L) (T), 366 (6.0L) (U)	(1500 1/2 Ton and 2500 3/4 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
	327 (5.3L) (T), 366 (6.0L) (U)	(2500 3/4 Ton Ext. Cab Pickup w/ 6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(2500 3/4 Ton Ext. Cab Pickup w/6 1/2' Bed, w/2 Electrical Connectors, w/Evap. Emissions, Exc. Export, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
1999	294 (4.8L) (V), 327 (5.3L) (T)	(1500 1/2 Ton Std. Cab and Ext. Cab Pickup w/6 1/2' Bed, w/2 Electrical Connectors, w/ Evap. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(1500 1/2 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/2 Electrical Connectors, w/Evap. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2511A
		(1500 1/2 Ton Std. and Ext. Cab Pickup w/6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A
		(1500 1/2 Ton Std. and Ext. Cab Pickup w/8' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2512A

Years	Displ	Qualifier	Part Description	Part No.
GMC TRUCK (Cont'd)				
Sierra 1500, 1500HD, 2500, 2500HD, 3500HD Pickup - 2 & 4 Wheel Drive (Cont'd)				
V8 (Cont'd)				
1999 (Cont'd)	327 (5.3L) (T), 366 (6.0L) (U)	(2500 3/4 Ton Ext. Cab Pickup w/6 1/2' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended) (2500 3/4 Ton Ext. Cab Pickup w/6 1/2' Bed, w/2 Electrical Connectors, w/Evap. Emissions, w/Module Code TCF, Wiring Harness replacement recommended) (2500 3/4 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/1 Electrical Connector, w/o Evap. Emissions, Exc. Export, w/Module Code TCU, Wiring Harness replacement recommended) (2500 3/4 Ton Std. Cab and Ext. Cab Pickup w/8' Bed, w/2 Electrical Connectors, w/Evap. Emissions, w/Module Code TCF, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module) (Fuel Pump Assy-Module)	F2512A F2511A F2512A F2511A
Suburban - (C & R Series 2 Wheel Drive, K & V Series 4 Wheel Drive)				
V8				
1999-98	350 (5.7L)	(R) (C, K1500, Exc. Export, w/Module Code GFN, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2978A
	350 (5.7L) (R), 454 (7.4L) (J)	(C, K2500 w/Calif. Emission System, w/Module Code GFN, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2978A
1997-96	350 (5.7L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F102S
	454 (7.4L)	(J) (Wiring Harness replacement recommended); Strainer required to validate the warranty (J)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2281 F102S
1995-94	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty (N)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1995-92	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty (K)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1993-92	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty (N)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1991-90	350 (5.7L)	(K) (R & V Series, Wiring Harness replacement recommended); Strainer required to validate the warranty (K) (R & V Series Exc. 31 Gal. Tank) (K) (R & V Series w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
	454 (7.4L)	(N) (R2500 Series, Wiring Harness replacement recommended); Strainer required to validate the warranty (N) (R2500 Series)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S
1989-88	350 (5.7L)	(K) (R & V Series, Wiring Harness replacement recommended); Strainer required to validate the warranty (K) (R & V Series Exc. 31 Gal. Tank) (K) (R & V Series w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty (N) (R2500 Series Exc. 31 Gal. Tank) (N) (R2500 Series w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
1987	305 (5.0L)	(H) (R1500 Series, On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty (H) (R1500 Series, Exc. 31 Gal. Tank) (H) (R1500 Series, w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
	350 (5.7L)	(K) (R & V Series, On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty (K) (R & V Series Exc. 31 Gal. Tank) (K) (R & V Series w/31 Gal. Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F102S F104S
	454 (7.4L)	(N) (R2500 Series, On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty (N) (R2500 Series Exc. 31 Gal. Tank) (N) (R2500 Series w/31 Gal. Tank) (N) (R2500 Series, In Auxiliary Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F2913 F123S F104S F102S
V15, 25, 35, V1500, 2500, 3500 Pickup - 4 Wheel Drive				
V6				
1987	262 (4.3L)	(Z) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F102S

Years	Displ	Qualifier	Part Description	Part No.
GMC TRUCK (Cont'd)				
V15, 25, 35, V1500, 2500, 3500 Pickup - 4 Wheel Drive (Cont'd)				
V8				
1991-90	350 (5.7L)	(K) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K)	(Fuel Strainer)	F102S
	454 (7.4L)	(N) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F102S
1989-88	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K)	(Fuel Strainer)	F102S
	454 (7.4L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F102S
1987	305 (5.0L)	(H) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(H) (Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(H) (w/31 Gal. Tank)	(Fuel Strainer)	F104S
	350 (5.7L)	(K) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K) (Exc. 31 Gal. Tank)	(Fuel Strainer)	F102S
		(K) (w/31 Gal. Tank)	(Fuel Strainer)	F104S
	454 (7.4L)	(N) (On Dual Tank Applications 1 Pump Required Per Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(N)	(Fuel Strainer)	F102S
Yukon, Yukon Denali				
V8				
2003-01	366 (6.0L)	(N) Yukon Denali (w/ Module Code TDB, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2519A
2003-00	294 (4.8L) (V), 327 (5.3L) (T)	Yukon (w/Module Code TDB, Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2519A
2000	350 (5.7L)	(R) (4 Door, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2983A
1999-98	350 (5.7L)	(R) (4 Door, w/o RFI Filter, Exc. Export, w/Module Code GFU, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2983A
1997-96	350 (5.7L)	(R) (2 Door, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(R) (2 Door)	(Fuel Strainer)	F104S
		(R) (4 Door, w/Harness Codes TCB, TCP, For Pump Only Both Strainers Are Required, On Module Strainer)	(Fuel Strainer)	F120S
		(R) (4 Door, w/Harness Codes TCB, TCP, For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F131S
1995	350 (5.7L)	(K) (w/Harness Codes TCA & TCE, For Pump Only Both Strainers Are Required, On Module Strainer)	(Fuel Strainer)	F120S
		(K) (w/Harness Codes TCA & TCE, For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F131S
1994-92	350 (5.7L)	(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(K)	(Fuel Strainer)	F104S
Yukon XL, Yukon XL Denali				
V8				
2001	327 (5.3L) (T), 366 (6.0L) (U)	(1500 1/2 Ton, Exc. Export, w/Module Code TDC, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2510A
2000	327 (5.3L)	(T) (1500 1/2 Ton, w/Optional Trailer Towing Equipment, Exc. Export, w/Module Code TDC, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2510A
GRUMANN				
US Postal Service Vehicle				
L4				
1995-94	134 (2.2L)	(4) LLV - Long Life Vehicle; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(4) LLV - Long Life Vehicle	(Fuel Strainer)	F123S
1993-87	151 (2.5L)	(A, E) LLV - Long Life Vehicle; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(A, E) LLV - Long Life Vehicle	(Fuel Strainer)	F123S
HILLMAN				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A

Years	Displ	Qualifier	Part Description	Part No.
HONDA				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
Accord				
L4				
2006-05	2354 cc. (2.4L)	(Calif.)	(Fuel Strainer)	F307S
2004-03	2354 cc. (2.4L)	(4 Door, Calif.)	(Fuel Strainer)	F307S
2002-98	2254 cc. (2.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F307S
1997	2156 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S
1997-96	2156 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S
1996	2156 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S
1995	2156 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S
1994	2156 cc. (2.2L)	(F22B1 V-Tec & F22B2 Engs.); Strainer required to validate the warranty (F22B1 V-Tec & F22B2 Engs.)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S
1993-90	2156 cc. (2.2L)	(Includes SOHC); Strainer required to validate the warranty (Includes SOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F231S
1989-86	1955 cc. (2.0L)	(Fuel Inj.); Strainer required to validate the warranty (Carb.) (Fuel Inj.)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4034 F100S F223S
V6				
2005	2997 cc. (3.0L)	(Hybrid)	(Fuel Strainer)	F307S
2002-98	2997 cc. (3.0L)	(V-TEC); Strainer required to validate the warranty (V-TEC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F307S
1997-96	2675 cc. (2.7L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S
1995	2675 cc. (2.7L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S
Civic				
L4				
2005	1668 cc. (1.7L)		(Fuel Strainer)	F327S
2005-03	1339 cc. (1.3L) (Hybrid) 1998 cc. (2.0L)	(Exc. Calif.)	(Fuel Strainer)	F327S
2004	1668 cc. (1.7L)	(2 Door); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F327S
2003-01	1668 cc. (1.7L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F327S
2002	1998 cc. (2.0L)		(Fuel Strainer)	F327S
2000-96	1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F259S
1995-92	1493 cc. (1.5L), 1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F259S
1991-90	1493 cc. (1.5L), 1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F228S
1989	1493 cc. (1.5L) 1590 cc. (1.6L)	Strainer required to validate the warranty (Exc. Wagon) (Wagon) Strainer required to validate the warranty (Exc. Wagon) (Wagon)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4034 F220S F228S F4034 F220S F228S
1988	1493 cc. (1.5L), 1590 cc. (1.6L)	Strainer required to validate the warranty (Exc. Wagon) (Wagon)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4034 F220S F228S
Civic Del Sol				
L4				
1997-96	1590 cc. (1.6L)	(S, SI & V-Tec Series); Strainer required to validate the warranty (S, SI & V-Tec Series)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F275S

Years	Displ	Qualifier	Part Description	Part No.
HONDA (Cont'd)				
Civic Del Sol (Cont'd)				
L4 (Cont'd)				
1995-93	1493 cc. (1.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F275S
	1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F275S
CR-V				
L4				
2004	2400 cc. (2.4L)	(Japan Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F328S
2003-02	2400 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F328S
2001-00	1972 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F293S
1999-97	1972 cc. (2.0L)	(DOHC); Strainer required to validate the warranty (DOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F293S
CRX				
L4				
1991-90	1493 cc. (1.5L), 1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F220S
1989	1493 cc. (1.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F220S
	1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F220S
1988	1493 cc. (1.5L), 1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F222S
Insight				
L3				
2005-04	995 cc. (1.0L)	(Hybrid Electric, CVT Trans.)	(Fuel Strainer)	F318S
2003-00	995 cc. (1.0L)	(Hybrid Electric, CVT Trans.)	(Fuel Strainer)	F318S
		(Hybrid Electric, Standard Transmission)	(Fuel Strainer)	F265S
Odyssey				
L4				
1998	2300 cc. (2.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F259S
1997-95	2156 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F259S
V6				
2004-02	3474 cc. (3.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F276S
2001-99	3474 cc. (3.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F276S
Passport				
L4				
1996	2559 cc. (2.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1995	2559 cc. (2.6L)	(From 5/95); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(To 4/95); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4246
		(From 5/95) (To 4/95)	(Fuel Strainer) (Fuel Strainer)	F253S F266S
1994	2559 cc. (2.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F266S
V6				
1997	3165 cc. (3.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1996	3165 cc. (3.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1995-94	3165 cc. (3.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S

Years	Displ	Qualifier	Part Description	Part No.
HONDA (Cont'd)				
Pilot				
V6				
2004-03	3475 cc. (3.5L)		(Fuel Strainer)	F318S
Prelude				
L4				
2001-99	2156 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F259S
1998	2156 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F247S
1997	2156 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F247S
1996-92	2156 cc. (2.2L)	(Includes V-Tec); Strainer required to validate the warranty (Includes V-Tec)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F250S
	2259 cc. (2.3L)	(DOHC); Strainer required to validate the warranty (DOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F250S
1991	1958 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F221S
1991-90	2056 cc. (2.1L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F221S
1990	1958 cc. (2.0L)	(Fuel Inj.); Strainer required to validate the warranty (Carb.) (Fuel Inj.)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4034 F100S F221S
1989-88	1958 cc. (2.0L)	(Fuel Inj., DOHC); Strainer required to validate the warranty (Carb.)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F100S
		(Fuel Inj., DOHC)	(Fuel Strainer)	F221S
S2000				
L4				
2005-04	2157 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F307S
2003-00	1972 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F307S
HYUNDAI				
Accent				
L4				
2005-03	1600 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F314S
2002-01	1600 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F314S
2002-00	1495 cc. (1.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F314S
1999-95	1495 cc. (1.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F296S
Elantra				
L4				
2004-01	1975 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F341S
2000-99	1975 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F296S
1999-96	1796 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F296S
1995-92	1595 cc. (1.6L), 1796 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
Excel				
L4				
1994	1468 cc. (1.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F338S
1993	1468 cc. (1.5L)	(From 3/20/93); Strainer required to validate the warranty (From 3/20/93)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F338S
Scoupe				
L4				
1995-94	1495 cc. (1.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4346

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
HYUNDAI (Cont'd)				
Scoupe (Cont'd)				
L4 (Cont'd)				
1995-94 (Cont'd)			(Fuel Strainer)	F338S
1993	1495 cc. (1.5L)	(From 3/20/93); Strainer required to validate the warranty (From 3/20/93)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F338S
Sonata				
L4				
2006	2359cc (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F341S
2005-02	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F334S
2001-00	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F296S
1999	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F296S
1998-96	1997 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1995	1997 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1994-93	1997 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1992	1997 cc. (2.0L)		(Fuel Strainer)	F251S
1991-89	2351 cc. (2.4L)		(Fuel Strainer)	F251S
V6				
2006	3342 cc. (3.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F341S
2005-02	2656 cc. (2.7L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F334S
2001-00	2493 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F296S
1999	2493 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F296S
1998-96	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1995	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1994-93	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1992-90	2972 cc. (3.0L)		(Fuel Strainer)	F251S
Tiburon				
L4				
2001-97	2000 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F296S
1998-97	1796 cc. (1.8L)	(M); Strainer required to validate the warranty (M)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F296S
XG300				
V6				
2001	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F296S
XG350				
V6				
2006-02	3500 cc. (3.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F296S
INFINITI				
G20				
L4				
1999	1998 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F295S
1994-91	1998 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F279S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
INFINITI (Cont'd)				
I30				
V6				
2001-00	2988 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F306S
1999-96	2960 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F295S
J30				
V6				
1997-93	2960 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F268S
Q45				
V8				
2001-97	4130 cc. (4.1L)		(Fuel Strainer)	F268S
QX4				
V6				
2003-01	3498 cc. (3.5L)	VQ35DE	(Fuel Strainer)	F295S
2000	3275 cc. (3.3L)	VG33E (From 1/2000)	(Fuel Strainer)	F295S
2000-99	3275 cc. (3.3L)	VG33E (From 4-98 to 1-2000)	(Fuel Strainer)	F295S
1998-97	3275 cc. (3.3L)	VG33E; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		VG33E	(Fuel Strainer)	F295S
ISUZU				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
Amigo				
L4				
1994-91	2559 cc. (2.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F266S
1990-89	2559 cc. (2.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F266S
Hombre				
L4				
2000-97	134 (2.2L)		(Fuel Pump Assy-Module)	F2954A
V6				
2000-97	262 (4.3L)		(Fuel Pump Assy-Module)	F2963A
I-Mark				
L4				
1989	1588 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F235S
1989-87	1471 cc. (1.5L)	(Turbo); Strainer required to validate the warranty (Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F235S
Impulse				
L4				
1992	1809 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1992-91	1588 cc. (1.6L)	(2WD, Exc. Turbo); Strainer required to validate the warranty (Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F4230 F253S
1990	1588 cc. (1.6L)	(Includes Turbo); Strainer required to validate the warranty (Includes Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1989-88	1994 cc. (2.0L)	(Turbo); Strainer required to validate the warranty (Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F260S
	2254 cc. (2.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F260S
1987-85	1994 cc. (2.0L)	(Turbo, Ext. Mntd. Main Supply) (Turbo, Ext. Mntd. Pre-Pressure) (Turbo, In-Tank); Strainer required to validate the warranty (Turbo, In-Tank)	(Electric Fuel Pump) (Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F4323 F4027A F4246 F260S
1986-83	1949 cc. (2.0L)	(Fuel Inj.)	(Electric Fuel Pump)	F4323

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
ISUZU (Cont'd)				
Oasis				
L4				
1999-98	2254 cc. (2.3L)	(SOHC); Strainer required to validate the warranty (SOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F259S
1997-96	2156 cc. (2.2L)	(SOHC); Strainer required to validate the warranty (SOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F251S
Pickup				
L4				
1995-94	2254 cc. (2.3L)	(In Tank, EFI); Strainer required to validate the warranty (In Tank, EFI)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F266S
1995-88	2559 cc. (2.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F266S
Rodeo				
L4				
1997-95	2559 cc. (2.6L)	(From 4/95); Strainer required to validate the warranty (From 4/95)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1995-94	2559 cc. (2.6L)	(To 4/95); Strainer required to validate the warranty (To 4/95)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F266S
1993-91	2559 cc. (2.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F266S
V6				
1997	3165 cc. (3.2L)	(To 7/97); Strainer required to validate the warranty (To 7/97)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1996-93	3165 cc. (3.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
Stylus				
L4				
1993-91	1588 cc. (1.6L)	(SOHC or DOHC); Strainer required to validate the warranty (SOHC or DOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1992	1809 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
Trooper, Trooper II				
L4				
1991-88	2559 cc. (2.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F266S
V6				
2002-98	3494 cc. (3.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F253S
1997-96	3165 cc. (3.2L)	(SOHC); Strainer required to validate the warranty (SOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1995-94	3165 cc. (3.2L)	(SOHC or DOHC); Strainer required to validate the warranty (SOHC or DOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1993-92	3165 cc. (3.2L)	(SOHC or DOHC); Strainer required to validate the warranty (SOHC or DOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F266S
Vehicross				
V6				
2001-99	3494 cc. (3.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F253S
JAGUAR				
S-Type				
V6				
2002-00	183 (3.0L)	(For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
V8				
2002-00	244 (4.0L)	(For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
Vanden Plas				
V8				
2003-98	3996 cc. (4.0L)		(Fuel Strainer)	F276S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
JAGUAR (Cont'd)				
XJ8				
V8				
2003-98	3996 cc. (4.0L)		(Fuel Strainer)	F276S
XJR				
V8				
2003-98	3996 cc. (4.0L)		(Fuel Strainer)	F276S
XKR				
V8				
2002-00	3996 cc. (4.0L)		(Fuel Strainer)	F276S
XK8				
V8				
2002-99	3996 cc. (4.0L)		(Fuel Strainer)	F276S
JEEP				
Cherokee				
L4				
1996	150 (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F311S
1995-94	150 (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F311S
1993-91	150 (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F3017 F205S
1990-86	150 (2.46L)	(w/T.B.I., In Tank)	(Fuel Strainer)	F205S
L6				
1996	242 (4.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F311S
1995-94	242 (4.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F311S
1990-87	242 (4.0L)	(w/20 Gallon Fuel Tank); Strainer required to validate the warranty (w/20 Gallon Fuel Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F3017 F205S
Comanche				
L4				
1992-91	150 (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F3017 F205S
1990-86	150 (2.46L)	(w/T.B.I., In Tank)	(Fuel Strainer)	F205S
L6				
1992-91	242 (4.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F3017 F205S
1990-87	242 (4.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F3017 F205S
Grand Cherokee				
L6				
1994-93	242 (4.0L)	(S)	(Fuel Pump Assy-Module)	F3066A
V8				
1994-93	318 (5.2L)		(Fuel Pump Assy-Module)	F3066A
Grand Wagoneer				
V8				
1993	318 (5.2L)		(Fuel Pump Assy-Module)	F3066A
Wagoneer, Wagoneer Limited				
L4				
1987-86	150 (2.46L)	(w/T.B.I., In Tank)	(Fuel Strainer)	F205S
L6				
1990-87	242 (4.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F3017 F205S
Wrangler				
L4				
1995-94	150 (2.5L)	(Exc. Export); Strainer required to validate the warranty (w/20 Gallon Tank, Severe Use in Egypt, Export Only, Leaded Gasoline Only); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump)	F4346 F3096 ⁷

⁷Use F3096 and F212S models if original OE assembly is installed; use F4346 and F311S models if original OE assembly has been replaced.

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
JEEP (Cont'd)				
Wrangler (Cont'd)				
L4 (Cont'd)				
1995-94 (Cont'd)		(Exc. Export) (w/20 Gallon Tank, Severe Use in Egypt, Export Only, Leaded Gasoline Only)	(Fuel Strainer) (Fuel Strainer)	F311S F212S
1993-91	150 (2.5L)	(w/Plug Type Pump Electrical Connector); Strainer required to validate the warranty (w/Screw Type Pump Electrical Terminals); Strainer required to validate the warranty (w/Plug Type Pump Electrical Connector) (w/Screw Type Pump Electrical Terminals)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4346 F3017 F311S F205S
1990-87	150 (2.46L)	(w/T.B.I., In Tank)	(Fuel Strainer)	F205S
L6				
1995-94	242 (4.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F311S
1993-91	242 (4.0L)	(w/Plug Type Pump Electrical Connector); Strainer required to validate the warranty (w/Screw Type Pump Electrical Terminals); Strainer required to validate the warranty (w/Plug Type Pump Electrical Connector) (w/Screw Type Pump Electrical Terminals)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4346 F3017 F311S F205S
JENSEN HEALY				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
KIA				
Optima				
L4				
2005-04	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F334S
2003-02	2351 cc. (2.4L)	(From 8/13/02); Strainer required to validate the warranty (From 8/13/02)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F334S
2002	2351 cc. (2.4L)	(To 8/13/02); Strainer required to validate the warranty (To 8/13/02)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F334S
2001	2351 cc. (2.4L)	Strainer required to validate the warranty (From 6/1/01) (To 6/1/01)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4346 F334S F296S
V6				
2006-02	2656 cc. (2.7L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F334S
2001	2500 cc. (2.5L)	Strainer required to validate the warranty (From 6/1/01) (To 6/1/01)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4346 F334S F296S
Sephia				
L4				
1997-96	1839 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F255S
1997-93	1597 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F255S
1995	1839 cc. (1.8L)	(Exc. Calif.); Strainer required to validate the warranty (Exc. Calif.)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F255S
Sportage				
L4				
1999-97	1998 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F261S
1996	1998 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F255S
1995	1998 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F261S
LANCIA				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
LEXUS				
ES250				
V6				
1991-90	2508 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
LEXUS (Cont'd)				
ES250 (Cont'd)				
V6 (Cont'd)				
1991-90 (Cont'd)			(Fuel Strainer)	F232S
ES300				
V6				
2003-97	2995 cc. (3.0L)	(Aislan Pump); Strainer required to validate the warranty (Aislan Pump)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
2001-00	2995 cc. (3.0L)	(Denso Pump)	(Fuel Strainer)	F311S
1996-95	2995 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F281S
1994	2995 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F281S
1993-92	2954 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F281S
ES330				
V6				
2006-04	3300 cc. (3.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
GS300				
6 Cyl.				
2005-01	2997 cc. (3.0L)		(Fuel Strainer)	F311S
2000-98	2997 cc. (3.0L)		(Fuel Strainer)	F311S
1997-93	2997 cc. (3.0L)		(Fuel Strainer)	F253S
GS400				
V8				
2000-98	3969 cc. (4.0L)		(Fuel Strainer)	F311S
GS430				
V8				
2005-01	4293 cc. (4.3L)		(Fuel Strainer)	F311S
IS300				
6 Cyl.				
2005	2997 cc. (3.0L)		(Fuel Strainer)	F311S
2004-01	2997 cc. (3.0L)		(Fuel Strainer)	F311S
LS400				
V8				
2000-90	3967 cc. (4.0L)		(Fuel Strainer)	F232S
LS430				
V8				
2005-01	4293 cc. (4.3L)		(Fuel Strainer)	F311S
LX450				
L6				
1997-96	4477 cc. (4.5L)		(Fuel Strainer)	F261S
LX470				
V8				
2006-98	4663 cc. (4.7L)		(Fuel Strainer)	F311S
RX300				
V6				
2003-99	2995 cc. (3.0L)		(Fuel Strainer)	F261S
SC300				
L6				
2000-92	2997 cc. (3.0L)		(Fuel Strainer)	F261S
SC400				
V8				
2000-92	3967 cc. (4.0L)		(Fuel Strainer)	F261S

Years	Displ	Qualifier	Part Description	Part No.
LEXUS (Cont'd)				
SC430				
V8				
2006-02	4293 cc. (4.3L)		(Fuel Strainer)	F311S
LINCOLN				
Continental				
V6				
1994-88	232 (3.8L)	(4) (w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053
		(4) (w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(4) (w/brass outlet tube)	(Fuel Strainer)	F242S
		(4) (w/plastic outlet tube)	(Fuel Strainer)	F291S
V8				
1998	281 (4.6L)	(V) (DOHC, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1987-85	302 (5.0L)		(Fuel Strainer)	F242S
1984	302 (5.0L)	(Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
			(Fuel Strainer)	F100S
1983	302 (5.0L)	(w/T.B.I., Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/T.B.I.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(w/T.B.I.)	(Fuel Strainer)	F111S
LS				
V6				
2002-00	181 (3.0L)	(S) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F300S
V8				
2002-00	242 (3.9L)	(A) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F300S
Mark III, IV, V, VI, VII, VIII				
V8				
1992-88	302 (5.0L)	(E) Mark VII; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(E) Mark VII	(Fuel Strainer)	F242S
1987-86	302 (5.0L)	Mark VII (w/High Output); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		Mark VII	(Fuel Strainer)	F242S
1985	302 (5.0L)	Mark VII (Exc. High Output)	(Fuel Strainer)	F242S
1984	302 (5.0L)	Mark VII (Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		Mark VII; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		Mark VII	(Fuel Strainer)	F100S
1980	302 (5.0L)	(w/T.B.I., Before 2/80); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036
		(w/T.B.I., Before 2/80)	(Fuel Strainer)	F111S
Navigator				
V8				
2002-00	330 (5.4L)	(4WD)	(Fuel Strainer)	F299S
1999	330 (5.4L)	(SOHC) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(SOHC) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F299S
1998	330 (5.4L)	(L) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(L) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(L)	(Fuel Strainer)	F299S
Town Car				
V8				
2004	281 (4.6L)	(W)	(Fuel Strainer)	F276S
2003	281 (4.6L)	(W)	(Fuel Strainer)	F276S
2002-01	281 (4.6L)	(W) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W)	(Fuel Strainer)	F276S
2000-98	281 (4.6L)	(W) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W)	(Fuel Strainer)	F276S
1997	281 (4.6L)	(W) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W)	(Fuel Strainer)	F276S
1996-95	281 (4.6L)	(W) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(W) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W)	(Fuel Strainer)	F276S

⁵Require two fuel pumps, which should be mounted in-tank and externally.

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
LINCOLN (Cont'd)				
Town Car (Cont'd)				
V8 (Cont'd)				
1994-93	281 (4.6L)	(W) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(W) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W)	(Fuel Strainer)	F274S
1992	281 (4.6L)	(W); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(W)	(Fuel Strainer)	F212S
1991	281 (4.6L)	(W); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(W)	(Fuel Strainer)	F212S
1990	302 (5.0L)	(F); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(F)	(Fuel Strainer)	F212S
MAZDA				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
323				
L4				
1994-92	1597 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F255S
1991-90	1597 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F233S
1989-88	1597 cc. (1.6L)	(Turbo In-Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(In-Tank)	(Fuel Strainer)	F233S
1987-86	1597 cc. (1.6L)	(E.F.I.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(E.F.I.)	(Fuel Strainer)	F233S
626				
L4				
2002-98	1991 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
			(Fuel Strainer)	F271S
1997-96	1991 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F271S
1995	1991 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F271S
1994	1991 cc. (2.0L)	(From VIN # 122924); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(From VIN # 122924)	(Fuel Strainer)	F271S
1994-93	1991 cc. (2.0L)	(To VIN # 122923); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(To VIN # 122923)	(Fuel Strainer)	F271S
1992-90	2184 cc. (2.2L)	(E.F.I. or Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(E.F.I. or Turbo)	(Fuel Strainer)	F233S
1989-88	2184 cc. (2.2L)	(E.F.I. or Turbo 2 Wheel Steering); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(Turbo 4 Wheel Steering Main Supply); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(E.F.I. or Turbo 2 Wheel Steering)	(Fuel Strainer)	F233S
		(Turbo 4 Wheel Steering Main Supply)	(Fuel Strainer)	F226S
1987-86	1998 cc (2.0L)	(w/ or w/o Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(w/ or w/o Turbo)	(Fuel Strainer)	F233S
V6				
2002-98	2497 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
			(Fuel Strainer)	F271S
1997-96	2497 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F271S
1995	2497 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F271S
1994	2497 cc. (2.5L)	(From VIN # 122924); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(From VIN # 122924)	(Fuel Strainer)	F271S
1994-93	2497 cc. (2.5L)	(To VIN # 122923); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(To VIN # 122923)	(Fuel Strainer)	F271S
929				
V6				
1995-92	2954 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F255S
1991-88	2954 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F224S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
MAZDA (Cont'd)				
B2200 Pickup (Cont'd)				
L4				
1993-91	2184 cc. (2.2L)	E.F.I.; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		E.F.I.	(Fuel Strainer)	F233S
1993-87	2184 cc. (2.2L)	Carb. (w/Auto Trans.)	(Fuel Strainer)	F111S
1990	2184 cc. (2.2L)	E.F.I.; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		E.F.I. (From 4-1-90)	(Fuel Strainer)	F233S
		E.F.I. (To 4-1-90)	(Fuel Strainer)	F210S
B2300 Pickup				
L4				
1997-95	2295 cc. (2.3L)	(Cab Plus); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1012
			(Fuel Strainer)	F212S
1994	2295 cc. (2.3L)		(Fuel Strainer)	F212S
B2500 Pickup				
L4				
2001	2500 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
			(Fuel Strainer)	F306S
2000-98	2500 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F306S
B2600 Pickup				
L4				
1993-90	2606 cc. (2.6L)	(From 4-1-90); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(From 4-1-90)	(Fuel Strainer)	F233S
1990-89	2606 cc. (2.6L)	(To 4-1-90); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(To 4-1-90)	(Fuel Strainer)	F210S
1988-87	2555 cc. (2.6L)		(Fuel Strainer)	F111S
B3000 Pickup				
V6				
1999-98	2954 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F306S
1997-95	2954 cc. (3.0L)	(Cab Plus); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1012
			(Fuel Strainer)	F212S
1994	2954 cc. (3.0L)		(Fuel Strainer)	F212S
B4000 Pickup				
V6				
2000	4016 cc. (4.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
			(Fuel Strainer)	F306S
1999	4016 cc. (4.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
			(Fuel Strainer)	F306S
1998	4016 cc. (4.0L)	(From 8/17/98); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(To 8/17/98); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F306S
1997-95	4016 cc. (4.0L)	(Cab Plus); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1012
			(Fuel Strainer)	F212S
1994	4016 cc. (4.0L)		(Fuel Strainer)	F212S
Miata				
L4				
2005-99	1839 cc. (1.8L)	(Exc. Turbo)	(Fuel Strainer)	F247S
1997-94	1839 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F247S
1993-90	1597 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F247S
Millenia				
V6				
2002-01	2255 cc. (2.3L)		(Fuel Strainer)	F233S
	2497 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F261S
2000-95	2255 cc. (2.3L)		(Fuel Strainer)	F233S
	2497 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F261S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
MAZDA (Cont'd)				
MPV				
L4				
1994-89	2606 cc. (2.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F233S
V6				
1998-96	2954 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F255S
1995	2954 cc. (3.0L)	(w/1 1/2" Dia. Pump); Strainer required to validate the warranty (w/2" Dia. Pump); Strainer required to validate the warranty (w/1 1/2" Dia. Pump) (w/2" Dia. Pump)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4230 F4034 F255S F233S
1994-89	2954 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F233S
MX-3				
L4				
1995-92	1597 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F255S
V6				
1994-92	1844 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F255S
MX-6				
L4				
1997-95	1991 cc. (2.0L)	(Late 95); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F271S
1995	1991 cc. (2.0L)	(Early); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F271S
1994	1991 cc. (2.0L)	(From VIN #401508); Strainer required to validate the warranty (From VIN #401508)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F271S
1994-93	1991 cc. (2.0L)	(To VIN #401507); Strainer required to validate the warranty (To VIN #401507)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F271S
1992-88	2184 cc. (2.2L)	(E.F.I. or Turbo, 2 Wheel Steering); Strainer required to validate the warranty (Turbo, 4 Wheel Steering, Main Supply); Strainer required to validate the warranty (E.F.I. or Turbo, 2 Wheel Steering) (Turbo, 4 Wheel Steering, Main Supply)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4034 F4034 F233S F226S
V6				
1997-95	2497 cc. (2.5L)	(Late 95); Strainer required to validate the warranty (Late 95)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F271S
1995	2497 cc. (2.5L)	(Early); Strainer required to validate the warranty (Early)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F271S
1994	2497 cc. (2.5L)	(From VIN #401508); Strainer required to validate the warranty (From VIN #401508)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F271S
1994-93	2497 cc. (2.5L)	(To VIN #401507); Strainer required to validate the warranty (To VIN #401507)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F271S
Navajo				
V6				
1994-91	4016 cc. (4.0L)		(Fuel Strainer)	F212S
Protege				
L4				
2003-01	2000 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F311S
2001-00	1589 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F311S
2000	1839 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F311S
1999	1589 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F311S
	1839 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F311S
1998-96	1489 cc. (1.5L), 1839 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F255S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
MAZDA (Cont'd)				
Protege (Cont'd)				
L4 (Cont'd)				
1995	1489 cc. (1.5L), 1839 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F255S
1994-92	1839 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F255S
1991-90	1839 cc. (1.8L)	(All Wheel Drive w/Nippon Denso Pump); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(Front Wheel Drive); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(All Wheel Drive w/Nippon Denso Pump)	(Fuel Strainer)	F233S
		(Front Wheel Drive)	(Fuel Strainer)	F233S
RX7				
R2				
1995-93	1308 cc. (1.3L)	(Turbo)	(Fuel Strainer)	F233S
1992-89	1308 cc. (1.3L)	(E.F.I. or Turbo)	(Fuel Strainer)	F224S
1988-86	1308 cc. (1.3L)	(E.F.I. or Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(E.F.I. or Turbo)	(Fuel Strainer)	F232S
MERCURY				
Capri				
L4				
1994-91	98 (1.6L)	(Incl. Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(Incl. Turbo)	(Fuel Strainer)	F233S
1984-83	140 (2.3L)	(Turbo, Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(Turbo, In-Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(Turbo, In-Tank)	(Fuel Strainer)	F111S
V6				
1986	232 (3.8L)	(w/T.B.I.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(w/T.B.I.)	(Fuel Strainer)	F212S
1985	232 (3.8L)	(w/T.B.I., To 11-84, Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/T.B.I., From 11-84); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(w/T.B.I., To 11-84); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(w/T.B.I., From 11-84)	(Fuel Strainer)	F212S
		(w/T.B.I., To 11-84)	(Fuel Strainer)	F111S
1984	232 (3.8L)	(w/T.B.I., Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/T.B.I.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(w/T.B.I.)	(Fuel Strainer)	F111S
V8				
1986	302 (5.0L)	(w/Fuel Inj.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(w/Fuel Inj.)	(Fuel Strainer)	F212S
1985	302 (5.0L)	(w/Fuel Inj., w/Auto. Trans., To 11-84, Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/Fuel Inj., From 11-84); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1072
		(w/Fuel Inj., w/Auto Trans., To 11-84); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(w/Fuel Inj., From 11-84)	(Fuel Strainer)	F212S
		(w/Fuel Inj., w/Auto Trans., To 11-84)	(Fuel Strainer)	F111S
1984	302 (5.0L)	(w/Fuel Inj., w/Auto. Trans., Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		(w/Fuel Inj., w/Auto. Trans.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
		(w/Fuel Inj., w/Auto. Trans.)	(Fuel Strainer)	F111S
Cougar, XR7				
L4				
1986-85	140 (2.3L)	(Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(Turbo)	(Fuel Strainer)	F242S
1984	140 (2.3L)	(Turbo, Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
			(Fuel Strainer)	F104S
V6				
1997-96	232 (3.8L)	(4); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(4)	(Fuel Strainer)	F242S
1995-91	232 (3.8L)	(4); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(4)	(Fuel Strainer)	F242S
1990-89	232 (3.8L)	(4) (Naturally Aspirated); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(Supercharged); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(4) (Naturally Aspirated)	(Fuel Strainer)	F242S
		(Supercharged)	(Fuel Strainer)	F242S

⁵Require two fuel pumps, which should be mounted in-tank and externally.

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
MERCURY (Cont'd)				
Cougar, XR7 (Cont'd)				
V6 (Cont'd)				
1988-86	232 (3.8L)		(Fuel Strainer)	F242S
1985	232 (3.8L)		(Fuel Strainer)	F242S
1984	232 (3.8L)	(w/T.B.I., Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
			(Fuel Strainer)	F104S
V8				
1997-94	281 (4.6L)	(W); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(W)	(Fuel Strainer)	F242S
1993-91	302 (5.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
			(Fuel Strainer)	F242S
1988-86	302 (5.0L)		(Fuel Strainer)	F242S
1985	302 (5.0L)		(Fuel Strainer)	F242S
1984	302 (5.0L)	(Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
			(Fuel Strainer)	F104S
1983	302 (5.0L)	(Ext. Mntd.)	(Electric Fuel Pump)	F1011 ⁵
		Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1036 ⁵
			(Fuel Strainer)	F111S
Lynx, LN7				
L4				
1987	116 (1.9L)	XR3 (w/M.F.I.)	(Fuel Strainer)	F212S
Marauder				
V8				
2004-03	281 (4.6L)		(Fuel Strainer)	F276S
Marquis, Marquis Brougham, Grand Marquis				
V6				
1986	232 (3.8L)	Marquis (w/T.B.I.)	(Electric Fuel Pump)	F1011 ⁵
		Marquis (Sedan)	(Fuel Strainer)	F123S
		Marquis (Wagon)	(Fuel Strainer)	F104S
1985	232 (3.8L)	Marquis (w/T.B.I.)	(Electric Fuel Pump)	F1011 ⁵
		Marquis (Sedan)	(Fuel Strainer)	F123S
		Marquis (Wagon)	(Fuel Strainer)	F104S
1984	232 (3.8L)	Marquis (w/T.B.I.)	(Electric Fuel Pump)	F1011 ⁵
		Marquis (Sedan)	(Fuel Strainer)	F123S
		Marquis (Wagon)	(Fuel Strainer)	F104S
V8				
2004	281 (4.6L)	(W) (Grand Marquis)	(Fuel Strainer)	F276S
2003	281 (4.6L)	(W) (Grand Marquis)	(Fuel Strainer)	F276S
2002-01	281 (4.6L)	(W) (Grand Marquis, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (Grand Marquis, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W) Grand Marquis	(Fuel Strainer)	F276S
2000-98	281 (4.6L)	(W) (Grand Marquis, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (Grand Marquis, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W) Grand Marquis	(Fuel Strainer)	F276S
1997	281 (4.6L)	(W) (Grand Marquis, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237
		(W) (Grand Marquis, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W) Grand Marquis	(Fuel Strainer)	F276S
1996-95	281 (4.6L)	(W, 6) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(W, 6) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W, 6)	(Fuel Strainer)	F276S
1994-93	281 (4.6L)	(W) (Grand Marquis w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(W) (Grand Marquis w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(W) Grand Marquis	(Fuel Strainer)	F274S
1992	281 (4.6L)	(W) Grand Marquis; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1055
		(W) Grand Marquis	(Fuel Strainer)	F212S
1991-90	302 (5.0L)	Grand Marquis (Sedan, Exc. Export); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1012

⁵Require two fuel pumps, which should be mounted in-tank and externally.

Years	Displ	Qualifier	Part Description	Part No.
MERCURY (Cont'd)				
Marquis, Marquis Brougham, Grand Marquis (Cont'd)				
V8 (Cont'd)				
1991-90 (Cont'd)			(Fuel Strainer)	F212S
1985	302 (5.0L)	Marquis (Ext. Mntd.) Marquis (Sedan)	(Electric Fuel Pump) (Fuel Strainer)	F1011 ⁵ F123S
1984	302 (5.0L)	Marquis (Ext. Mntd.) Marquis (Sedan)	(Electric Fuel Pump) (Fuel Strainer)	F1011 ⁵ F123S
Merkur-XR4Ti				
L4				
1989-85	140 (2.3L)	(Turbo, Ext. Mntd.) (Turbo); Strainer required to validate the warranty (Turbo)	(Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1011 ⁵ F1036 ⁵ F100S
Mountaineer				
V6				
2001-99	244 (4.0L)	(E) (w/thin electrical terminals); Strainer required to validate the warranty (E) (w/wide electrical terminals); Strainer required to validate the warranty (E)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F290S
1998	244 (4.0L)	(E) (w/thin electrical terminals); Strainer required to validate the warranty (E) (w/wide electrical terminals); Strainer required to validate the warranty (E)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F290S
V8				
2001-99	302 (5.0L)	(P) (w/thin electrical terminals); Strainer required to validate the warranty (P) (w/wide electrical terminals); Strainer required to validate the warranty (P)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F290S
1998	302 (5.0L)	(P) (w/thin electrical terminals); Strainer required to validate the warranty (P) (w/wide electrical terminals); Strainer required to validate the warranty (P)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F290S
1997	302 (5.0L)	(P) (From 7/29/96, w/thin electrical terminals); Strainer required to validate the warranty (P) (From 7/29/96, w/wide electrical terminals); Strainer required to validate the warranty (P) (To 7/29/96) (P) (From 7/29/96)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F1060A ⁸ F290S
Mystique				
L4				
1999	1989 cc. (2.0L)	(3) (w/6" Flange, w/Locator Tabs, To 5/3/99, w/thin electrical terminals); Strainer required to validate the warranty (3) (w/6" Flange, w/Locator Tabs, To 5/3/99, w/wide electrical terminals); Strainer required to validate the warranty (3) (w/6" Flange, w/Locator Tabs, To 5/3/99)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F288S
1998	1989 cc. (2.0L)	(3) (w/4 1/2" Flange, w/o Locator Tabs, w/thin electrical terminals); Strainer required to validate the warranty (3) (w/4 1/2" Flange, w/o Locator Tabs, w/wide electrical terminals); Strainer required to validate the warranty (3) (w/6" Flange, w/Locator Tabs, w/thin electrical terminals); Strainer required to validate the warranty (3) (w/6" Flange, w/Locator Tabs, w/wide electrical terminals); Strainer required to validate the warranty (3) (w/4 1/2" Flange, w/o Locator Tabs) (3) (w/6" Flange, w/Locator Tabs)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F1168 F1482 F1237 F1482 F288S F288S
1997	1989 cc. (2.0L)	(3) (w/thin electrical terminals); Strainer required to validate the warranty (3) (w/wide electrical terminals); Strainer required to validate the warranty (3)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1168 F1482 F288S
1996-95	1989 cc. (2.0L)	(3) (w/thin electrical terminals); Strainer required to validate the warranty (3) (w/wide electrical terminals); Strainer required to validate the warranty (3)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1168 F1482 F288S
V6				
1999	2450 cc. (2.5L)	(L) (w/6" Flange, w/Locator Tabs, To 5/3/99, w/thin electrical terminals); Strainer required to validate the warranty (L) (w/6" Flange, w/Locator Tabs, To 5/3/99, w/wide electrical terminals); Strainer required to validate the warranty (L) (w/6" Flange, w/Locator Tabs, To 5/3/99)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F1237 F1482 F288S
1998	2450 cc. (2.5L)	(L) (w/4 1/2" Flange, w/o Locator Tabs, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237

⁵Require two fuel pumps, which should be mounted in-tank and externally. ⁸Strainer is packed with pump.

Years	Displ	Qualifier	Part Description	Part No.	
MERCURY (Cont'd)					
Mystique (Cont'd)					
V6 (Cont'd)					
1998 (Cont'd)		(L) (w/4 1/2" Flange, w/o Locator Tabs, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482	
		(L) (w/6" Flange, w/Locator Tabs, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237	
		(L) (w/6" Flange, w/Locator Tabs, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482	
		(L) (w/4 1/2" Flange, w/o Locator Tabs)	(Fuel Strainer)	F288S	
		(L) (w/6" Flange, w/Locator Tabs)	(Fuel Strainer)	F288S	
1997	2450 cc. (2.5L)	(L) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1237	
		(L) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482	
		(L)	(Fuel Strainer)	F288S	
1996-95	2450 cc. (2.5L)	(L) (w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168	
		(L) (w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482	
		(L)	(Fuel Strainer)	F288S	
Sable					
L4					
1986	153 (2.5L)	w/brass outlet tube; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053	
		w/plastic outlet tube; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482	
		w/brass outlet tube	(Fuel Strainer)	F242S	
		w/plastic outlet tube	(Fuel Strainer)	F291S	
V6					
2005-04	183 (3.0L)	(S, U) (Gas, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S	
2003-02	183 (3.0L)	(S, U) (Gas, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S	
2001	183 (3.0L)	(2) (Flex Fuel, For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F300S	
		(S, U) (Gas, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S	
2000	183 (3.0L)	(S, U) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S	
1999	183 (3.0L)	(S, U) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S	
1998	183 (3.0L)	(S, U) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S	
1997	183 (3.0L)	(S, U) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S	
1996	183 (3.0L)	(U) (OHV, For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S	
1995-90	183 (3.0L)	(w/16 Gal. Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴	
		(w/16 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴	
		(w/18.6 Gal. Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴	
		(w/18.6 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴	
		(w/16 Gal. Tank, w/brass outlet tube)	(Fuel Strainer)	F242S	
		(w/16 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S	
		(w/18.6 Gal. Tank, w/brass outlet tube)	(Fuel Strainer)	F242S	
		(w/18.6 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S	
	232 (3.8L)	(w/16 Gal. Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴	
		(w/16 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴	
		(w/18.6 Gal. Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴	
		(w/18.6 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴	
		(w/16 Gal. Tank, w/brass outlet tube)	(Fuel Strainer)	F242S	
		(w/16 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S	
		(w/18.6 Gal. Tank, w/brass outlet tube)	(Fuel Strainer)	F242S	
		(w/18.6 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S	
	1989-88	232 (3.8L)	(w/16 Gal. Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴
			(w/16 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴
			(w/18.6 Gal. Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴
			(w/18.6 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴
		(w/16 Gal. Tank, w/brass outlet tube)	(Fuel Strainer)	F242S	
		(w/16 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S	
		(w/18.6 Gal. Tank, w/brass outlet tube)	(Fuel Strainer)	F242S	
	(w/18.6 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S		
1989-86	183 (3.0L)	(w/16 Gal. Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴	
		(w/16 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴	
		(w/18.6 Gal. Tank, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053 ⁴	
		(w/18.6 Gal. Tank, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482 ⁴	
		(w/16 Gal. Tank, w/brass outlet tube)	(Fuel Strainer)	F242S	
		(w/16 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S	
		(w/18.6 Gal. Tank, w/brass outlet tube)	(Fuel Strainer)	F242S	
	(w/18.6 Gal. Tank, w/plastic outlet tube)	(Fuel Strainer)	F291S		

⁴Find the fuel tank identification page for help if Ford fuel tank size need to be identified.

Years	Displ	Qualifier	Part Description	Part No.
MERCURY (Cont'd)				
Topaz				
L4				
1994	140 (2.3L)	(From 6/94, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(From 6/94, w/wide electrical terminals, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(To 6/94, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(From 6/94)	(Fuel Strainer)	F283S
		(To 6/94)	(Fuel Strainer)	F242S
1993-92	140 (2.3L)	(w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(w/brass outlet tube)	(Fuel Strainer)	F242S
		(w/plastic outlet tube)	(Fuel Strainer)	F271S
1991-88	140 (2.3L)	(Front Wheel Drive, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(Front Wheel Drive, w/plastic outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(All Wheel Drive)	(Fuel Strainer)	F242S
		(Front Wheel Drive, w/brass outlet tube)	(Fuel Strainer)	F242S
		(Front Wheel Drive, w/plastic outlet tube)	(Fuel Strainer)	F271S
V6				
1994	183 (3.0L)	(U) (From 6-94, w/plastic outlet tube, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(U) (From 6-94, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(U) (To 6-94, w/brass outlet tube); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(U) (From 6-94, w/plastic outlet tube, w/thin & wide electrical terminals)	(Fuel Strainer)	F283S
		(U) (To 6-94, w/brass outlet tube)	(Fuel Strainer)	F242S
1993-92	183 (3.0L)	w/brass outlet tube; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		w/plastic outlet tube; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		w/brass outlet tube	(Fuel Strainer)	F242S
		w/plastic outlet tube	(Fuel Strainer)	F271S
Tracer				
L4				
1999	122 (2.0L)	(For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer)	F300S
1997	122 (2.0L)	(P); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(P)	(Fuel Strainer)	F241S
1996-94	112 (1.8L)	(8); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(8)	(Fuel Strainer)	F241S
	116 (1.9L)	(J); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1076
		(J)	(Fuel Strainer)	F241S
1993-91	112 (1.8L)	(8); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053
		(8)	(Fuel Strainer)	F241S
	116 (1.9L)	(J); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053
		(J)	(Fuel Strainer)	F241S
1989-88	98 (1.6L)	(5); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(5)	(Fuel Strainer)	F233S
Villager				
V6				
2002-99	3275 cc. (3.3L)		(Fuel Strainer)	F298S
1998	183 (3.0L)	(1) (From 3/4/98, w/thin electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1168
		(1) (From 3/4/98, w/wide electrical terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		(1) (To 3/4/98); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1078
		(1) (From 3/4/98)	(Fuel Strainer)	F298S
		(1) (To 3/4/98)	(Fuel Strainer)	F212S
1997	183 (3.0L)	(1); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1078
		(1)	(Fuel Strainer)	F212S
1996-93	183 (3.0L)	(W); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1078
		(W)	(Fuel Strainer)	F212S
MG				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
MITSUBISHI				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
MITSUBISHI (Cont'd)				
3000GT, 3000GT Spyder				
V6				
1999-91	2972 cc. (3.0L)	(Exc. Turbo); Strainer required to validate the warranty (Exc. Turbo) (Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4230 F253S F232S
Diamante				
V6				
2004-97	3497 cc. (3.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1996	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1995-92	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
Eclipse, Eclipse Spyder				
L4				
2005-03	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F318S
2002	2351 cc. (2.4L)	(To 1/02)	(Fuel Strainer)	F318S
2001-00	2351 cc. (2.4L)		(Fuel Strainer)	F318S
1999-98	1997 cc. (2.0L)	(All Wheel Drive, Turbo) (Front Wheel Drive - Turbo)	(Fuel Strainer) (Fuel Strainer)	F300S F253S
1999-97	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1999-95	1997 cc. (2.0L)	(Non-Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1997-95	1997 cc. (2.0L)		(Fuel Strainer)	F253S
1996	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1994	1997 cc. (2.0L)	(Non-Turbo); Strainer required to validate the warranty (Non-Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1994-91	1755 cc. (1.8L)	(From 2-91); Strainer required to validate the warranty (From 2-91)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1994-90	1997 cc. (2.0L)	(Turbo); Strainer required to validate the warranty (Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
1993	1997 cc. (2.0L)	(Non-Turbo, Calif., From 10-92); Strainer required to validate the warranty (Non-Turbo, Calif., To 10-92); Strainer required to validate the warranty (Non-Turbo, Exc. Calif.); Strainer required to validate the warranty (Non-Turbo, Calif., From 10-92) (Non-Turbo, Calif., To 10-92) (Non-Turbo, Exc. Calif.)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F4230 F4034 F4230 F253S F232S F253S
1992-91	1997 cc. (2.0L)	(Non-Turbo, From 2-91); Strainer required to validate the warranty (Non-Turbo, From 2-91)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1991-90	1755 cc. (1.8L)	(To 1-91); Strainer required to validate the warranty (To 1-91)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
	1997 cc. (2.0L)	(Non-Turbo, To 1-91); Strainer required to validate the warranty (Non-Turbo, To 1-91)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
V6				
2005-02	2972 cc. (3.0L)		(Fuel Strainer)	F318S
2001-00	2972 cc. (3.0L)		(Fuel Strainer)	F318S
Expo, Expo LRV				
L4				
1996-93	1834 cc. (1.8L)	LRV; Strainer required to validate the warranty LRV	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1996-92	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1994-93	2351 cc. (2.4L)	LRV; Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1992	1834 cc. (1.8L)	LRV; Strainer required to validate the warranty LRV	(Electric Fuel Pump) (In Tank Electric Fuel Pump)	F4230 F253S
Galant				
L4				
2004-99	2351 cc. (2.4L)		(Fuel Strainer)	F318S
1998-96	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
MITSUBISHI (Cont'd)				
Galant (Cont'd)				
L4 (Cont'd)				
1998-96 (Cont'd)			(Fuel Strainer)	F253S
1995	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1994	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1993-91	1997 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1990-88	1997 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F232S
1987-85	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F232S
V6				
2003-01	2972 cc. (3.0L)		(Fuel Strainer)	F318S
2000-99	2972 cc. (3.0L)		(Fuel Strainer)	F318S
Mirage				
L4				
2002-93	1834 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
2002-90	1468 cc. (1.5L)		(Fuel Strainer)	F253S
1992-91	1595 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1989	1468 cc. (1.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F233S
	1595 cc. (1.6L)	(Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		(Turbo)	(Fuel Strainer)	F233S
1988-85	1595 cc. (1.6L)	(Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(Turbo)	(Fuel Strainer)	F233S
Montero, Montero Sport				
L4				
1999	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
			(Fuel Strainer)	F300S
1998-97	2351 cc. (2.4L)	(SOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		(SOHC)	(Fuel Strainer)	F253S
V6				
2006-03	3828 cc. (3.8L)		(Fuel Strainer)	F311S
2004-01	3497 cc. (3.5L)	Montero Sport; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		Montero Sport	(Fuel Strainer)	F300S
2003-01	2972 cc. (3.0L)	Montero Sport; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		Montero Sport	(Fuel Strainer)	F300S
2002-01	3497 cc. (3.5L)	Montero	(Fuel Strainer)	F311S
2000-99	2972 cc. (3.0L)	Montero Sport; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		Montero Sport	(Fuel Strainer)	F300S
	3497 cc. (3.5L)	Montero Sport; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		Montero Sport	(Fuel Strainer)	F300S
		Montero; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1482
		Montero	(Fuel Strainer)	F253S
1998-94	3497 cc. (3.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1998-92	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
1991-89	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
			(Fuel Strainer)	F232S
Outlander				
L4				
2003	2351 cc. (2.4L)		(Fuel Strainer)	F253S
Pickup, Mighty Max Pickup				
L4				
1996-91	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S

Years	Displ	Qualifier	Part Description	Part No.
MITSUBISHI (Cont'd)				
Pickup, Mighty Max Pickup (Cont'd)				
L4 (Cont'd)				
1990	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F232S
V6				
1995-91	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1990	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F232S
Sigma				
V6				
1990-88	2972 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
Van, Wagon				
L4				
1990-87	2351 cc. (2.4L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F232S
NISSAN/DATSUN				
All Models				
		Most Applications Except Those Equipped with Fuel Injection	(Electric Fuel Pump)	F4027A
200SX				
L4				
1998-95	1597 cc. (1.6L)	GA16DE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F294S
	1998 cc. (2.0L)	SR20DE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F294S
1983-80	Z20E 1952 cc. (2.0L), Z22E 2187 cc. (2.2L)	(Fuel Inj., Gas)	(Electric Fuel Pump)	F4323
240SX				
L4				
1998-95	2389 cc. (2.4L)	KA24DE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F292S
1994-91	2389 cc. (2.4L)	KA24DE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F268S
1990-89	2389 cc. (2.4L)	KA24E; Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F268S
280Z, 280ZX				
L6				
1983-75	2753 cc. (2.8L)	L28E, L28ET Turbo	(Electric Fuel Pump)	F4323
620 Pickup				
L4				
1979-77	1952 cc. (2.0L)		(Electric Fuel Pump)	F4027A
720 Pickup				
L4				
1986	2389 cc. (2.4L)	Z24i (Fuel Injected)	(Electric Fuel Pump)	F4323
810				
6 Cyl.				
1981-77	2393 cc. (2.4L)	L24E (Exc. Calif.)	(Electric Fuel Pump)	F4323
Altima				
L4				
2001-96	2389 cc. (2.4L)	KA24DE (From 10/95); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F294S
Axxess				
L4				
1991-90	2389 cc. (2.4L)	KA24E (2 W.D., From 3/89); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4246
		KA24E (4WD); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4246
		KA24E (2 W.D., From 3/89)	(Fuel Strainer)	F267S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
NISSAN/DATSUN (Cont'd)				
Axxess (Cont'd)				
L4 (Cont'd)				
1991-90 (Cont'd)		KA24E (4WD)	(Fuel Strainer)	F278S
1990	2389 cc. (2.4L)	KA24E (2 W.D., To 3/89); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F278S
Frontier				
L4				
2004-01	2389 cc. (2.4L)	KA24DE; Strainer required to validate the warranty KA24DE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F297S
2000-98	2389 cc. (2.4L)	KA24DE (w/o Low Fuel Warning); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F297S
V6				
2004-99	3275 cc. (3.3L)	VG33E (Naturally Aspirated)	(Fuel Strainer)	F295S
Maxima				
L6				
1984-81	2393 cc. (2.4L)	L24E	(Electric Fuel Pump)	F4323
V6				
2001-00	2988 cc. (3.0L)	VQ30DE; Strainer required to validate the warranty VQ30DE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F306S
1999-95	2988 cc. (3.0L)	VQ30DE (DOHC, 24 Valve); Strainer required to validate the warranty VQ30DE (DOHC, 24 Valve)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F295S
1994-93	2960 cc. (3.0L)	VE30DE (DOHC, 24 Valve); Strainer required to validate the warranty VE30DE (DOHC, 24 Valve)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F268S
1992	2960 cc. (3.0L)	VE30DE (DOHC, 24 Valve); Strainer required to validate the warranty VE30DE (DOHC, 24 Valve)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F268S
Multi Van				
L4				
1988-86	1974 cc. (2.0L)	CA20E (Front Wheel Drive, Ext. Mntd., Canadian Only)	(Electric Fuel Pump)	F4323
NX Coupe				
L4				
1993-91	1597 cc. (1.6L)	GA16DE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4283 ⁸
	1998 cc. (2.0L)	SRD20E; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4283 ⁸
Pathfinder				
V6				
2004-01	3500 cc. (3.5L)	VQ35DE	(Fuel Strainer)	F295S
2000-99	3300 cc. (3.3L)	VG33E (From 4/98)	(Fuel Strainer)	F295S
1999-96	3300 cc. (3.3L)	VG33E (To 4/98); Strainer required to validate the warranty VG33E (To 4/98)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F295S
Pickup, D21 Pickup				
L4				
1997-96	2389 cc. (2.4L)	KA24E; Strainer required to validate the warranty KA24E	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F297S
1995	2389 cc. (2.4L)	KA24E (2WD); Strainer required to validate the warranty KA24E (4 WD, From 12/94); Strainer required to validate the warranty (2WD, 4WD From 12/94)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F4230 F297S
Quest				
V6				
2002-99	3300 cc. (3.3L)	VG33E; Strainer required to validate the warranty VG33E	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F298S
1998-93	2960 cc. (3.0L)	VG30E; Strainer required to validate the warranty VG30E	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1078 F212S
Sentra				
L4				
2001-00	1809 cc. (1.8L)	(w/Clean Air Vehicle); Strainer required to validate the warranty (w/Clean Air Vehicle)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F1482 F274S
1999-98	1998 cc. (2.0L)	SR20DE; Strainer required to validate the warranty SR20DE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F294S
1999-97	1597 cc. (1.6L)	GA16DE; Strainer required to validate the warranty GA16DE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F294S

⁸Strainer is packed with pump.

Years	Displ	Qualifier	Part Description	Part No.
NISSAN/DATSUN (Cont'd)				
Sentra (Cont'd)				
L4 (Cont'd)				
1996-95	1597 cc. (1.6L)	GA16DE (Japan Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
		GA16DE (Japan Built)	(Fuel Strainer)	F294S
1994-91	1597 cc. (1.6L)	GA16DE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4283 ⁸
	1998 cc. (2.0L)	SRD20E; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4283 ⁸
Stanza				
L4				
1992-90	2389 cc. (2.4L)	KA24E; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4246
		KA24E	(Fuel Strainer)	F232S
1988-86	1974 cc. (2.0L)	CA20E (Wagon, Front Wheel Drive)	(Electric Fuel Pump)	F4323
1986-84	1974 cc. (2.0L)	CA20E (Sedan, Ext. Mntd.)	(Electric Fuel Pump)	F4323
Xterra				
L4				
2004-01	2389 cc. (2.4L)	KA24DE	(Fuel Strainer)	F295S
V6				
2004-00	3275 cc. (3.3L)	VG33E, VG33ER	(Fuel Strainer)	F295S
OLDSMOBILE				
Achieva				
L4				
1995	138 (2.3L)	(D) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2324
		(D) (For Pump Only Both Strainers Are Required, on Module Strainer)	(Fuel Strainer)	F120S
		(D) (For Pump Only Both Strainers Are Required, on Pump Strainer)	(Fuel Strainer)	F131S
1994-93	138 (2.3L)	(3, A, D); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2324
		(3, A, D) (For Pump Only Both Strainers Are Required, on Module Strainer)	(Fuel Strainer)	F120S
		(3, A, D) (For Pump Only Both Strainers Are Required, on Pump Strainer)	(Fuel Strainer)	F131S
1992	138 (2.3L)	(3, A, D) (For Pump Only Both Strainers Are Required, on Module Strainer)	(Fuel Strainer)	F120S
		(3, A, D) (For Pump Only Both Strainers Are Required, on Pump Strainer)	(Fuel Strainer)	F131S
V6				
1995-94	189 (3.1L)	(M) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2324
		(M) (For Pump Only Both Strainers Are Required, on Module Strainer)	(Fuel Strainer)	F120S
		(M) (For Pump Only Both Strainers Are Required, on Pump Strainer)	(Fuel Strainer)	F131S
1993	204 (3.3L)	(N) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2324
		(N) (For Pump Only Both Strainers Are Required, On Module Strainer)	(Fuel Strainer)	F120S
		(N) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F131S
1992	204 (3.3L)	(N) (For Pump Only Both Strainers Are Required, On Module Strainer)	(Fuel Strainer)	F120S
		(N) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F131S
Alero				
L4				
2004-02	134 (2.2L)	(F) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
2001-00	146 (2.4L)	(T) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
V6				
2004-00	207 (3.4L)	(E) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
Bravada				
V6				
2001-00	262 (4.3L)	(W) (Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2903A
1999	262 (4.3L)	(W) (Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2903A
1998	262 (4.3L)	(W) (Exc. Export, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2964A
1997	262 (4.3L)	(W) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2964A
1996	262 (4.3L)	(W) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2936A
1994-92	262 (4.3L)	(W) (CPI, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(W) (CPI)	(Fuel Strainer)	F123S
1992	262 (4.3L)	(Z) (TBI, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z) (TBI)	(Fuel Strainer)	F123S
1991	262 (4.3L)	(Z) (w/13 Gal. Tank, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z) (w/13 Gal. Tank)	(Fuel Strainer)	F123S

⁸Strainer is packed with pump.

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
OLDSMOBILE (Cont'd)				
Calais, Cutlass Calais				
L4				
1991	138 (2.3L)	(D) (Wiring Harness replacement recommended); Strainer required to validate the warranty (D)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F104S
1991-89	138 (2.3L)	(A); Strainer required to validate the warranty (A)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F104S
1991-88	151 (2.5L)	(U) (Wiring Harness replacement recommended); Strainer required to validate the warranty (U)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1990-87	138 (2.3L)	(D); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
1987	151 (2.5L)	(U) (Wiring Harness replacement recommended); Strainer required to validate the warranty (U)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1986-85	151 (2.5L)	(U) (Wiring Harness replacement recommended); Strainer required to validate the warranty (U)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
V6				
1991	204 (3.3L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty (N)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F104S
1990-89	204 (3.3L)	(N) (Wiring Harness replacement recommended); Strainer required to validate the warranty (N)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
1988-86	181 (3.0L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty (L)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
1985	181 (3.0L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty (L)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
Ciera, Cutlass Ciera, Cutlass Ciera Cruiser				
L4				
1996-93	134 (2.2L)	(4); Strainer required to validate the warranty (4)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2201 F139S
1992-89	151 (2.5L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1988	151 (2.5L)	(R) (w/APH on Wiring Harness, Wiring Harness replacement recommended); Strainer required to validate the warranty (R) (w/ARA on Wiring Harness, Wiring Harness replacement recommended); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F2223 F104S
1987	151 (2.5L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1986	151 (2.5L)	(R); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1985	151 (2.5L)	(w/Digital); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1984	151 (2.5L)	(R)	(Fuel Strainer)	F102S
1983-82	151 (2.5L)	(5) (Carbureted) (R) (T.B.I.)	(Fuel Strainer) (Fuel Strainer)	F104S F102S
V6				
1996-94	189 (3.1L)	(M); Strainer required to validate the warranty (M)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2201 F139S
1993	204 (3.3L)	(N); Strainer required to validate the warranty (N)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2201 F139S
1992-89	204 (3.3L)	(N) (Exc. Wagon, Wiring Harness replacement recommended); Strainer required to validate the warranty (N) (Wagon); Strainer required to validate the warranty (N) (Exc. Wagon) (N) (Wagon)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2251 F2233 F104S F141S
1989-87	173 (2.8L)	(W) (Exc. Wagon, Wiring Harness replacement recommended); Strainer required to validate the warranty (W) (Wagon); Strainer required to validate the warranty (W) (Exc. Wagon)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F2233 F104S

Years	Displ	Qualifier	Part Description	Part No.
OLDSMOBILE (Cont'd)				
Ciera, Cutlass Ciera, Cutlass Ciera Cruiser (Cont'd)				
V6 (Cont'd)				
1989-87 (Cont'd)		(W) (Wagon)	(Fuel Strainer)	F141S
1988-87	231 (3.8L)	(3) (Exc. Wagon, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(3) (Wagon); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(3) (Exc. Wagon)	(Fuel Strainer)	F104S
		(3) (Wagon)	(Fuel Strainer)	F141S
1986	173 (2.8L)	(W) (w/M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(W) (w/M.F.I.)	(Fuel Strainer)	F104S
	231 (3.8L)	(3) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(3)	(Fuel Strainer)	F104S
1985	181 (3.0L)		(Fuel Strainer)	F104S
	231 (3.8L)	(3) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(3)	(Fuel Strainer)	F104S
1984	231 (3.8L)	(3) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(3)	(Fuel Strainer)	F104S
1984-82	181 (3.0L)		(Fuel Strainer)	F102S
Cutlass, Cutlass Cruiser, Cutlass Salon, Cutlass Supreme, Vista Cruiser				
L4				
1991	138 (2.3L)	(D) (Cutlass Supreme, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(D) Cutlass Supreme	(Fuel Strainer)	F100S
1990	138 (2.3L)	(A, D) Cutlass Supreme; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(A, D) Cutlass Supreme	(Fuel Strainer)	F100S
V6				
1997	189 (3.1L)	(M) (Cutlass Supreme, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(M) Cutlass Supreme	(Fuel Strainer)	F102S
1996-94	189 (3.1L)	(M) (Cutlass, Cutlass Supreme, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(M) Cutlass, Cutlass Supreme	(Fuel Strainer)	F102S
1996-93	207 (3.4L)	(X) (Cutlass, Cutlass Supreme, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(X) Cutlass, Cutlass Supreme	(Fuel Strainer)	F102S
1993	189 (3.1L)	(M, T) (Cutlass, Cutlass Supreme, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(M, T) Cutlass, Cutlass Supreme	(Fuel Strainer)	F102S
1992-91	189 (3.1L)	(T) (Cutlass Supreme, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(T) Cutlass Supreme	(Fuel Strainer)	F100S
	207 (3.4L)	(X) (Cutlass Supreme, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(X) Cutlass Supreme	(Fuel Strainer)	F100S
1990	189 (3.1L)	(T) (Cutlass Supreme, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(T) Cutlass Supreme	(Fuel Strainer)	F100S
1989	189 (3.1L)	(T) (Cutlass Supreme, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(T) Cutlass Supreme	(Fuel Strainer)	F100S
1989-88	173 (2.8L)	(W) (Cutlass Supreme, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(W) Cutlass Supreme	(Fuel Strainer)	F100S
88, Custom Cruiser, Delta 88, Eighty Eight				
V6				
1999-95	231 (3.8L)	(K) Delta 88; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(K) Delta 88	(Fuel Strainer)	F139S
1995	231 (3.8L)	(1) Supercharged 88	(Fuel Strainer)	F141S
1994	231 (3.8L)	(L) 88 (w/CRC on Sender); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
			(Fuel Strainer)	F139S
1993	231 (3.8L)	(L) 88	(Fuel Strainer)	F139S
1992	231 (3.8L)	(L) 88; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233

Years	Displ	Qualifier	Part Description	Part No.
OLDSMOBILE (Cont'd)				
88, Custom Cruiser, Delta 88, Eighty Eight (Cont'd)				
V6 (Cont'd)				
1991-90	231 (3.8L)	(L) 88	(Fuel Strainer)	F141S
		(C) (w/1.45" Diameter Pump); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(C) (w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(C) (w/1.45" Diameter Pump)	(Fuel Strainer)	F102S
1989-86	231 (3.8L)	(C) (w/2" Diameter Pump, w/Threaded Terminals)	(Fuel Strainer)	F141S
		(w/1.45" Diameter Pump, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(w/1.45" Diameter Pump)	(Fuel Strainer)	F104S
1986	181 (3.0L)	(w/2" Diameter Pump, w/Threaded Terminals)	(Fuel Strainer)	F141S
		(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(L)	(Fuel Strainer)	F104S
V8				
1992	305 (5.0L)	(E) Custom Cruiser	(Fuel Strainer)	F104S
	350 (5.7L)	(7) Custom Cruiser	(Fuel Strainer)	F104S
1991	305 (5.0L)	(E) (Custom Cruiser w/BAJ or BAK on Wiring Harness)	(Fuel Strainer)	F123S
		(E) (Custom Cruiser w/BES or BEX on Wiring Harness)	(Fuel Strainer)	F104S
Firenza				
L4				
1988	122 (2.0L)	(1, K); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(1, K)	(Fuel Strainer)	F104S
1987	122 (2.0L)	(1) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223
		(K) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F104S
1986-85	112 (1.8L), 122 (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F104S
1984	112 (1.8L)		(Fuel Strainer)	F131S
	122 (2.0L)	(B) (Canada)	(Fuel Strainer)	F104S
		(P)	(Fuel Strainer)	F131S
1983	112 (1.8L)		(Fuel Strainer)	F131S
	122 (2.0L)	(B)	(Fuel Strainer)	F104S
		(P) (Exc. Canada)	(Fuel Strainer)	F131S
1982	112 (1.8L)	(O) (Fuel Injected)	(Fuel Strainer)	F104S
V6				
1987-85	173 (2.8L)	(Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
			(Fuel Strainer)	F104S
Intrigue				
V6				
2002-01	214 (3.5L)	(H)	(Fuel Pump Assy-Module)	F2553A
LSS				
V6				
1999-96	231 (3.8L)	(K); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(1) (Supercharged)	(Fuel Strainer)	F104S
		(K)	(Fuel Strainer)	F139S
98, Ninety Eight, Regency				
V6				
1998-95	231 (3.8L)	(K); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(K)	(Fuel Strainer)	F139S
1995-92	231 (3.8L)	(1) Supercharged Ninety Eight	(Fuel Strainer)	F141S
1994	231 (3.8L)	(L) Ninety Eight (w/CRC on Sender); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(L) Ninety Eight (w/CAC or CRC on Sender)	(Fuel Strainer)	F139S
1993	231 (3.8L)	(L)	(Fuel Strainer)	F139S
1992	231 (3.8L)	(L); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(L)	(Fuel Strainer)	F141S
1991	231 (3.8L)	(L) (w/1.45" Diameter Pump); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251

Years	Displ	Qualifier	Part Description	Part No.
OLDSMOBILE (Cont'd)				
98, Ninety Eight, Regency (Cont'd)				
V6 (Cont'd)				
1991 (Cont'd)		(L) (w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(L) (w/1.45" Diameter Pump)	(Fuel Strainer)	F102S
		(L) (w/2" Diameter Pump, w/Threaded Terminals)	(Fuel Strainer)	F141S
1990-88	231 (3.8L)	(C) (w/1.45" Diameter Pump, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(C) (w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(C) (w/1.45" Diameter Pump)	(Fuel Strainer)	F104S
		(C) (w/2" Diameter Pump, w/Threaded Terminals)	(Fuel Strainer)	F141S
1987	231 (3.8L)	(3) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(3)	(Fuel Strainer)	F104S
1986	231 (3.8L)	(B) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(B)	(Fuel Strainer)	F104S
1985	181 (3.0L)	(E) Ninety Eight	(Fuel Strainer)	F104S
	231 (3.8L)	(3) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(3)	(Fuel Strainer)	F104S
Omega				
L4				
1984	151 (2.5L)	(R)	(Fuel Strainer)	F102S
1983-82	151 (2.5L)	(5) (Carbureted)	(Fuel Strainer)	F102S
		(R) (w/T.B.I.)	(Fuel Strainer)	F102S
Silhouette				
V6				
1996	207 (3.4L)	(E) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(E)	(Fuel Strainer)	F102S
1995-92	231 (3.8L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(L)	(Fuel Strainer)	F102S
1994-92	189 (3.1L)	(D); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(D)	(Fuel Strainer)	F100S
1991-90	189 (3.1L)	(D); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(D)	(Fuel Strainer)	F100S
Toronado, Trofeo				
V6				
1992-91	231 (3.8L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2276
		(L)	(Fuel Strainer)	F111S
1990-88	231 (3.8L)	(C) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(C)	(Fuel Strainer)	F111S
1987	231 (3.8L)	(3) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(3)	(Fuel Strainer)	F111S
1986	231 (3.8L)	(B) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(B)	(Fuel Strainer)	F104S
PEUGEOT				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
PLYMOUTH				
Acclaim				
L4				
1995-91	153 (2.5L)	(K) (Exc. Flex Fuel)	(Fuel Pump Assy-Module)	F3051A
1991	153 (2.5L)	(J) (Turbo)	(Fuel Pump Assy-Module)	F3051A
V6				
1995-91	181 (3.0L)	(3)	(Fuel Pump Assy-Module)	F3051A

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
PLYMOUTH (Cont'd)				
Breeze				
L4				
1997-96	1996 cc. (2.0L)	(C) (SOHC)	(Fuel Pump Assy-Module)	F3090A
	2429 cc. (2.4L)	(X)	(Fuel Pump Assy-Module)	F3090A
Colt				
L4				
1994-93	1834 cc. (1.8L)	(C); Strainer required to validate the warranty (C)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1994-91	1468 cc. (1.5L)	(A); Strainer required to validate the warranty (A)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1990-89	1468 cc. (1.5L)	(X); Strainer required to validate the warranty (X)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F233S
	1595 cc. (1.6L)	(Y, Z); Strainer required to validate the warranty (Y, Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F233S
	1755 cc. (1.8L)	(T) (Wagon); Strainer required to validate the warranty (T) (Wagon)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F233S
1988	1468 cc. (1.5L)	(Fuel Inj., Wagon); Strainer required to validate the warranty (Fuel Inj., Wagon)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F233S
1988-85	1595 cc. (1.6L)	(F) (Turbo); Strainer required to validate the warranty (F) (Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F233S
Colt Vista				
L4				
1994	1834 cc. (1.8L)	(C) (4 WD); Strainer required to validate the warranty (C) (4 WD)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
	2351 cc. (2.4L)	(G) (4 WD); Strainer required to validate the warranty (G) (4 WD)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1994-93	1834 cc. (1.8L)	(C) (2 WD); Strainer required to validate the warranty (C) (2 WD)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
	2351 cc. (2.4L)	(G) (2 WD); Strainer required to validate the warranty (G) (2 WD)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1993	1834 cc. (1.8L)	(C) (4 WD); Strainer required to validate the warranty (C) (4 WD)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
	2351 cc. (2.4L)	(G) (4 WD); Strainer required to validate the warranty (G) (4 WD)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1992	1834 cc. (1.8L)	(D); Strainer required to validate the warranty (D)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
	2351 cc. (2.4L)	(W); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1991-89	1997 cc. (2.0L)	(V); Strainer required to validate the warranty (V)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F232S
1988	1997 cc. (2.0L)	(D); Strainer required to validate the warranty (D)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F232S
1987	1997 cc. (2.0L)	(E.F.I. w/In-Tank Pump); Strainer required to validate the warranty (E.F.I. w/In-Tank Pump)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F232S
Laser				
L4				
1994-92	1755 cc. (1.8L)	(w/ 1 1/2" dia. pump); Strainer required to validate the warranty (w/ 2" dia. pump); Strainer required to validate the warranty (w/ 1 1/2" dia. pump)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F4034 F253S
		(w/ 2" dia. pump)	(Fuel Strainer)	F232S
	1997 cc. (2.0L)	(Turbo); Strainer required to validate the warranty (w/ 1 1/2" dia. pump); Strainer required to validate the warranty (w/ 2" dia. pump); Strainer required to validate the warranty (Turbo)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F4230 F4034 F232S
		(w/ 1 1/2" dia. pump)	(Fuel Strainer)	F253S
		(w/ 2" dia. pump)	(Fuel Strainer)	F232S
1991-90	1755 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
	1997 cc. (2.0L)	(Includes Turbo); Strainer required to validate the warranty (Includes Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
Neon				
L4				
1997-96	122 (2.0L)	(C, Y) (w/o Plastic Tank)	(Fuel Pump Assy-Module)	F3086A

Years	Displ	Qualifier	Part Description	Part No.
PLYMOUTH (Cont'd)				
Neon (Cont'd)				
L4 (Cont'd)				
1995	122 (2.0L)	(C, Y)	(Fuel Pump Assy-Module)	F3086A
Sundance				
L4				
1994-91	135 (2.2L)	(D)	(Fuel Pump Assy-Module)	F3051A
	153 (2.5L)		(Fuel Pump Assy-Module)	F3051A
V6				
1994-92	181 (3.0L)	(3)	(Fuel Pump Assy-Module)	F3051A
PLYMOUTH TRUCK				
Voyager, Grand Voyager Mini Van				
L4				
2000-96	148 (2.4L)	(B)	(Fuel Pump Assy-Module)	F3005A
1995-94	153 (2.5L)	(K) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3088A
1993-91	153 (2.5L)	(K) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3041A ¹
V6				
2000-96	181 (3.0L)	(3)	(Fuel Pump Assy-Module)	F3005A
	201 (3.3L)	(R) (Gas)	(Fuel Pump Assy-Module)	F3005A
1999-96	230 (3.8L)	(L)	(Fuel Pump Assy-Module)	F3005A
1995-94	181 (3.0L)	(3) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3088A
	201 (3.3L)	(R) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3088A
	230 (3.8L)	(L) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3088A
1993-91	181 (3.0L)	(3) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3041A ¹
	201 (3.3L)	(R) (Front Wheel Drive)	(Fuel Pump Assy-Module)	F3041A ¹
PONTIAC				
6000				
L4				
1991-89	151 (2.5L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1988	151 (2.5L)	(R) (Wiring Harness replacement recommended, 1st Design- w/APH on Wiring Harness); Strainer required to validate the warranty (R) (Wiring Harness replacement recommended, 2nd Design- w/ARA on Wiring Harness); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F2223 F104S
1987-86	151 (2.5L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty (R)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
1985	151 (2.5L)	(R)	(Fuel Strainer)	F104S
1984	151 (2.5L)	(R)	(Fuel Strainer)	F102S
1983-82	151 (2.5L)	(5) (Canada, Carbureted) (R) (w/T.B.I.)	(Fuel Strainer) (Fuel Strainer)	F104S F102S
V6				
1991-90	189 (3.1L)	(T) (Exc. Wagon, Wiring Harness replacement recommended); Strainer required to validate the warranty (T) (Wagon); Strainer required to validate the warranty (T) (Exc. Wagon) (T) (Wagon)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2251 F2233 F104S F141S
1989-88	173 (2.8L)	(W) (Exc. Wagon, Wiring Harness replacement recommended); Strainer required to validate the warranty (W) (Exc. Wagon)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
	189 (3.1L)	(T) (Sedan All Wheel Drive, Wiring Harness replacement recommended); Strainer required to validate the warranty (T) (Sedan All Wheel Drive)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2221 F102S
1989-87	173 (2.8L)	(W) (Wagon); Strainer required to validate the warranty (W) (Wagon)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2233 F141S
1987	173 (2.8L)	(W) (Exc. Wagon, Wiring Harness replacement recommended); Strainer required to validate the warranty (W) (Exc. Wagon)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
1986-85	173 (2.8L)	(W) (w/M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty (W) (w/M.F.I.)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S

¹May require Wiring Harness replacement.

Years	Displ	Qualifier	Part Description	Part No.
PONTIAC (Cont'd)				
Bonneville				
V6				
1999-96	231 (3.8L)	(1) Supercharged	(Fuel Strainer)	F104S
1999-95	231 (3.8L)	(K); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(K)	(Fuel Strainer)	F139S
1995-92	231 (3.8L)	(1) Supercharged	(Fuel Strainer)	F141S
1994	231 (3.8L)	(L) (w/CRC on sender); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2201
		(L) (w/CAC or CRC on Sender)	(Fuel Strainer)	F139S
1993	231 (3.8L)	(L)	(Fuel Strainer)	F139S
1992	231 (3.8L)	(L); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(L)	(Fuel Strainer)	F141S
1991-89	231 (3.8L)	(C) (w/1.45" Diameter Pump, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(C) (w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(C) (w/1.45" Diameter Pump)	(Fuel Strainer)	F104S
		(C) (w/2" Diameter Pump, w/Threaded Terminals)	(Fuel Strainer)	F141S
1988	231 (3.8L)	(C, 3) (w/1.45" Diameter Pump, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(C, 3) (w/2" Diameter Pump, w/Threaded Terminals); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2233
		(C, 3) (w/1.45" Diameter Pump)	(Fuel Strainer)	F104S
		(C, 3) (w/2" Diameter Pump, w/Threaded Terminals)	(Fuel Strainer)	F141S
1987	231 (3.8L)	(3) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(3)	(Fuel Strainer)	F104S
1986	262 (4.3L)	(Z); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(Z)	(Fuel Strainer)	F123S
Fiero				
L4				
1988-85	151 (2.5L)	(R) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(R)	(Fuel Strainer)	F102S
1984	151 (2.5L)	(R)	(Fuel Strainer)	F102S
V6				
1988-85	173 (2.8L)	(9) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(9)	(Fuel Strainer)	F102S
Firebird, Trans-Am				
L4				
1986-85	151 (2.5L)	(2); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(2)	(Fuel Strainer)	F131S
1984	151 (2.5L)	(2)	(Fuel Strainer)	F131S
1983-82	151 (2.5L)	(2)	(Fuel Strainer)	F123S
		(F) (Canada)	(Fuel Strainer)	F131S
V6				
1992-90	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(T)	(Fuel Strainer)	F123S
1989	231 (3.8L)	(7) (20th Anniversary, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2281
		(7) (20th Anniversary)	(Fuel Strainer)	F123S
1989-85	173 (2.8L)	(S) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2251
		(S)	(Fuel Strainer)	F131S
V8				
1992-90	305 (5.0L)	(E) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2913
		(E)	(Fuel Strainer)	F123S
1992-88	305 (5.0L)	(F) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2221
		(F)	(Fuel Strainer)	F123S
	350 (5.7L)	(8) (Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2221
		(8)	(Fuel Strainer)	F123S

Years	Displ	Qualifier	Part Description	Part No.
PONTIAC (Cont'd)				
Firebird, Trans-Am (Cont'd)				
V8 (Cont'd)				
1989-88	305 (5.0L)	(E) (Wiring Harness replacement recommended); Strainer required to validate the warranty (E)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F131S
1987	305 (5.0L)	(F) (w/M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty (F) (w/M.F.I.) (H) (4 Bbl. Carb., In Tank, Exc. Canada)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2221 F131S F131S
	350 (5.7L)	(8) (Wiring Harness replacement recommended); Strainer required to validate the warranty (8)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2221 F131S
1986	305 (5.0L)	(F) (w/M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2221 F131S
1985	305 (5.0L)	(F) (w/M.F.I., Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2221 F131S
1984	305 (5.0L)	(G)	(Fuel Strainer)	F131S
1983	305 (5.0L)	(S, 7) (w/T.B.I.)	(Fuel Strainer)	F131S
1982	305 (5.0L)	(7)	(Fuel Strainer)	F131S
Grand Am				
L4				
2005-02	134 (2.2L)	(Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
2001-00	146 (2.4L)	(T) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
1995	138 (2.3L)	(D) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (D) (For Pump Only Both Strainers Are Required, On Module Strainer) (D) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2324 F120S F131S
1994-93	138 (2.3L)	(3, A, D, For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (3, A, D) (For Pump Only Both Strainers Are Required, On Module Strainer) (3, A, D) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2324 F120S F131S
1992	138 (2.3L)	(3, A, D) (For Pump Only Both Strainers Are Required, On Module Strainer) (3, A, D) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1991-89	140 (2.3L)	(A) (Wiring Harness replacement recommended); Strainer required to validate the warranty (A)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
1991-88	138 (2.3L)	(D) (Wiring Harness replacement recommended); Strainer required to validate the warranty (D)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
	151 (2.5L)	(U) (Wiring Harness replacement recommended); Strainer required to validate the warranty (U)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2223 F104S
1989-87	122 (2.0L)	(M) (Turbo, Wiring Harness replacement recommended); Strainer required to validate the warranty (M) Turbo	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S
1987-85	151 (2.5L)	(U) (Wiring Harness replacement recommended); Strainer required to validate the warranty (U)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F104S
V6				
2005-00	207 (3.4L)	(E) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
1995-94	189 (3.1L)	(M) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (M) (For Pump Only Both Strainers Are Required, on Module Strainer) (M) (For Pump Only Both Strainers Are Required, on Pump Strainer)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2324 F120S F131S
1993	204 (3.3L)	(N) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (N) (For Pump Only Both Strainers Are Required, On Module Strainer) (N) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2324 F120S F131S
1992	204 (3.3L)	(N) (For Pump Only Both Strainers Are Required, On Module Strainer) (N) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1987-85	181 (3.0L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty (L)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F104S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
PONTIAC (Cont'd)				
Grand Prix				
L4				
1991-90	138 (2.3L)	(D); Strainer required to validate the warranty (D)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F100S
V6				
2003-01	189 (3.1L) 231 (3.8L)	(J) (Wiring Harness replacement recommended) (K) (Naturally Aspirated, Wiring Harness replacement recommended)	(Fuel Pump Assy-Module) (Fuel Pump Assy-Module)	F2553A F2553A
1996-94	189 (3.1L)	(M) (Wiring Harness replacement recommended); Strainer required to validate the warranty (M)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F102S
1996-93	207 (3.4L)	(X) (Wiring Harness replacement recommended); Strainer required to validate the warranty (X)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F102S
1993	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F102S
1992	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F100S
1992-91	207 (3.4L)	(X) (Wiring Harness replacement recommended); Strainer required to validate the warranty (X)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F100S
1991-90	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F100S
1990	189 (3.1L)	(V) (w/WAA or WEK on Wiring Harness); Strainer required to validate the warranty (V) (w/WEG or WES on Wiring Harness); Strainer required to validate the warranty (V)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F2276 F2221 F100S
1989	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (V); Strainer required to validate the warranty (T, V)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F2221 F100S
1989-88	173 (2.8L)	(W) (Wiring Harness replacement recommended); Strainer required to validate the warranty (W)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2251 F100S
1987-86	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F131S
Lemans, Grand Lemans, Lemans Safari, Grand Lemans Safari				
L4				
1993-88	98 (1.6L)	(6)	(Fuel Strainer)	F102S
1990-89	122 (2.0L)	(K)	(Fuel Strainer)	F102S
Parisienne				
V6				
1986	262 (4.3L)	(Z) (Wiring Harness replacement recommended); Strainer required to validate the warranty (Z)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F2913 F123S
1985	262 (4.3L)	(Z); Strainer required to validate the warranty (Z) (Exc. Wagon) (Z) (Wagon)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2913 F123S F102S
Phoenix				
L4				
1984	151 (2.5L)		(Fuel Strainer)	F102S
1983-82	151 (2.5L)	(5) (Carbureted) (R) (w/T.B.I.)	(Fuel Strainer) (Fuel Strainer)	F104S F102S
Sunbird, J2000				
L4				
1994-93	122 (2.0L)	(H) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (H) (For Pump Only Both Strainers are Required, On Module Strainer) (H) (For Pump Only Both Strainers are Required, On Pump Strainer)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F2324 F120S F131S
1992	122 (2.0L)	(H) (For Pump Only Both Strainers are Required, On Module Strainer) (H) (For Pump Only Both Strainers are Required, On Pump Strainer)	(Fuel Strainer) (Fuel Strainer)	F120S F131S
1991-88	122 (2.0L)	(K) (w/o Turbo, Wiring Harness replacement recommended); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2223

Years	Displ	Qualifier	Part Description	Part No.
PONTIAC (Cont'd)				
Sunbird, J2000 (Cont'd)				
L4 (Cont'd)				
1991-88	122 (2.0L)	(K) (w/o Turbo)	(Fuel Strainer)	F104S
1990-87	122 (2.0L)	(M) (w/Turbo, Wiring Harness replacement recommended); Strainer required to validate the warranty (M) (w/Turbo)	(In Tank Electric Fuel Pump)	F2251
			(Fuel Strainer)	F104S
1987	122 (2.0L)	(K) (w/o Turbo, Wiring Harness replacement recommended); Strainer required to validate the warranty (K) (w/o Turbo)	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F104S
1986	112 (1.8L)	(O) (w/E.F.I.); Strainer required to validate the warranty (O) (w/E.F.I.)	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F104S
1986-85	122 (2.0L)	(P); Strainer required to validate the warranty (P)	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F104S
1986-84	112 (1.8L)	(J) (w/M.F.I., w/Turbo, Wiring Harness replacement recommended); Strainer required to validate the warranty (J) (w/M.F.I., Turbo)	(In Tank Electric Fuel Pump)	F2251
			(Fuel Strainer)	F104S
1985	112 (1.8L)	(O) (w/T.B.I.); Strainer required to validate the warranty (O) (w/T.B.I.)	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F104S
1984	112 (1.8L)	(O) (w/T.B.I.)	(Fuel Strainer)	F131S
1984-83	122 (2.0L)	(B) (P)	(Fuel Strainer)	F104S
			(Fuel Strainer)	F131S
1983	112 (1.8L)	(O)	(Fuel Strainer)	F131S
1982	112 (1.8L)	(O) (w/T.B.I.)	(Fuel Strainer)	F102S
V6				
1994-93	189 (3.1L)	(T) (For Pump Only Both Strainers Are Required, Wiring Harness replacement recommended); Strainer required to validate the warranty (T) (For Pump Only Both Strainers Are Required, On Module Strainer) (T) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(In Tank Electric Fuel Pump)	F2324
			(Fuel Strainer)	F120S
			(Fuel Strainer)	F131S
1992	189 (3.1L)	(T) (For Pump Only Both Strainers Are Required, On Module Strainer) (T) (For Pump Only Both Strainers Are Required, On Pump Strainer)	(Fuel Strainer)	F120S
			(Fuel Strainer)	F131S
1991	189 (3.1L)	(T) (Wiring Harness replacement recommended); Strainer required to validate the warranty (T)	(In Tank Electric Fuel Pump)	F2276
			(Fuel Strainer)	F104S
Sunfire				
L4				
2005-02	134 (2.2L)	(F) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
2002-00	134 (2.2L)	(4) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
	146 (2.4L)	(T) (Wiring Harness replacement recommended)	(Fuel Pump Assy-Module)	F2518A
Trans Sport				
V6				
1996	207 (3.4L)	(E) (Wiring Harness replacement recommended); Strainer required to validate the warranty (E)	(In Tank Electric Fuel Pump)	F2276
			(Fuel Strainer)	F102S
1995	189 (3.1L)	(D); Strainer required to validate the warranty (D)	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F100S
1995-92	231 (3.8L)	(L) (Wiring Harness replacement recommended); Strainer required to validate the warranty (L)	(In Tank Electric Fuel Pump)	F2276
			(Fuel Strainer)	F102S
1994-90	189 (3.1L)	(D); Strainer required to validate the warranty (D)	(In Tank Electric Fuel Pump)	F2913
			(Fuel Strainer)	F100S
Vibe				
L4				
2006-03	1794 cc. (1.8L)	(8) (AWD), (L); Strainer required to validate the warranty (8) (AWD), (L)	(In Tank Electric Fuel Pump)	F4224
			(Fuel Strainer)	F311S
PORSCHE				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
RENAULT				
Alliance, Encore, GTA				
L4				
1987	85 (1.4L), 105 (1.7L), 120 (2.0L)	(w/Walbro Pump)	(Fuel Strainer)	F205S
1986	85 (1.4L), 105 (1.7L)		(Fuel Strainer)	F205S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
RENAULT (Cont'd)				
Alliance, Encore, GTA (Cont'd)				
L4 (Cont'd)				
1986-83	85 (1.4L), 105 (1.7L)		(Fuel Strainer)	F205S
1984-83	85 (1.4L)		(Fuel Strainer)	F205S
SAAB				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
900				
L4				
1989	1985 cc. (2.0L)	(DOHC - Non Turbo, w/5 /16" outlet nipple w/o RFI filter); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1053
		(DOHC - Non Turbo, w/5 /16" outlet nipple w/o RFI filter)	(Fuel Strainer)	F242S
SATURN				
SC Coupe				
L4				
1996-95	116 (1.9L)	(8) (SOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2921
			(Fuel Strainer)	F342S
1996-91	116 (1.9L)	(7) (DOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2921
			(Fuel Strainer)	F342S
1994-92	116 (1.9L)	(9) (SOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2921
			(Fuel Strainer)	F342S
SL Sedan				
L4				
1996-95	116 (1.9L)	(8) (SOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2921
			(Fuel Strainer)	F342S
1996-91	116 (1.9L)	(7) (DOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2921
			(Fuel Strainer)	F342S
1994-91	116 (1.9L)	(9) (SOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2921
			(Fuel Strainer)	F342S
SW Wagon				
L4				
1996-95	116 (1.9L)	(8) (SOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2921
			(Fuel Strainer)	F342S
1996-93	116 (1.9L)	(7) (DOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2921
			(Fuel Strainer)	F342S
1994-93	116 (1.9L)	(9) (SOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2921
			(Fuel Strainer)	F342S
SCION				
XA				
L4				
2006-04	1497 cc. (1.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
			(Fuel Strainer)	F311S
XB				
L4				
2006-04	1497 cc. (1.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
			(Fuel Strainer)	F311S
TC				
L4				
2005	2398 cc. (2.4L)		(Fuel Strainer)	F261S
SIMCA				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
STERLING				
825				
V6				
1988-87	2494 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F228S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
STERLING (Cont'd)				
827				
V6				
1991-89	2675 cc. (2.7L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F228S
SUBARU				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
3 Door, 4 Door & Wagon				
H4				
1989-85	1781 cc. (1.8L)	(Turbo)	(Electric Fuel Pump)	F4323
1988-85	1781 cc. (1.8L)	(Carb.)	(Electric Fuel Pump)	F4027A
1985	1781 cc. (1.8L)	(Fuel Injected, GL10 4 Door, Wagon)	(Electric Fuel Pump)	F4323
All (Exc. Brat)				
H4				
1984-83	1781 cc. (1.8L)	(Turbo Wagon)	(Electric Fuel Pump)	F4323
1983-82	1595 cc. (1.6L), 1781 cc. (1.8L)	(Exc. Turbo)	(Electric Fuel Pump)	F4027A
Baja				
H4				
2006-04	2457 cc. (2.5L)	(DOHC, Turbo)	(Fuel Strainer)	F330S
2003	2457 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F330S
Brat				
H4				
1984-83	1781 cc. (1.8L)	(Turbo)	(Electric Fuel Pump)	F4323
1983-82	1781 cc. (1.8L)	(Exc. Turbo)	(Electric Fuel Pump)	F4027A
Forester				
H4				
2004	2457 cc. (2.5L)	(DOHC, XT Turbo)	(Fuel Strainer)	F263S
2004-03	2457 cc. (2.5L)	(SOHC); Strainer required to validate the warranty (SOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F304S
2002-99	2457 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F304S
1998	2457 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F304S
Impreza				
H4				
2005-04	2457 cc. (2.5L)	(WRX Sti, DOHC, Turbo)	(Fuel Strainer)	F263S
2004-02	1994 cc. (2.0L) 2457 cc. (2.5L)	Impreza WRX (RS & TS); Strainer required to validate the warranty (RS & TS)	(Fuel Strainer) (In Tank Electric Fuel Pump) (Fuel Strainer)	F263S F4346 F304S
2001-00	2212 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F304S
2001-99	2457 cc. (2.5L)	(SOHC); Strainer required to validate the warranty (SOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F304S
1999	2212 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F304S
1998	2212 cc. (2.2L) 2457 cc. (2.5L)	Strainer required to validate the warranty (SOHC); Strainer required to validate the warranty (SOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer) (In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F304S F4230 F304S
1997	1820 cc. (1.8L) 2212 cc. (2.2L)	(4 W.D.); Strainer required to validate the warranty (4 W.D.) (SOHC); Strainer required to validate the warranty (SOHC-Optional, From 2/97) (SOHC-Optional, To 2/97) (Standard)	(In Tank Electric Fuel Pump) (Fuel Strainer) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F4246 F269S F4230 F304S F263S F263S
1996-95	2212 cc. (2.2L)	(4 WD-SOHC); Strainer required to validate the warranty (4 WD-SOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F263S
1996-93	1820 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F269S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
SUBARU (Cont'd)				
Impreza Outback				
H4				
2004-02	2457 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4346 F304S
2001-00	2212 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F304S
1999	2212 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F304S
1998	2212 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F304S
1997	2212 cc. (2.2L)	(SOHC); Strainer required to validate the warranty (SOHC, Optional To 1/97) (SOHC, Standard) (SOHC-Optional, From 2/97)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F4230 F263S F263S F304S
1996	2212 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F263S
Justy				
L3				
1994-90	1189 cc. (1.2L)	(Fuel Injected); Strainer required to validate the warranty (Fuel Injected)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F255S
1988-87	1189 cc. (1.2L)		(Electric Fuel Pump)	F4027A
Legacy				
H4				
2003-00	2457 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F330S
1999	2212 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F304S
	2457 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F304S
1998	2457 cc. (2.5L)	(DOHC); Strainer required to validate the warranty (DOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F269S
1998-97	2212 cc. (2.2L)	(Brighton, L and Postal Models w/EJ22E and EJ22EZ Engines); Strainer required to validate the warranty (Brighton, L and Postal Models w/EJ22E and EJ22EZ Engines)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F269S
1997-96	2457 cc. (2.5L)	(DOHC); Strainer required to validate the warranty (DOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F269S
1996	2212 cc. (2.2L)	(4WD); Strainer required to validate the warranty (4WD)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F269S
1996-92	2212 cc. (2.2L)	(2 WD Exc. Turbo, w/ 1 1/2" Diameter Pump); Strainer required to validate the warranty (2 WD Exc. Turbo, w/2" Diameter Pump); Strainer required to validate the warranty (2 WD Exc. Turbo, w/ 1 1/2" Diameter Pump) (2 WD Exc. Turbo, w/2" Diameter Pump)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4230 F4246 F263S F269S
1995	2212 cc. (2.2L)	(4WD); Strainer required to validate the warranty (4WD)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4246 F269S
1994-92	2212 cc. (2.2L)	(4 WD Exc. Turbo); Strainer required to validate the warranty (Turbo); Strainer required to validate the warranty (4 WD Exc. Turbo) (Turbo)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4230 F4246 F263S F269S
1991	2212 cc. (2.2L)	(4 WD Exc. Turbo); Strainer required to validate the warranty (4 WD Turbo); Strainer required to validate the warranty (4 WD Exc. Turbo) (4 WD Turbo)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4230 F4246 F263S F269S
1991-90	2212 cc. (2.2L)	(2 WD, w/ 1 1/2" Diameter Pump); Strainer required to validate the warranty (2 WD, w/ 2" Diameter Pump); Strainer required to validate the warranty (2 WD, w/ 1 1/2" Diameter Pump) (2 WD, w/ 2" Diameter Pump)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4230 F4246 F263S F269S
1990	2212 cc. (2.2L)	(4 WD); Strainer required to validate the warranty (4 WD)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F263S
Legacy Outback				
H4				
1999	2457 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F304S
1998	2457 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4246

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
SUBARU (Cont'd)				
Legacy Outback (Cont'd)				
H4 (Cont'd)				
1998	2457 cc. (2.5L)		(Fuel Strainer)	F269S
1997-96	2457 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4246
			(Fuel Strainer)	F269S
1996	2212 cc. (2.2L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4246
			(Fuel Strainer)	F269S
Loyale				
H4				
1990	1781 cc. (1.8L)	(Turbo)	(Electric Fuel Pump)	F4323
Outback				
H4				
2003-01	2457 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F330S
H6				
2004	2999 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4346
			(Fuel Strainer)	F330S
2003-01	2999 cc. (3.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4346
			(Fuel Strainer)	F330S
SVX				
H6				
1997-92	3317 cc. (3.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4246
			(Fuel Strainer)	F262S
XT				
H4				
1991-85	1781 cc. (1.8L)	(Includes Turbo)	(Electric Fuel Pump)	F4323
XT6				
H6				
1991-88	2672 cc. (2.7L)		(Electric Fuel Pump)	F4323
SUNBEAM-TALBOT				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
SUZUKI				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
Aerio				
L4				
2006-04	2300 cc. (2.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F311S
2003-02	2000 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F311S
Esteem				
4 Cyl.				
2002-00	1790 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4346
			(Fuel Strainer)	F311S
2000	1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4346
			(Fuel Strainer)	F311S
1999	1790 cc. (1.8L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4346
			(Fuel Strainer)	F311S
1998-95	1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F253S
Grand Vitara				
V6				
2005-99	2500 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4230
			(Fuel Strainer)	F311S
Samurai				
L4				
1995-90	1298 cc. (1.3L)		(Fuel Strainer)	F253S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
SUZUKI (Cont'd)				
Sidekick				
L4				
1998-97	1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1998-96	1800 cc. (1.8L)	(Sidekick Sport); Strainer required to validate the warranty (Sidekick Sport)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1996	1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1995	1590 cc. (1.6L)	(Hardtop, 16 Valve, Canada Built); Strainer required to validate the warranty (Convertible, 8 Valve) (Hardtop, 16 Valve, Canada Built) (Hardtop, 16 Valve, Japan Built)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F4230 F265S F253S F265S
1994-92	1590 cc. (1.6L)		(Fuel Strainer)	F265S
1991-89	1590 cc. (1.6L)	(2 Door); Strainer required to validate the warranty (2 Door) (4 Door)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4034 F227S F265S
Swift				
L4				
2001-98	1298 cc. (1.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F261S
1997-95	1298 cc. (1.3L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
1994-89	1298 cc. (1.3L)	(DOHC); Strainer required to validate the warranty (DOHC)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F218S
Vitara				
L4				
2003-99	2000 cc. (2.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F311S
2002-99	1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F311S
V6				
2004	2500 cc. (2.5L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F311S
X-90				
L4				
1998-96	1590 cc. (1.6L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4230 F253S
TOYOTA				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
Avalon				
V6				
2006-05	3456 cc. (3.5L)	2GRFE; Strainer required to validate the warranty 2GRFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
2004-02	2995 cc. (3.0L)	1MZFE; Strainer required to validate the warranty 1MZFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
2001	2995 cc. (3.0L)	1MZFE	(Fuel Strainer)	F311S
2000	2995 cc. (3.0L)	1MZFE	(Fuel Strainer)	F311S
1999-98	2995 cc. (3.0L)	1MZFE; Strainer required to validate the warranty 1MZFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
1997	2995 cc. (3.0L)	1MZFE; Strainer required to validate the warranty 1MZFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
1996-95	2995 cc. (3.0L)	1MZFE; Strainer required to validate the warranty 1MZFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F281S
Camry				
L4				
2006-02	2398 cc. (2.4L)	2AZFE	(Fuel Strainer)	F311S
2001	2164 cc. (2.2L)	5SFE (Japan Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
2000-97	2164 cc. (2.2L)	5SFE; Strainer required to validate the warranty 5SFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
TOYOTA (Cont'd)				
Camry (Cont'd)				
L4 (Cont'd)				
1996-95	2164 cc. (2.2L)	5SFE; Strainer required to validate the warranty 5SFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F281S
1994	2164 cc. (2.2L)	5SFE (DOHC); Strainer required to validate the warranty 5SFE (DOHC Japan Built) 5SFE (DOHC USA Built)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4224 F311S F281S
1993	2164 cc. (2.2L)	5SFE; Strainer required to validate the warranty 5SFE (4 Door Wagon) 5SFE (DOHC Japan Built, Exc. Wagon) 5SFE (DOHC USA Built, Exc. Wagon)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer) (Fuel Strainer)	F4224 F311S F311S F281S
1992	2164 cc. (2.2L)	5SFE; Strainer required to validate the warranty 5SFE (DOHC Japan Built) 5SFE (DOHC USA Built)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4224 F311S F281S
1991-87	1998 cc. (2.0L)	3SFE; Strainer required to validate the warranty 3SFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
1986-85	1995 cc. (2.0L)	2SELC; Strainer required to validate the warranty 2SELC	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F204S
V6				
2006-04	2995 cc. (3.0L) 3311 cc. (3.3L)	1MZFE; Strainer required to validate the warranty 1MZFE 3MZFE; Strainer required to validate the warranty 3MZFE	(In Tank Electric Fuel Pump) (Fuel Strainer) (In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S F4224 F311S
2003-02	2995 cc. (3.0L)	1MZFE	(Fuel Strainer)	F311S
2001	2995 cc. (3.0L)	1MZFE (Japan Built); Strainer required to validate the warranty 1MZFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
2000-97	2995 cc. (3.0L)	1MZFE; Strainer required to validate the warranty 1MZFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
1996-95	2995 cc. (3.0L)	1MZFE; Strainer required to validate the warranty 1MZFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F281S
1994	2995 cc. (3.0L)	1MZFE; Strainer required to validate the warranty 1MZFE (Japan Built) 1MZFE (USA Built)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4224 F311S F281S
1993-92	2954 cc. (3.0L)	3VZFE; Strainer required to validate the warranty 3VZFE (Japan Built) 3VZFE (USA Built)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4224 F311S F281S
1991-88	2507 cc. (2.5L)	2VZFE; Strainer required to validate the warranty 2VZFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
Celica				
L4				
2005-00	1794 cc. (1.8L) 1796 cc. (1.8L)	1ZZFE; Strainer required to validate the warranty 1ZZFE 2ZZGE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer) (In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S F4224 F311S
1999-94	2164 cc. (2.2L)	5SFE; Strainer required to validate the warranty 5SFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
1997-94	1762 cc. (1.8L)	7AFE; Strainer required to validate the warranty 7AFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
1993	1587 cc. (1.6L) 2164 cc. (2.2L)	4AFE 5SFE	(Fuel Strainer) (Fuel Strainer)	F233S F233S
1993-90	1998 cc. (2.0L)	3SGTE (Turbo)	(Fuel Strainer)	F232S
1992-90	1587 cc. (1.6L) 2164 cc. (2.2L)	4AFE 5SFE	(Fuel Strainer) (Fuel Strainer)	F239S F239S
1989-88	1998 cc. (2.0L)	3SFE, 3SGELC, 3SGTE (From 10/87); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
1988	1998 cc. (2.0L)	3SFE, 3SGELC (To 10/87); Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
1987-86	1998 cc. (2.0L)	3SFE, 3SGELC; Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
1986	1995 cc. (2.0L)	2SELC; Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
1985-83	2366 cc. (2.4L)	22REC (Gas, In-Tank); Strainer required to validate the warranty 22REC (Gas, In-Tank)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
1979-75	2189 cc. (2.2L)	20R	(Fuel Strainer)	F100S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
TOYOTA (Cont'd)				
Corolla				
L4				
2006-05	1794 cc. (1.8L)	1ZZFE (Except Japan Built)	(Fuel Strainer)	F311S
2004-03	1794 cc. (1.8L)	1ZZFE	(Fuel Strainer)	F311S
2002-98	1794 cc. (1.8L)	1ZZFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		1ZZFE	(Fuel Strainer)	F311S
1997-96	1762 cc. (1.8L)	7AFE (DX Series USA Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		7AFE (Japan Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		7AFE	(Fuel Strainer)	F311S
1997-94	1587 cc. (1.6L)	4AFE (Japan Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		4AFE (STD. Series USA Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		4AFE	(Fuel Strainer)	F311S
1995-94	1762 cc. (1.8L)	7AFE (Wagon); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		7AFE	(Fuel Strainer)	F311S
1995-93	1762 cc. (1.8L)	7AFE (DX Sedan, w/Manual Trans., USA Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		7AFE (Sedan w/Auto. Trans., USA Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		7AFE (Sedan, Japan Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		7AFE	(Fuel Strainer)	F311S
1993	1587 cc. (1.6L)	4AFE (DX - USA Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		4AFE (Japan Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		4AFE (STD. USA Built); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		4AFE	(Fuel Strainer)	F311S
		4AFE (Wagon)	(Fuel Strainer)	F232S
	1762 cc. (1.8L)	7AFE (Wagon); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		7AFE (Wagon)	(Fuel Strainer)	F311S
1992-90	1587 cc. (1.6L)	4AFE	(Fuel Strainer)	F232S
1991-90	1587 cc. (1.6L)	4AGE (2 WD)	(Fuel Strainer)	F204S
1989	1587 cc. (1.6L)	4AFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		4AFE	(Fuel Strainer)	F232S
1989-88	1587 cc. (1.6L)	4AGE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		4AGE	(Fuel Strainer)	F204S
1988	1587 cc. (1.6L)	4AFE (DLX All Trac Wagon); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		4AFE (DLX All Trac Wagon)	(Fuel Strainer)	F232S
1988-87	1587 cc. (1.6L)	4AGELC; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		4AGELC	(Fuel Strainer)	F232S
1987-85	1587 cc. (1.6L)	4AGEC; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		4AGEC	(Fuel Strainer)	F232S
1976-75	1588 cc. (1.6L)	2TC (Calif.)	(Fuel Strainer)	F100S
Corona, Corona Mark II				
L4				
1979-75	2189 cc. (2.2L)	20R	(Fuel Strainer)	F100S
Cressida				
L6				
1992-91	2954 cc. (3.0L)	7MGE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		7MGE	(Fuel Strainer)	F232S
1990-89	2954 cc. (3.0L)	7MGE (Denso); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		7MGE	(Fuel Strainer)	F232S
1988-85	2759 cc. (2.8L)	5MGE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		5MGE	(Fuel Strainer)	F232S
Echo				
L4				
2005-00	1497 cc. (1.5L)	1NZFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		1NZFE	(Fuel Strainer)	F311S
Highlander				
L4				
2005-04	2398 cc. (2.4L)	2AZFE	(Fuel Strainer)	F311S
2003-01	2398 cc. (2.4L)	2AZFE	(Fuel Strainer)	F311S
V6				
2003-01	2995 cc. (3.0L)	1MZFE	(Fuel Strainer)	F311S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
TOYOTA (Cont'd)				
Landcruiser				
L6				
1997-93	4477 cc. (4.5L)	1FZFE	(Fuel Strainer)	F311S
1992-90	3955 cc. (4.0L)	3FE (From 1-90); Strainer required to validate the warranty 3FE (From 1-90)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F239S
1990-88	3955 cc. (4.0L)	Strainer required to validate the warranty	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F233S
V8				
2006-98	4663 cc. (4.7L)	2UZFE	(Fuel Strainer)	F311S
Matrix				
L4				
2006-04	1794 cc. (1.8L)	1ZZFE (All Wheel Drive)	(Fuel Strainer)	F311S
2006-03	1796 cc. (1.8L)	2ZZGE	(Fuel Strainer)	F311S
2003	1794 cc. (1.8L)	1ZZFE	(Fuel Strainer)	F311S
MR2 Spyder				
L4				
2005-00	1794 cc. (1.8L)	1ZZFE	(Fuel Strainer)	F311S
1995-91	1998 cc. (2.0L) 2164 cc. (2.2L)	3SGTE (Turbo) 5SFE; Strainer required to validate the warranty 5SFE	(Fuel Strainer) (In Tank Electric Fuel Pump) (Fuel Strainer)	F232S F4034 F232S
1989-88	1587 cc. (1.6L)	4AGZE (Supercharged); Strainer required to validate the warranty 4AGZE (Supercharged)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
1989-85	1587 cc. (1.6L)	4AGELC; Strainer required to validate the warranty 4AGELC	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
Paseo				
L4				
1998-94	1497 cc. (1.5L)	5EFE; Strainer required to validate the warranty 5EFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
1993	1497 cc. (1.5L)	5EFE; Strainer required to validate the warranty 5EFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
1992	1497 cc. (1.5L)	5EFE; Strainer required to validate the warranty 5EFE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F230S
Pickup				
L4				
1995	2366 cc. (2.4L)	22RE; Strainer required to validate the warranty 22RE (Japan Built) 22RE (USA Built)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4224 F230S F311S
1994-92	2366 cc. (2.4L)	22RE; Strainer required to validate the warranty 22RE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F230S
1991-89	2366 cc. (2.4L)	22RE (Fuel Inj.); Strainer required to validate the warranty 22RE (Fuel Inj.)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F233S
1988-85	2366 cc. (2.4L)	22RTEC (Turbo); Strainer required to validate the warranty 22RTEC (Turbo)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
1988-84	2366 cc. (2.4L)	22REC (Fuel Inj.); Strainer required to validate the warranty 22REC	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F232S
1979-75	2189 cc. (2.2L)	20R	(Fuel Strainer)	F100S
V6				
1995	2958 cc. (3.0L)	3VZE; Strainer required to validate the warranty 3VZE (Japan Built) 3VZE (USA Built)	(In Tank Electric Fuel Pump) (Fuel Strainer) (Fuel Strainer)	F4224 F230S F311S
1994-92	2958 cc. (3.0L)	3VZE; Strainer required to validate the warranty 3VZE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F230S
1991-88	2958 cc. (3.0L)	3VZE; Strainer required to validate the warranty 3VZE	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4034 F233S
Previa				
L4				
1997-94	2438 cc. (2.4L)	2TZFE (Supercharged)	(Fuel Strainer)	F311S
1995	2438 cc. (2.4L)	2TZFE (USA Only); Strainer required to validate the warranty 2TZFE (USA Only)	(In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F311S
1994	2438 cc. (2.4L)	2TZFE (USA Only, From 1/94); Strainer required to validate the warranty 2TZFE (USA Only, To 1/94); Strainer required to validate the warranty 2TZFE (USA Only, From 1/94)	(In Tank Electric Fuel Pump) (In Tank Electric Fuel Pump) (Fuel Strainer)	F4224 F4034 F311S

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
TOYOTA (Cont'd)				
Previa (Cont'd)				
L4 (Cont'd)				
1994 (Cont'd)		2TZFE (USA Only, To 1/94)	(Fuel Strainer)	F233S
1993-92	2438 cc. (2.4L)	2TZFE (USA Only); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		2TZFE (USA Only)	(Fuel Strainer)	F239S
1991	2438 cc. (2.4L)	2TZFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		2TZFE	(Fuel Strainer)	F239S
RAV4				
L4				
2005-04	2398 cc. (2.4L)	2AZFE	(Fuel Strainer)	F311S
2003-01	1998 cc. (2.0L)	1AZFE	(Fuel Strainer)	F311S
2000-98	2000 cc. (2.0L)	3SFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		3SFE	(Fuel Strainer)	F311S
1997-96	1998 cc. (2.0L)	3SFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		3SFE	(Fuel Strainer)	F311S
Sequoia				
V8				
2004-03	4663 cc. (4.7L)	2UZFE	(Fuel Strainer)	F311S
2002-01	4663 cc. (4.7L)	2UZFE	(Fuel Strainer)	F311S
Sienna				
V6				
2003-01	1MZFE 2995 cc. (3.0L)	1MZFE	(Fuel Strainer)	F311S
2000-98	1MZFE 2995 cc. (3.0L)	1MZFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		1MZFE	(Fuel Strainer)	F311S
Solara				
L4				
2006-02	2398 cc. (2.4L)	2AZFE	(Fuel Strainer)	F311S
2001-99	2164 cc. (2.2L)	5SFE	(Fuel Strainer)	F311S
V6				
2006-04	3311 cc. (3.3L)	3MZFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		3MZFE	(Fuel Strainer)	F311S
2003-99	2995 cc. (3.0L)	1MZFE	(Fuel Strainer)	F311S
Supra				
L6				
1998-93	2997 cc. (3.0L)	2JZGE (Exc. Turbo) 2JZGTE (Turbo)	(Fuel Strainer) (Fuel Strainer)	F311S F233S
1992	7MGE 2954 cc. (3.0L), 7MGTE 2954 cc. (3.0L)		(Fuel Strainer)	F232S
1991-89	2954 cc. (3.0L)	7MGE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		7MGE	(Fuel Strainer)	F232S
1991-87	2954 cc. (3.0L)	7MGTE (Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		7MGTE (Turbo)	(Fuel Strainer)	F232S
1988-86	2954 cc. (3.0L)	7MGE (Denso); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
			(Fuel Strainer)	F232S
1986-84	2759 cc. (2.8L)	5MGE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		5MGE	(Fuel Strainer)	F232S
T100				
L4				
1998-94	2694 cc. (2.7L)	3RZFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		3RZFE	(Fuel Strainer)	F311S
V6				
1998-95	3378 cc. (3.4L)	5VZFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		5VZFE	(Fuel Strainer)	F311S
1994-93	2958 cc. (3.0L)	3VZE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		3VZE	(Fuel Strainer)	F230S

Years	Displ	Qualifier	Part Description	Part No.
TOYOTA (Cont'd)				
Tacoma (Cont'd)				
L4 (Cont'd)				
2004-95	2438 cc. (2.4L)	2RZFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		2RZFE	(Fuel Strainer)	F311S
	2694 cc. (2.7L)	3RZFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		3RZFE	(Fuel Strainer)	F311S
V6				
2004-97	3378 cc. (3.4L)	5VZFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		5VZFE	(Fuel Strainer)	F311S
1996-95	3378 cc. (3.4L)	5VZFE (4 WD); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		5VZFE (4 WD)	(Fuel Strainer)	F311S
Tercel				
L4				
1998-95	1497 cc. (1.5L)	5EFE (DOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		5EFE (DOHC)	(Fuel Strainer)	F311S
1994	1456 cc. (1.5L)	3EE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		3EE	(Fuel Strainer)	F311S
1993	1456 cc. (1.5L)	3EE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		3EE	(Fuel Strainer)	F311S
1992-90	1456 cc. (1.5L)	3EE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		3EE	(Fuel Strainer)	F230S
Tundra				
V6				
2004-00	3378 cc. (3.4L)	5VZFE	(Fuel Strainer)	F311S
V8				
2004-00	4663 cc. (4.7L)	2UZFE	(Fuel Strainer)	F311S
Van				
L4				
1989-86	2237 cc. (2.2L)	4YEC; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		4YEC	(Fuel Strainer)	F204S
1985-84	1997 cc. (2.0L)	3YEC; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		3YEC	(Fuel Strainer)	F232S
4 Runner				
L4				
2000-96	2694 cc. (2.7L)	3RZFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		3RZFE	(Fuel Strainer)	F311S
1995	2366 cc. (2.4L)	22RE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		22RE (Japan Built)	(Fuel Strainer)	F230S
		22RE (USA Built)	(Fuel Strainer)	F311S
1994-92	2366 cc. (2.4L)	22RE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		22RE	(Fuel Strainer)	F230S
1991-89	2366 cc. (2.4L)	22RE (Fuel Inj.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		22RE (Fuel Inj.)	(Fuel Strainer)	F233S
1989-85	2366 cc. (2.4L)	22REC (Fuel Inj.); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		22REC (Fuel Inj.)	(Fuel Strainer)	F232S
1988-85	2366 cc. (2.4L)	22RTEC (Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		22RTEC (Turbo)	(Fuel Strainer)	F232S
V6				
2002-96	3378 cc. (3.4L)	5VZFE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		5VZFE	(Fuel Strainer)	F311S
1995	2958 cc. (3.0L)	3VZE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		3VZE (Japan Built)	(Fuel Strainer)	F230S
		3VZE (USA Built)	(Fuel Strainer)	F311S
1994-92	2958 cc. (3.0L)	3VZE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4224
		3VZE	(Fuel Strainer)	F230S
1991-88	2958 cc. (3.0L)	3VZE; Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F4034
		3VZE	(Fuel Strainer)	F233S
TRIUMPH				
All Models				
Most Applications Except Those Equipped w/Fuel Injection			(Electric Fuel Pump)	F4027A

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
VOLKSWAGEN				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
VOLVO				
All Models				
		Most Applications Except Those Equipped w/Fuel Injection	(Electric Fuel Pump)	F4027A
240 Series				
L4				
1993-85	2316 cc. (2.3L)	B230F (Fuel Inj.)	(Fuel Strainer)	F131S
1985-81	2127 cc. (2.1L)	B21FT (Turbo, Exc. VDO Pump)	(Fuel Strainer)	F131S
1984-82	B21F 2127 cc. (2.1L) & B23F 2316 cc. (2.3L)	(w/LH - Jetronic, Exc. VDO Pump)	(Fuel Strainer)	F131S
1983-80	2127 cc. (2.1L)	B21F (w/K-Jetronic, Exc. VDO Pump)	(Fuel Strainer)	F131S
1979-75	B20E 1990 cc. (2.0L), B21F 2127 cc. (2.1L)	(Exc. VDO Pump)	(Fuel Strainer)	F131S
260 Series				
V6				
1982-80	2849 cc. (2.9L)	B28F (Fuel Inj., Exc. VDO Pump)	(Fuel Strainer)	F131S
1979-76	2673 cc. (2.7L)	B27F (Fuel Inj., Exc. VDO Pump)	(Fuel Strainer)	F131S
740 Series				
L4				
1992-91	2316 cc. (2.3L)	B230F	(Fuel Strainer)	F102S
1992-88	2316 cc. (2.3L)	B230FT (Turbo)	(Fuel Strainer)	F102S
1990	2316 cc. (2.3L)	B230F (High Pressure Pump, Used w/o Ext. Mntd. Pump); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F2221
		B230F (Low Pressure Pump, Used with Ext. Mntd. Pump); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019⁵
			(Fuel Strainer)	F102S
1990-89	2316 cc. (2.3L)	B234F (DOHC); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019⁵
		B234F (DOHC)	(Fuel Strainer)	F102S
1989-88	2316 cc. (2.3L)	B230F (Exc. Turbo); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019⁵
		B230F (Exc. Turbo)	(Fuel Strainer)	F102S
1987-85	2316 cc. (2.3L)	B230F, B230FT (Includes Turbo)	(Fuel Strainer)	F102S
760 Series				
L4				
1990-88	2316 cc. (2.3L)	B230FT (Turbo)	(Fuel Strainer)	F102S
1987	2316 cc. (2.3L)	B230FT (Turbo)	(Fuel Strainer)	F102S
1986-85	2316 cc. (2.3L)	B230FT (Turbo)	(Fuel Strainer)	F131S
1984	2316 cc. (2.3L)	B23FT (Turbo)	(Fuel Strainer)	F131S
V6				
1990-88	2849 cc. (2.8L)	B280F (w/LH-Jetronic)	(Fuel Strainer)	F102S
1987	2849 cc. (2.8L)	B280F	(Fuel Strainer)	F131S
1986-83	2849 cc. (2.8L)	B28F (w/K-Jetronic)	(Fuel Strainer)	F131S
780 Series				
L4				
1991-89	2316 cc. (2.3L)	B230FT (Turbo)	(Fuel Strainer)	F102S
V6				
1990-87	2849 cc. (2.8L)	B280F	(Fuel Strainer)	F102S
850 Series				
L5				
1997-96	2319 cc. (2.3L)	B5234T, B5254FT (Turbo)	(Fuel Strainer)	F306S
1995-94	2319 cc. (2.3L)		(Fuel Strainer)	F306S
940 Series				
L4				
1995	2316 cc. (2.3L)	B230FD, B230FT (For Use w/Low Pressure In Tank Pump)	(Fuel Strainer)	F102S
1994	2316 cc. (2.3L)	B230FD	(Fuel Strainer)	F102S
1994-91	2316 cc. (2.3L)	B230FT (Turbo, Used w/Low Pressure In Tank Pump)	(Fuel Strainer)	F102S
1993	2316 cc. (2.3L)		(Fuel Strainer)	F102S

⁵Require two fuel pumps, which should be mounted in-tank and externally.

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>
VOLVO (Cont'd)				
940 Series (Cont'd)				
L4 (Cont'd)				
1992-91	2316 cc. (2.3L)	B230F, B230FT, B234	(Fuel Strainer)	F102S
1991	2316 cc. (2.3L)	B234F (DOHC, In-Tank); Strainer required to validate the warranty	(In Tank Electric Fuel Pump)	F1019 ⁵
		B234F (DOHC)	(Fuel Strainer)	F102S
960 Series				
L6				
1997-95	2922 cc. (2.9L)	B6304F (DOHC, For Use w/Low Pressure In Tank Pump)	(Fuel Strainer)	F102S
1994-92	2922 cc. (2.9L)	B6304F (DOHC, For Use w/Low Pressure In Tank Pump)	(Fuel Strainer)	F102S
C70				
L5				
2004-98	2319 cc. (2.3L), 2435 cc. (2.4L)		(Fuel Strainer)	F306S
S70				
L5				
2000-98	2319 cc. (2.3L)	(Turbo)	(Fuel Strainer)	F306S
	2435 cc. (2.4L)	(FWD, Includes Turbo)	(Fuel Strainer)	F306S
S90				
L6				
1998	2922 cc. (2.9L)	(DOHC, Used w/Low Pressure In Tank Pump)	(Fuel Strainer)	F102S
V70				
L5				
2000	2319 cc. (2.3L)	(FWD, Turbo)	(Fuel Strainer)	F306S
	2435 cc. (2.4L)	(FWD, Turbo)	(Fuel Strainer)	F306S
1999	2319 cc. (2.3L)	(FWD, Turbo)	(Fuel Strainer)	F306S
	2435 cc. (2.4L)	(FWD, Includes Turbo)	(Fuel Strainer)	F306S
1998	2319 cc. (2.3L)	(FWD, Turbo)	(Fuel Strainer)	F306S
	2435 cc. (2.4L)	(FWD, Includes Turbo)	(Fuel Strainer)	F306S
V90				
L6				
1998	2922 cc. (2.9L)	(DOHC, Used w/Low Pressure In Tank Pump)	(Fuel Strainer)	F102S

⁵Require two fuel pumps, which should be mounted in-tank and externally.

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>

<i>Years</i>	<i>Displ</i>	<i>Qualifier</i>	<i>Part Description</i>	<i>Part No.</i>